

AppSense DataNow

Release Notes (Version 4.0 Update 1)

These release notes include:

- [Components in this Release](#)
- [Important Upgrade Information](#)
- [Bugs Fixed](#)
- [Known Issues and Limitations](#)
- [Supported Operating Systems and Technologies](#)
- [Required Utilities and Components](#)
- [Further Help and Information](#)

Components in this Release

Component	Version
Server	4.0.0.88
Windows	4.0.98.0

Important Upgrade Information

Upgrade path

DataNow 4.0 is deployed using a new DataNow Appliance. The upgrade path from DataNow 3.x is a configuration backup and restore to DataNow 4.0, then apply the 4.0 Update 1 patch.

Windows XP Support

DataNow 4.0 has limited support for Windows XP endpoints. Customers can now use DataNow with In-Location Sync to migrate all users profile data from XP endpoint to a new device. DataNow 4.0 Windows XP does not support additional features such as shared map points, mapped drives and interacting with ghost files.

Bugs Fixed

The following customer bugs have been fixed in this release:

Problem	Description
13243	Intermittent permission issues when copying files to In-Location Sync folders from the same folder
13244	Logon delays seen for endpoints with Kerberos authentication in XenDesktop 7.8 environments

The following issues have been fixed in this release:

TFS ID	Description
202041	Over time the API responsible for getting map point lists for users consumes more memory resulting in slowdowns

Known Issues and Limitations

The following issues are present in this release:

TFS ID	Description
188956	'Send to zipped folder' fails to download ghost files on Windows XP
188248	Folder Listings don't Update when Ghost Files are 'Cut and Pasted' to New Location on Windows XP
188281	Failure to download files on Windows XP
198055	Credential Guard breaks Kerberos Ticket Forwarding

Supported Operating Systems and Technologies

The supported Operating Systems and Technologies are detailed in the compatibility matrix available on the AppSense Support Portal: [link](#).

Required Utilities and Components

Component	Required Utilities and Components
Appliance	The Appliance must have a minimum of 4GB of RAM and 4 vCPUs and need to be scaled to demand appropriately. The appliance has virtual hard disks which require up to 50GB of storage. The disks are thin provisioned.

Further Help and Information

Information about installing, configuring and using AppSense Insight can be found in the AppSense Insight Help, available from the Insight Web console of by using this link:

www.appsense.com/help/dn/v4.0/