



Management Center

Data Access Web Service API Guide

Version 2021.1

Table of Contents

Disclaimer.....	2
Introduction.....	3
Management Console	3
Proxy DLL	3
Authorization & Security.....	3
Limitations.....	3
How to use the Data Access WebServices - Examples	4
DataAccess Endpoint Tasks	4
Connecting to the Management Server.....	4
Creating & Managing Deployment Groups.....	4
Managing Machines.....	5
Retrieving Alerts.....	5
DataRows - Alerts	6
Alerts.....	6
AlertsRow.....	6
AlertRulesRow	7
ActionsRow	8
ConfigurationsRow.....	8
DataRows - Conditions	9
Conditions.....	9
ConditionsRow.....	9
DataRows - Database	10
Database	10
NamedValuesRow	10
DataRows - Deployment	11
Deployment	11
CredentialsRow.....	11
InstructionsRow	11
StatusHistoryRow	12
DataRows - DiscoveredMachines.....	13

DiscoveredMachines	13
DiscoveredMachinesRow	13
SchedulerConfigurationDto	13
DataRows - Events	15
Events	15
EventRow	15
ParamRow	15
EventDefinitionRow	16
EventDefinitionParamRow	17
EventParameterValuesRow	17
DataRows - Groups	19
Groups	19
ScheduleRow	19
GroupsRow	22
GroupPackagesRow	24
EventFilterRow	24
EventFilterRow	25
StatisticsDto	25
DataRows - Licenses	27
Licenses	27
LicensesRow	27
DataRows - Machines	28
Machines	28
MachinesRow	28
MachinePackagesRow	29
MatchResultsRow	30
MachineDetailsRow	31
MachineDiagnosticsRow	31
DataRows - Packages	33
Packages	33
PackagesRow	33
PackageVersionsRow	34
PatchesRow	36
PrerequisitesRow	37

PackageVersionPrerequisitesRow	38
PrerequisiteResourceRow	38
PrerequisiteCommandRow	39
PrerequisiteCheckRow	39
PrerequisiteExitCodeRow	40
DataRows - Products	42
Products.....	42
ProductsRow.....	42
DataRows - Reports	43
Reports	43
ReportDefinitionsRow	43
DataRows - Security	45
Security.....	45
SecurityRolesRow.....	45
ServerPermissionsRow.....	45
ObjectPermissionsRow.....	45
UsersRow	46
SecurityElementsRow.....	46
PoliciesRow	47
DataRows - Servers	48
Servers	48
ServersRow	48
Namespace Index	49
Hierarchical Index	50
Class Index.....	51
DataAccessServices.....	53
DataAccessServices.WebServices	54
Class Documentation	56
DataAccessServices.WebServices.Alerts	56
DataAccessServices.WebServices.Conditions	70
DataAccessServices.WebServices.DatabaseWebService	76
DataAccessServices.WebServices.Deployment	79
DataAccessServices.WebServices.DiscoveredMachines.....	87
DataAccessServices.WebServices.Events	100

DataAccessServices.WebServices.Groups	113
DataAccessServices.WebServices.Housekeeping	129
DataAccessServices.WebServices.Licenses	130
DataAccessServices.WebServices.Machines	135
DataAccessServices.WebServices.Maintenance.....	152
DataAccessServices.WebServices.Packages	168
DataAccessServices.WebServices.Products	193
DataAccessServices.WebServices.Queries.....	197
DataAccessServices.WebServices.Reports.....	199
DataAccessServices.WebServices.Security	207
DataAccessServices.WebServices.Servers.....	217

Disclaimer

Copyright © 2021, Ivanti. [All rights reserved.](#)

Introduction

This document details the web services interface exposed by the AppSense Management Server. While primarily used by the AppSense Management Console this interface is available for others to use.

Caution

AppSense reserves the right to modify any API classes or method signatures without warning.

Users are advised that changes to the API will occur over the span of releases and updates, and that any scripts that use these APIs should be carefully tested with new versions of AppSense products before being deployed in a production environment.

Since the Management Console uses the same API to communicate with the Management Server, anything possible within the Management Console is also possible through the API.

Management Console

Proxy DLL

The Management Console product ships with a web services proxy DLL used by the console for communication with the server. Third party tools may use this interface for convenience, or may access the APIs directly via the web services described in this document. The following DLLs are provided:

- DataAccess Endpoints: [InstallDir]\Management Center\Console\ManagementConsole.WebServices.dll
- PackageManagement Endpoint: [InstallDir]\Management Center\Console\PackageManager.dll (this also requires CommonDialogs.dll)

Caution

The AppSense Management Console must be installed before using the Proxy DLLs directly to ensure that any dependant DLLs are also available. This step is not required if the APIs are accessed directly via the web services

Authorization & Security

A full set of credentials should be specified when using the Proxy DLL by passing an instance of NetworkCredential. An example of this can be found under “Connecting to the Management Server”

Limitations

Some types defined in the proxy DLL are not described in this document, as they are based on standard data types defined in the .NET framework. Users looking for documentation on DataSet types should refer to MSDN for further details: <http://msdn.microsoft.com/en-us/library/system.data.datatable.aspx>

How to use the Data Access WebServices - Examples

DataAccess Endpoint Tasks

Connecting to the Management Server

Firstly, ensure that the latest version of the Management Console is installed. Before using the API a connection to the Management Server must be established. This involves:

- Loading the proxy DLL
- Instantiating a NetworkCredential instance
- Call the Connect method of ManagementConsole.WebServices

To logon as the current user:

```
# Load proxy DLLAdd-Type -Path "${Env:ProgramFiles}\AppSense\Management  
Center\Console\ManagementConsole.WebServices.dll"
```

```
# Management Server URL$url = "http://localhost:7751/ManagementServer"
```

```
# Get NetworkCredential instance$credentials =  
[System.Net.CredentialCache]::DefaultCredentials$credential = $credentials.GetCredential($url,  
"Basic")
```

```
# Create connection to the Management Server[ManagementConsole.WebServices]::Connect($url,  
$credential)
```

To specify a user to logon as:

```
# Load proxy DLLAdd-Type -Path "${Env:ProgramFiles}\AppSense\Management  
Center\Console\ManagementConsole.WebServices.dll"
```

```
# Management Server URL$url = "http://localhost:7751/ManagementServer"
```

```
# Get NetworkCredential instance$credential = New-Object System.Net.NetworkCredential -Property  
Username = "MyUsername"; Password = "MyPassword"; Domain = "MyDomain";}
```

```
# Create connection to the Management Server[ManagementConsole.WebServices]::Connect($url,  
$credential)
```

Creating & Managing Deployment Groups

Groups are managed using the GroupsWebService For convenience when using the Proxy DLL a reference to this web service is available from ManagementConsole.WebServices.Groups once a connection is established.

```
# Get GroupsWebService reference$GroupsWebService = [ManagementConsole.WebServices]::Groups
```

```
# Get list of deployment groups$GroupsDataSet = $GroupsWebService.GetGroups($True)$Groups = $GroupsDataSet.Groups
```

Managing Machines

The Management Server splits machines into two categories:

- DiscoveredMachines (machines which have been discovered through membership rules or been manually added by a user – they may not have completed the CCA installation process)
- Machines (machines which have completed the CCA installation process – these machines will also have a DiscoveredMachines instance)

Machines are managed using the DiscoveredMachinesWebService and the MachineWebService. For convenience when using the Proxy DLL a reference to this web service is available from ManagementConsole.WebServices.DiscoveredMachines and ManagementConsole.WebServices.Machines.

```
# Get DiscoveredMachinesWebService reference$DiscoveredMachinesWebService = [ManagementConsole.WebServices]::DiscoveredMachines
```

```
# Get MachinesWebService reference$MachinesWebService = [ManagementConsole.WebServices]::Machines
```

```
# Set up a Boolean to get the machines with or without summary# machines with a summary detail the number of alerts counted$withSummary = $true
```

```
# Get list of machines$MachinesDataSet = $MachinesWebService.GetMachines($withSummary)$Machines = $MachinesDataSet.Machines
```

Retrieving Alerts

Alerts are managed using the AlertWebService. For convenience when using the Proxy DLL a reference to this web service is available from ManagementConsole.WebServices.Alerts once a connection is established.

```
# Get AlertsWebService reference$AlertsWebService = [ManagementConsole.WebServices]::Alerts
```

```
# Get list of alerts$AlertsDataSet = $AlertsWebService.GetAlerts()$Alerts = $AlertsDataSet.Alerts
```

DataRows - Alerts

Alerts

AlertsRow

When an event is correctly matched against an alert rule, the event is added to an existing alert if one exists with the correct conditions, or to a new alert. The conditions for matching an existing alert require that the status is new, and that the alert was generated for the same group and machine. The status column can be 0 for new, 1 for acknowledged and 2 for resolved.

Column	DataType	Description
AlertKey	Int32	Unique identifier relating to alert
AlertRuleKey	Guid	Unique identifier relating to alert rule
AlertRuleName	String	Name of alert rule
GroupKey	Guid	Unique identifier relating to group
GroupName	String	Name of group
MachineKey	Guid	Unique identifier relating to machine
MachineName	String	Name of machine
Status	Int32	
Time	DateTime	
MillisecondsOfDay	Int32	
Severity	Int32	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

AlertRulesRow

Represents the definition of an alert rule as seen within the Management Console. It consists of a name and description, as well as a boolean enabled column and a severity. The severity can be 0 for critical, 1 for high, 2 for medium and 3 for low. EventQuery, MachineQuery, UserQuery and GroupQuery columns contain a regular expression for matching against the respective columns within an event.

Column	DataType	Description
AlertRuleKey	Guid	Unique identifier relating to alert rule
Name	String	Name of alert rule
Description	String	Description of alert rule
Severity	Int32	
Enabled	Boolean	
EventQuery	String	
MachineQuery	String	
UserQuery	String	
GroupQuery	String	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
PolicyKey	Guid	Unique identifier relating to policy
OwnerSid	String	
SecurityDescriptor	String	
Version	Int32	

ActionsRow

Represents the SMTP and SNMP actions of an alert rule which are triggered when an alert is generated.

Column	DataType	Description
ActionKey	Guid	Unique identifier relating to action
AlertRuleKey	Guid	Unique identifier relating to alert rule
Name	String	Name of action
Description	String	Description of action
Type	String	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

ConfigurationsRow

Stores the settings as name, value pairs for each action within an alert rule.

Column	DataType	Description
ActionKey	Guid	Unique identifier relating to action
Name	String	Name of configuration
Value	String	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
ActionsRow	ActionsRow	

DataRows - Conditions

Conditions

ConditionsRow

Represents a condition on the server

Column	DataType	Description
ConditionPK	Int32	
GroupKey	Guid	Unique identifier relating to group
ConditionType	Byte	The values of which are: 0 – NetBios 1 – Container 2 – ComputerName 3 – Domain 4 – All; used for the default group only
IsInclude	Boolean	
IncludeChildren	Boolean	
ADObjectGUID	Guid	
ADObjectDistinguishedName	String	Name of ad object distinguished
ModifiedTime	DateTime	Time modified
Filter	String	
Domain	String	

DataRows - Database

Database

NamedValuesRow

Used to store general values that the Management Center uses such as the database schema version number.

Column	DataType	Description
Name	String	Name of named value
Value	String	

DataRows - Deployment

Deployment

CredentialsRow

Represents a credential on the server

Column	DataType	Description
UserName	String	Name of user
Password	String	
Index	Int32	
CredentialsKey	Guid	Unique identifier relating to credentials
GroupKey	Guid	Unique identifier relating to group
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

InstructionsRow

The commandID column can represent either a install CCA instruction(128) or a poll now instruction (129).

Column	DataType	Description
CommandID	Int32	
GroupKey	Guid	Unique identifier relating to group
PlugIn	String	
Status	String	

MachineKey	Guid	Unique identifier relating to machine
InstructionKey	Guid	Unique identifier relating to instruction
Settings	String	

StatusHistoryRow

Represents a status history on the server

Column	DataType	Description
InstructionKey	Guid	Unique identifier relating to instruction
Status	String	
CreationTime	DateTime	Time created
InstructionsRow	InstructionsRow	

DataRows - DiscoveredMachines

DiscoveredMachines

DiscoveredMachinesRow

Represents a discovered machine on the server

Column	DataType	Description
DiscoveredMachineKey	Guid	Unique identifier relating to discovered machine
ExpectedGroupKey	Guid	Unique identifier relating to expected group
NetBiosName	String	Name of net bios
ADObjectGuid	Guid	
Description	String	Description of discovered machine
OperatingSystem	String	
DNS	String	
UserSpecified	Bit	
CreationTime	DateTime	Time created
ModifiedDiscoveryTime	DateTime	
ModifiedDeploymentTime	DateTime	

SchedulerConfigurationDto

Contains the configuration for a service running under the Scheduler Service.

Column	DataType	Description
--------	----------	-------------

TaskId	Guid	Unique identifier of a scheduler service
AssemblyName	String	
TypeName	String	
DefaultInterval	Int32	
ScheduledInterval	Int32	
EventName	String	
StartMode	Int32	1 = automatic, 0 = manual
LastStartMode	Int32	
Timeout	Int32	
ActiveServer	String	
LastStarted	DateTime	
LastUpdated	DateTime	
LastCompleted	DateTime	

DataRows - Events

Events

EventRow

Stores the events that have been raised by the product agents on the managed machines.

Column	DataType	Description
EventKey	Int32	Unique identifier relating to event
EventDefinitionKey	Int32	Unique identifier relating to event definition
MachineKey	Guid	Unique identifier relating to machine
MachineName	String	Name of machine
GroupKey	Guid	Unique identifier relating to group
GroupName	String	Name of group
UserName	String	Name of user
Time	DateTime	
MillisecondsOfDay	Int32	

ParamRow

Represents a param on the server

Column	DataType	Description
EventDefinitionParamKey	Int32	Unique identifier relating to event definition param

EventKey	Int32	Unique identifier relating to event
Type	Int32	
Name	String	Name of param
Value	String	
EventRow	EventRow	

EventDefinitionRow

Stores the actual event definition which is associated to a product. An event definition can also have one or more parameters associated to the event. The primary key of the event definition is displayed within the Management Console as an Event ID.

Column	Data Type	Description
EventDefinitionKey	Int32	Unique identifier relating to event definition
Name	String	Name of event definition
Description	String	Description of event definition
EventDescription	String	
ProductKey	Guid	Unique identifier relating to product
ProductName	String	Name of product
Type	Int32	
HighVolume	Boolean	
DefaultEnabledState	Boolean	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

EventDefinitionParamRow

Each event definition contains a list of parameters, which are defined by name, type and description columns. The type column represents the data type, and can be 0 for a string, 1 for an integer or 2 for a date or time.

Column	DataType	Description
EventDefinitionParamKey	Int32	Unique identifier relating to event definition param
EventDefinitionKey	Int32	Unique identifier relating to event definition
Name	String	Name of event definition param
Description	String	Description of event definition param
Type	Int32	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
EventDefinitionRow	EventDefinitionRow	

EventParameterValuesRow

Stores an event's string/integer/date/time/etc parameters, as defined by the EventDefinitionParam table.

Column	DataType	Description
StringValue	String	
IntegerValue	Int32	
DateTimeValue	DateTime	

00:00	01:30	90071992547409 99	10000000000000 00000000000000 00000000000000 000000000111
00:00	02:00	90071992547410 07	10000000000000 00000000000000 00000000000000 000000001111
00:00	02:00	15 (disabled)	00000000000000 00000000000000 00000000000000 000000001111
00:30	02:00	90071992547410 06	10000000000000 00000000000000 00000000000000 000000001110

End times can be before start times to allow deployment schedules from the start of the day until the end time followed by a second period from the start time until the end of the day

Start	End	Flags	Binary
18:00	08:00	92886055120404 47	10000111111111 11110000000000 0000000001111 111111111111

The set of <DayOfWeek>ConfigFlags columns define the installation schedule for configurations (as opposed to agents). In previous versions, the behavior was always as if the ConfigFlags column was set to "2 - Immediate". The DownloadConfigurationsOnStartup property determines whether startup should be blocked whilst the CCA downloads new configurations and installs them before allowing the user to login.

Column	Data Type	Description
GroupKey	Guid	Unique identifier relating to group
MondayFlags	Int64	
TuesdayFlags	Int64	
WednesdayFlags	Int64	
ThursdayFlags	Int64	
FridayFlags	Int64	
SaturdayFlags	Int64	
SundayFlags	Int64	
Flags	Int32	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
RetryPeriodSeconds	Int32	
MondayConfigFlags	Int64	
TuesdayConfigFlags	Int64	
WednesdayConfigFlags	Int64	
ThursdayConfigFlags	Int64	
FridayConfigFlags	Int64	
SaturdayConfigFlags	Int64	
SundayConfigFlags	Int64	
ConfigFlags	Int32	

PostponeInstallationInSchedule	Boolean	
PostponeInstallationLimit	Int32	
DownloadConfigurationsOnStartup	Boolean	Determines whether startup should be blocked whilst the CCA downloads new configurations and installs them before allowing the user to login

GroupsRow

Represents a group on the server

Column	DataType	Description
groupKey	Guid	The key which identifies this group.
name	String	The name of the group.
description	String	Description of the group.
pollPeriodSeconds	Int32	The amount of seconds between polls.
uploadPollPeriodSeconds	Int32	The amount of seconds between uploads.
eventLogEnabled	Boolean	Whether to log events to the event log.
fileLogEnabled	Boolean	Whether to log events to the file log.
fileLogFilename	String	The file name to log events to.

anonymousUserLogging	Boolean	Whether events from machines within this group will be logged with anonymous users.
anonymousMachineLogging	Boolean	Whether events from machines within this group will be logged with anonymous machines.
overrideServerUrls	Boolean	Whether this group overrides server URL's.
selfRegistrationEnabled	Boolean	Whether or not self registration is allowed.
selfUnregistrationEnabled	Boolean	Whether or not self unregistration is allowed.
selfUpdateEnabled	Boolean	Whether or not self update of agents and configurations is allowed.
priority	Int32	Order in which this groups membership rules will be evaluated.
pollPeriodVariationSeconds	Int32	The VariationSeconds allowed for each poll
uploadPollPeriodVariationSeconds	Int32	The VariationSeconds allowed for each upload.
nativeConfigurations	Boolean	Set to true whenever the CCA is deploying configurations as the native aemp/aamp/apmp file format.
configurationLocation	String	When nativeConfigurations is true, defines the location that native configurations will be deployed to.

GroupPackagesRow

Stores which packages have been assigned for deployment to the machines within the group.

Column	DataType	Description
GroupKey	Guid	Unique identifier relating to group
PackageKey	Guid	Unique identifier relating to package
Name	String	Name of group package
Type	String	
Company	String	
Platform	Int32	
ProductName	String	Name of product
Major	Int32	
Minor	Int32	
Build	Int32	
Revision	Int32	
Exists	Boolean	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

EventFilterRow

Stores a list of event id's (the primary key of the event definition) which are enabled for each deployment group. This list represents a deployment group's event filter within the Management Console.

Column	DataType	Description
--------	----------	-------------

GroupKey	Guid	Unique identifier relating to group
EventDefinitionKey	Int32	Unique identifier relating to event definition
Name	String	Name of event filter
Description	String	Description of event filter
ProductName	String	Name of product
Enabled	Boolean	
HighVolume	Boolean	
DefaultEnabledState	Boolean	

EventFilterRow

Used to store general values that the Management Center uses such as the database schema version number.

Column	DataType	Description
Name	String	Name of named value
Value	String	

StatisticsDto

Used to present the data on the home page of the Management Console

Column	DataType	Description
Groups	String	Total number of groups
GroupsDeployed	String	Number of groups that are fully deployed

GroupsInError	String	Number of groups containing computers in an error state
Computers	String	Total number of computers
ComputersDeployed	String	Number of computers that are fully deployed
ComputersInError	String	Number of computers that are in an error state
ComputersOffline	String	Number of computers that are not polling in
Alerts	String	Number of recorded alerts
AlertsCritical	String	Number of recorded critical alerts
AlertsNew	String	Number of new alerts
AlertsNew24H	String	Number of alerts that have been recorded in the last 24 hours

DataRows - Licenses

Licenses

LicensesRow

Represents a license on the server

Column	DataType	Description
LicenseCode	String	
ActivationCode	String	
LicenseType	Int32	
ProductKey	Guid	Unique identifier relating to product
LicenseCount	Int32	
ExpiryDate	DateTime	
BaseLicense	Boolean	
GroupKey	String	Unique identifier relating to group
LicenseKey	Guid	Unique identifier relating to license
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

DataRows - Machines

Machines

MachinesRow

Provides data on each machine in the Management Center. The Platform column contains either 1 for a 32-bit machine, or 2 for a 64-bit machine. The GroupFK column is a foreign key relating to the group that the machine is a member of. This has the value of null for machines in the unassigned group.

Column	Data Type	Description
MachineKey	Guid	Unique identifier relating to machine
GroupKey	Guid	Unique identifier relating to group
GroupName	String	Name of group
Platform	Int32	
NetBiosName	String	Name of net bios
DistinguishedName	String	Name of distinguished
OldDistinguishedName	String	Name of old distinguished
ObjectGuid	Guid	
LastPollTime	DateTime	
LastPollStatus	Int32	
LastUploadTime	DateTime	
LastUploadStatus	Int32	
IsPendingDeletion	Boolean	
AlertCount	Int32	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

ModifiedGroupTime	DateTime	
DiagnosticsError	Boolean	
DiagnosticsState	Int32	
DiagnosticsTime	DateTime	
Deployed	Int32	
DeployError	Boolean	
Offline	Boolean	
DNS	String	
LastResponseSeconds	Int32	

MachinePackagesRow

The CCA detects the installation state of all packages which have been added to the Management Center's database. This information is sent to the Management Server when the CCA polls, and is stored in the MachinePackages table. The Status column indicates the progress through the installation of the package:

- Pending Install
- Checking Prerequisites
- Downloading
- Download Failed
- Installing
- Installed
- Install Failed
- Pending Upgrade
- Upgrade Failed
- Pending Uninstall
- Uninstalling
- Uninstall Failed
- Uninstalled
- Install Prerequisite Failed
- Unmanaged

The StatusMessage column will contain an error message if the Status column is a failure.

Column	DataType	Description
MachineKey	Guid	Unique identifier relating to machine

PackageKey	Guid	Unique identifier relating to package
Major	Int32	
Minor	Int32	
Build	Int32	
Revision	Int32	
Name	String	Name of machine package
Company	String	
Type	String	
Platform	Int32	
ProductName	String	Name of product
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
Status	Int32	
StatusMessage	String	
ChildStatus	Int32	
ChildMajor	Int32	
ChildMinor	Int32	
ChildBuild	Int32	
ChildRevision	Int32	

MatchResultsRow

Represents a match result on the server

Column	DataType	Description
--------	----------	-------------

GroupKey	Guid	Unique identifier relating to group
GroupName	String	Name of group
MatchName	String	Name of match
Difference	Int32	

MachineDetailsRow

Stores a collection of name \ value pairs containing the machines details such as OS, memory, cpu platform 32 or 64 bit etc.

Column	DataType	Description
MachineKey	Guid	Unique identifier relating to machine
Name	String	Name of machine detail
Value	String	

MachineDiagnosticsRow

Stores the results of any diagnostic tests that have been performed on the machine.

Column	DataType	Description
MachineKey	Guid	Unique identifier relating to machine
ServerUrl	String	
Name	String	Name of machine diagnostic
Error	Boolean	
Message	String	

DataRows - Packages

Packages

PackagesRow

Stores the version independent properties of a package, such as the platform and type. The platform column can be 0 for platform independent, 1 for 32-bit and 2 for 64-bit. The type column can be "msi/configuration" for configurations, and "msi/agent" for agents. If the package has been locked by a user, then the Locked column is set to 1 and the LockedUserName set to the name of the user who owns the lock.

Column	DataType	Description
LatestName	String	Name of latest
PackageKey	Guid	UpgradeCode property defined in associated MSI files
Company	String	
Type	String	
Platform	Int32	
ProductKey	Guid	Unique identifier relating to product
ProductName	String	Name of product
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
OwnerSid	String	
PolicyKey	Guid	Unique identifier relating to policy
Locked	Boolean	
LockedUserName	String	Name of locked user
LatestMajor	Int32	

LatestMinor	Int32	
LatestBuild	Int32	
LatestRevision	Int32	
SecurityDescriptor	String	
Dirty	Byte	

PackageVersionsRow

Stores the actual data for each version of a package. The name is stored on a per package basis to accommodate renames of configs and tags of agents (such as beta). The Major, Minor, Build and Revision fields form the unique version number for the package. The InProgress column identifies a version of a package which is currently being modified, and hence should not be deployed. The creator versions store the version number of the console which created a configuration, and the dependent minimum and maximum columns representing the minimum and maximum versions of agents that the configuration is compatible with.

Column	DataType	Description
PackageVersionKey	Guid	ProductCode property defined in associated MSI files
PackageKey	Guid	UpgradeCode property defined in associated MSI files
Name	String	Name of package version
Major	Int32	Major version of package
Minor	Int32	Minor version of package
Build	Int32	Build version of package
Revision	Int32	Revision version of package
DataLength	Int32	Size of package
CreationTime	DateTime	Time created

ModifiedTime	DateTime	Time modified
InProgress	Boolean	
UserName	String	Name of user
Description	String	Description of package version
CreatorMajor	Int32	Major version of package creator (console)
CreatorMinor	Int32	Minor version of package creator (console)
CreatorBuild	Int32	Build version of package creator (console)
CreatorRevision	Int32	Revision version of package creator (console)
DependentMinimumMajor	Int32	Major version of minimum associated agent
DependentMinimumMinor	Int32	Minor version of minimum associated agent
DependentMinimumBuild	Int32	Build version of minimum associated agent
DependentMinimumRevision	Int32	Revision version of minimum associated agent
DependentMaximumMajor	Int32	Major version of maximum associated agent
DependentMaximumMinor	Int32	Minor version of maximum associated agent
DependentMaximumBuild	Int32	Build version of maximum associated agent
DependentMaximumRevision	Int32	Revision version of maximum associated agent

PackagesRow	PackagesRow	
-------------	-------------	--

PatchesRow

Stores meta-data for a patch, including the package version that the patch applies.

Column	DataType	Description
PatchKey	Guid	The unique identifier of the patch
PackageVersionKey	Guid	The package version that this patch applies to
PatchCode	Guid	The Patch Code property of the Windows Installer MSP file
Name	String	Name of the patch
Major	Int32	Major version of package once this patch is applied
Minor	Int32	Minor version of package once this patch is applied
Build	Int32	Build version of package once this patch is applied
Revision	Int32	Revision version of package once this patch is applied
DataLength	Int32	Size of patch
InProgress	Boolean	True whenever this patch is being updated
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

TargetMajor	Int32	The version of the patch or package that this patch applies to
TargetMinor	Int32	The version of the patch or package that this patch applies to
TargetBuild	Int32	The version of the patch or package that this patch applies to
TargetRevision	Int32	The version of the patch or package that this patch applies to
ValidationFlags	Int32	The Validation Flags property of the Windows Installer MSP file

PrerequisitesRow

Represents a prerequisite on the server

Column	DataType	Description
PrerequisitesKey	Guid	Unique identifier relating to prerequisites
Name	String	Name of prerequisite
Version	Int32	
PlatformInfo	String	
VersionInfo	String	
ModifiedTime	DateTime	Time modified
CreationTime	DateTime	Time created

PackageVersionPrerequisitesRow

Represents a package version prerequisite on the server

Column	DataType	Description
PackageVersionKey	Guid	Unique identifier relating to package version
PrerequisitesKey	Guid	Unique identifier relating to prerequisites
PrerequisitesRow	PrerequisitesRow	

PrerequisiteResourceRow

Represents a prerequisite resource on the server

Column	DataType	Description
ResourceKey	Guid	Unique identifier relating to resource
PrerequisiteKey	Guid	Unique identifier relating to prerequisite
Destination	String	
DataLength	Int32	
HashCode	String	
Valid	Boolean	
ModifiedTime	DateTime	Time modified
CreationTime	DateTime	Time created
PrerequisitesRow	PrerequisitesRow	

PrerequisiteCommandRow

Represents a prerequisite command on the server

Column	DataType	Description
CommandKey	Guid	Unique identifier relating to command
PrerequisiteKey	Guid	Unique identifier relating to prerequisite
Action	Int32	
Type	Int32	
Path	String	
Arguments	String	
DefaultResult	Int32	
ModifiedTime	DateTime	Time modified
CreationTime	DateTime	Time created
PrerequisitesRow	PrerequisitesRow	

PrerequisiteCheckRow

Represents a prerequisite check on the server

Column	DataType	Description
PrerequisiteCheckKey	Guid	Unique identifier relating to prerequisite check
PrerequisiteKey	Guid	Unique identifier relating to prerequisite
CheckType	Int32	
Condition	Int32	
OperatorValue	Int32	

Data	String	
Product_ProductCode	Guid	
Product_UpgradeCode	Guid	
File_Path	String	
Registry_Root	String	
Registry_Key	String	Unique identifier relating to registry_
Registry_Value	String	
OperatingSystem_Message	String	
ModifiedTime	DateTime	Time modified
CreationTime	DateTime	Time created
PrerequisitesRow	PrerequisitesRow	

PrerequisiteExitCodeRow

Represents a prerequisite exit code on the server

Column	DataType	Description
ExitCodeKey	Guid	Unique identifier relating to exit code
Value	Int32	
Result	String	
CommandKey	Guid	Unique identifier relating to command
ModifiedTime	DateTime	Time modified
CreationTime	DateTime	Time created

PrerequisiteCommandRow	PrerequisiteCommandRow	
------------------------	------------------------	--

DataRows - Products

Products

ProductsRow

Used to identify the product that packages, event definitions and reports belong to

Column	DataType	Description
ProductKey	Guid	Unique identifier relating to product
Name	String	Name of product
Icon	Byte[]	
SupportsAgents	Boolean	
SupportsConfigurations	Boolean	
SupportsSoftware	Boolean	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified

DataRows - Reports

Reports

ReportDefinitionsRow

Represents a report definition on the server

Column	DataType	Description
ReportDefinitionKey	Guid	Unique identifier relating to report definition
Name	String	Name of report definition
Description	String	Description of report definition
Category	String	
Type	String	
ProductKey	Guid	Unique identifier relating to product
ProductName	String	Name of product
Visible	Boolean	
DataLength	Int32	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
PolicyKey	Guid	Unique identifier relating to policy
OwnerSid	String	
SecurityDescriptor	String	

DataRows - Security

Security

SecurityRolesRow

Stores a list of security roles. A security role defines a grouping of privileges within the Management Center identified by the PermissionsMask. The role type can be 0 for a server role, or 1 for an object role.

Column	DataType	Description
SecurityRoleKey	Guid	Unique identifier relating to security role
Name	String	Name of security role
Description	String	Description of security role
PermissionsMask	Int64	
RoleType	Int32	
ModifiedTime	DateTime	Time modified
ReadOnly	Boolean	

ServerPermissionsRow

Represents a server permission on the server

Column	DataType	Description
Name	String	Name of server permission
Mask	Int64	

ObjectPermissionsRow

Represents an object permission on the server

Column	DataType	Description
Name	String	Name of object permission
Mask	Int64	

UsersRow

Stores a list of users which have access to the Management Server. If IsGroup is 1, then the user is a user group. The PolicyFK reference to the Policies table is used to store server wide roles for the user.

Column	DataType	Description
UserKey	Guid	Unique identifier relating to user
Name	String	Name of user
Sid	String	
IsGroup	Boolean	
IsMember	Boolean	
PolicyKey	Guid	Unique identifier relating to policy
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
SecurityDescriptor	String	

SecurityElementsRow

Associates an object's policy with an individual user's security roles. ElementType can be either 0 for allow, or 1 for deny.

Column	DataType	Description
--------	----------	-------------

SecurityElementKey	Guid	Unique identifier relating to security element
ElementType	Int32	
PolicyKey	Guid	Unique identifier relating to policy
SecurityRoleKey	Guid	Unique identifier relating to security role
UserSid	String	
ModifiedTime	DateTime	Time modified

PoliciesRow

Any object which has overridden permissions contains an entry within the Policies table. This table links the object to one or more security elements. Type represents the object type that the policy is for, and can be 0 for users, 1 for group, 2 for packages, 3 for reports and 4 for alert rules.

Column	DataType	Description
PolicyKey	Guid	Unique identifier relating to policy
Type	Int32	

DataRows - Servers

Servers

ServersRow

Represents a server on the server

Column	DataType	Description
ServerKey	Guid	Unique identifier relating to server
GroupKey	Guid	Unique identifier relating to group
Url	String	
Index	Int32	
PerformDiagnostics	Boolean	
CreationTime	DateTime	Time created
ModifiedTime	DateTime	Time modified
Disabled	Boolean	

Namespace Index

Namespace List

Here is a list of all documented namespaces with brief descriptions:

<u>DataAccessServices</u>	53
<u>DataAccessServices.WebServices</u>	54

Hierarchical Index

Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

WebService	
DataAccessServices.WebServices.Alerts	56
DataAccessServices.WebServices.Conditions	70
DataAccessServices.WebServices.DatabaseWebService.....	76
DataAccessServices.WebServices.DiscoveredMachines	87
DataAccessServices.WebServices.Events.....	100
DataAccessServices.WebServices.Groups	113
DataAccessServices.WebServices.Licenses.....	130
DataAccessServices.WebServices.Machines	135
DataAccessServices.WebServices.Maintenance	152
DataAccessServices.WebServices.Packages.....	168
DataAccessServices.WebServices.Products.....	193
DataAccessServices.WebServices.Reports	199
DataAccessServices.WebServices.Security	207
DataAccessServices.WebServices.Servers.....	217
WebService	
DataAccessServices.WebServices.Deployment.....	79
DataAccessServices.WebServices.Housekeeping	129
DataAccessServices.WebServices.Queries	197

Class Index

Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

DataAccessServices.WebServices.Alerts (The Management Center can be configured to generate Alerts which are based on events generated by the different AppSense product agents on the registered client machines. Alerts provide information as to when the event occurred and the severity of the alert, the alert might also generate and SNMP trap or SMTP (email) action when the alert is triggered.)	56
DataAccessServices.WebServices.Conditions (The Conditions WebService creates conditions for use by Machine Discovery. For more information, refer to the DiscoveredMachine WebService page.)	70
DataAccessServices.WebServices.DatabaseWebService (Provides methods for retrieving information about the current Management Server database.)	76
DataAccessServices.WebServices.Deployment (Manages deployment of the CCA. When the "Install CCA" instruction is selected from the Management Console each client machine has an associated DeploymentInstruction. This is then used to provide the "CCA Install Log" to the ManagementConsole and any deployment status. The "DeploymentCredentials" is a store of the usernames and passwords provided in the ManagementConsole. The passwords are RSA encrypted.)	79
DataAccessServices.WebServices.DiscoveredMachines (Manages discovered machines in the Management Centre. When discovering computer membership within a group the conditions are evaluated for each group. If a machine from the active directory search matches the condition it is then added to the DiscoveredMachines table.)	87
DataAccessServices.WebServices.Events (Manages events in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events to the Management Center. In order to receive and display these events the Management Center database contains a list of all the possible events that can be raised via the product agents)	100
DataAccessServices.WebServices.Groups (Manages deployment groups and assigned packages in the Management Centre. The groups table represents a deployment group, with associated settings being stored within the related tables. The GroupPackages and MachinePackages tables represent the packages which are assigned to a group, and are installed on the group's machines.)	113
DataAccessServices.WebServices.Housekeeping (Summary description for Events)	129
DataAccessServices.WebServices.Licenses (Manages licenses in the Management Centre. When using the AppSense Management Suite a valid license must be used.)	130
DataAccessServices.WebServices.Machines (Manages machines in the Management Centre. The Machines table stores an entry for each machine managed by the Management Center.)	135
DataAccessServices.WebServices.Maintenance (Manages maintenance tasks in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events/alerts to the Management Center. In order to receive and display these events/alerts the Management Center database contains a list of all the possible evnets/alerts that can be raised via the product agents)	152
DataAccessServices.WebServices.Packages (Packages within the Management Center are stored as MSI files and comprise of either an agent or configuration. A package has one or more associated versions to support software and configuration versioning and concurrency control.)	168
DataAccessServices.WebServices.Products (The ProductsWebService creates product entries needed for uploading and managing packages. For more information, refer to the PackagesWebService.)	193
DataAccessServices.WebServices.Queries (Provides methods for querying the Management Server database via the reporting engine.)	197
DataAccessServices.WebServices.Reports (Manages reports in the Management Centre. Report definitions store the necessary data for generating the reports visible within the Management Console.)	199

[DataAccessServices.WebServices.Security](#) (Within the Management Center it is possible to configure permissions for the different object types; these object types include groups, packages and alerts rules etc. These objects contain an OwnerSid and PolicyFK columns which control the permissions on the objects.)207

[DataAccessServices.WebServices.Servers](#) (Within the Management Center database it is possible to configure a number of fail over servers which are used if the current management server cannot be contacted. The user can configure a number of fail over servers on a per group basis allowing different groups to be serviced by different management servers.)217

Namespace Documentation

DataAccessServices Namespace Reference

Namespaces

- namespace [WebServices](#)

DataAccessServices.WebServices Namespace Reference

Classes

- class [Alerts](#)
- *The Management Center can be configured to generate [Alerts](#) which are based on events generated by the different AppSense product agents on the registered client machines. [Alerts](#) provide information as to when the event occurred and the severity of the alert, the alert might also generate and SNMP trap or SMTP (email) action when the alert is triggered. class **Auditing***
- class [Conditions](#)
- *The [Conditions](#) WebService creates conditions for use by Machine Discovery. For more information, refer to the [DiscoveredMachine](#) WebService page. class [DatabaseWebService](#)*
- *Provides methods for retrieving information about the current Management Server database. class [Deployment](#)*
- *Manages deployment of the CCA. When the "Install CCA" instruction is selected from the Management Console each client machine has an associated [DeploymentInstruction](#). This is then used to provide the "CCA Install Log" to the ManagementConsole and any deployment status. The "DeploymentCredentials" is a store of the usernames and passwords provided in the ManagementConsole. The passwords are RSA encrypted. class [DiscoveredMachines](#)*
- *Manages discovered machines in the Management Centre. When discovering computer membership within a group the conditions are evaluated for each group. If a machine from the active directory search matches the condition it is then added to the [DiscoveredMachines](#) table. class [Events](#)*
- *Manages events in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events to the Management Center. In order to receive and display these events the Management Center database contains a list of all the possible events that can be raised via the product agents. class [Groups](#)*
- *Manages deployment groups and assigned packages in the Management Centre. The groups table represents a deployment group, with associated settings being stored within the related tables. The [GroupPackages](#) and [MachinePackages](#) tables represent the packages which are assigned to a group, and are installed on the group's machines. class [Housekeeping](#)*
- *Summary description for [Events](#) class [Licenses](#)*
- *Manages licenses in the Management Centre. When using the AppSense Management Suite a valid license must be used. class [Machines](#)*
- *Manages machines in the Management Centre. The [Machines](#) table stores an entry for each machine managed by the Management Center. class [Maintenance](#)*
- *Manages maintenance tasks in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events/alerts to the Management Center. In order to receive and display these events/alerts the Management Center database contains a list of all the possible evnets/alerts that can be raised via the product agents. class **PackageDownloader***
- class [Packages](#)
- *[Packages](#) within the Management Center are stored as MSI files and comprise of either an agent or configuration. A package has one or more associated versions to support software and configuration versioning and concurrency control. class [Products](#)*
- *The [ProductsWebService](#) creates product entries needed for uploading and managing packages. For more information, refer to the [PackagesWebService](#). class [Queries](#)*
- *Provides methods for querying the Management Server database via the reporting engine. class [Reports](#)*
- *Manages reports in the Management Centre. Report definitions store the necessary data for generating the reports visible within the Management Console. class **Resources***
- *A strongly-typed resource class, for looking up localized strings, etc. class [Security](#)*
- *Within the Management Center it is possible to configure permissions for the different object types; these object types include groups, packages and alerts rules etc. These objects contain an OwnerSid and PolicyFK columns which control the permissions on the objects. class [Servers](#)*

Within the Management Center database it is possible to configure a number of fail over servers which are used if the current management server cannot be contacted. The user can configure a number of fail

over servers on a per group basis allowing different groups to be serviced by different management servers.

Class Documentation

DataAccessServices.WebServices.Alerts Class Reference

The Management Center can be configured to generate [Alerts](#) which are based on events generated by the different AppSense product agents on the registered client machines. [Alerts](#) provide information as to when the event occurred and the severity of the alert, the alert might also generate and SNMP trap or SMTP (email) action when the alert is triggered.

Inheritance diagram for DataAccessServices.WebServices.Alerts:



Public Member Functions

- void [AddActionConfiguration](#) (Guid actionKey, String name, String value, out DateTime modifiedTime)
Adds a configuration property to an action.
- void [AddEventToAlert](#) (Int32 alertKey, Int64 eventKey)
Adds an event to an existing alert.
- void [ApplyActionChanges](#) (ref ActionsDataSet actionsChanges)
Applies changes made to the actions data set into the database.
- void [ApplyAlertChanges](#) (ref AlertsDataSet alertChanges)
Applies edits from within an alerts data set into the database.
- void [ApplyAlertRuleChanges](#) (ref AlertRulesDataSet alertRules)
Applies edits from within the alert rules data set into the database.
- void [ApplyAlertRuleSecurityChanges](#) (ref AlertRulesDataSet alertRules)
Applies edits from within the alert rules data set into the database.
- void [CreateAction](#) (Guid actionKey, Guid alertRuleKey, String name, String description, String type, out DateTime modifiedTime)
Creates an action associated with an alert rule within the database.

- void [CreateAlert](#) (Guid alertRuleKey, Guid?groupKey, Guid?machineKey, AlertStatus status, DateTime time, out DateTime modifiedTime)
Creates a new alert within the database.
- void [CreateAlertRule](#) (Guid alertRuleKey, String name, String description, AlertRuleSeverity severity, Boolean enabled, Int32 version, String eventQuery, String machineQuery, String userQuery, String groupQuery, out DateTime modifiedTime)
Constructs a new alert rule.
- void [DeleteAction](#) (Guid actionKey, DateTime?modifiedTime)
Deletes an existing action from the database.
- void [DeleteAlert](#) (Int32 alertKey, DateTime?modifiedTime)
Deletes an alert from the database.
- void [DeleteAlertRule](#) (Guid alertRuleKey, DateTime?modifiedTime)
Deletes an existing alert rule.
- void [DeleteAlertsFromGroupKey](#) (Guid groupKey)
Deletes all alerts generated by machines within the specified group.
- void [DeleteAlertsFromMachineKey](#) (Guid machineKey)
Deletes all alerts generated by the specified machine.
- void [DeleteAlertsFromSeverity](#) (AlertRuleSeverity severity)
Deletes all alerts with the given severity.
- void [DeleteAlertsFromStatus](#) (AlertStatus status)
Deletes all alerts with the given status.
- void [DeleteAlertsFromTime](#) (DateTime?startTime, DateTime?endTime)
Deletes all alerts generated at the specified times.
- ActionsDataSet [GetActionFromAlertRuleKey](#) (Guid alertRuleKey)
Returns the actions associated with an alert rule.
- AlertRulesDataSet [GetAlertRuleFromKey](#) (Guid alertRuleKey)
Returns a single alert rule from a given key.
- AlertRulesDataSet [GetAlertRules](#) ()
Returns all alert rules.
- AlertsDataSet [GetAlerts](#) ()
Returns all alerts within the database.
- AlertsDataSet [GetAlertsFromAlertRuleKey](#) (Guid alertRuleKey)
Retrieves alerts that were created from an alert rule key.
- AlertsDataSet [GetAlertsFromGroupKey](#) (Guid?groupKey)
Returns alerts that were generated from a machine within a specific group.
- AlertsDataSet [GetAlertsFromMachineKey](#) (Guid?machineKey)
Returns alerts generated by the specific machine.
- AlertsDataSet [GetAlertsFromSeverity](#) (AlertRuleSeverity severity)
Returns all alerts with the given severity.
- AlertsDataSet [GetAlertsFromStatus](#) (AlertStatus status)
Returns all alerts with the given status.
- AlertsDataSet [GetAlertsFromTimePeriod](#) (DateTime startTime, DateTime endTime)
Returns all alerts within the specified time period.
- void [RemoveActionConfiguration](#) (Guid actionKey, String name, DateTime?modifiedTime)
Removes an existing configuration property from an action.
- void [RemoveEventFromAlert](#) (Int32 alertKey, Int64 eventKey)

Removes an event which has previously been added to an alert.

- void [UpdateAction](#) (Guid actionKey, String name, String description, String type, ref DateTime modifiedTime)
Updates properties of an action.
- void [UpdateActionConfiguration](#) (Guid actionKey, String name, String value, ref DateTime modifiedTime)
Updates properties of a configuration.
- void [UpdateAlert](#) (Int32 alertKey, Guid?groupKey, Guid?machineKey, AlertStatus status, DateTime time, ref DateTime modifiedTime)
Updates the properties of an existing alert.
- void [UpdateAlertRule](#) (Guid alertRuleKey, String name, String description, AlertRuleSeverity severity, Boolean enabled, Int32 version, String eventQuery, String machineQuery, String userQuery, String groupQuery, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates the properties of an existing alert rule.
- void [UpdateAlertRuleSecurity](#) (Guid alertRuleKey, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates security permissions associated with the alert rule.

Detailed Description

The Management Center can be configured to generate [Alerts](#) which are based on events generated by the different AppSense product agents on the registered client machines. [Alerts](#) provide information as to when the event occurred and the severity of the alert, the alert might also generate and SNMP trap or SMTP (email) action when the alert is triggered.

Member Function Documentation

void DataAccessServices.WebServices.Alerts.AddActionConfiguration (Guid actionKey, String name, String value, out DateTime modifiedTime)[inline]

Adds a configuration property to an action.

Parameters:

<i>actionKey</i>	The action key.
<i>name</i>	The unique name of the configuration.
<i>value</i>	The value of the configuration property.
<i>modifiedTime</i>	The time that the configuration was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.AddEventToAlert (Int32 alertKey, Int64 eventKey)[inline]

Adds an event to an existing alert.

Parameters:

<i>alertKey</i>	The key of the alert.
<i>eventKey</i>	The key of the event.

void DataAccessServices.WebServices.Alerts.ApplyActionChanges (ref ActionsDataSet actionsChanges)[inline]

Applies changes made to the actions data set into the database.

Parameters:

<i>actionsChanges</i>	The data set consisting of changes.
-----------------------	-------------------------------------

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.ApplyAlertChanges (ref AlertsDataSet alertChanges)[inline]

Applies edits from within an alerts data set into the database.

Parameters:

<i>alertChanges</i>	The data set consisting of changes.
---------------------	-------------------------------------

Requires group or administrative access.

void DataAccessServices.WebServices.Alerts.ApplyAlertRuleChanges (ref AlertRulesDataSet alertRules)[inline]

Applies edits from within the alert rules data set into the database.

Parameters:

<i>alertRules</i>	A data set consisting of changes.
-------------------	-----------------------------------

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.ApplyAlertRuleSecurityChanges (ref AlertRulesDataSet alertRules)[inline]

Applies edits from within the alert rules data set into the database.

Parameters:

<i>alertRules</i>	A data set consisting of changes.
-------------------	-----------------------------------

Requires alert, security, or administrative access.

void DataAccessServices.WebServices.Alerts.CreateAction (Guid actionKey, Guid alertRuleKey, String name, String description, String type, out DateTime modifiedTime)[inline]

Creates an action associated with an alert rule within the database.

Parameters:

<i>actionKey</i>	The key that identifies the action.
<i>alertRuleKey</i>	The alert rule key that this action is associated with.
<i>name</i>	The name of the action.
<i>description</i>	A description of the action.
<i>type</i>	The type, such as SNMP or SMTP.
<i>modifiedTime</i>	The time that the action was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.CreateAlert (Guid alertRuleKey, Guid? groupKey, Guid? machineKey, AlertStatus status, DateTime time, out DateTime modifiedTime)[inline]

Creates a new alert within the database.

Parameters:

<i>alertRuleKey</i>	The alert rule which defines this alert.
<i>groupKey</i>	The key of the group containing the machine that generated this alert (Optional).
<i>machineKey</i>	The key of the machine which generated this alert.

<i>status</i>	The status of the alert.
<i>time</i>	The time that the alert occurred.
<i>modifiedTime</i>	The time that the alert was last modified.

Returns:

The key of the created alert.

Requires administrative access.

void DataAccessServices.WebServices.Alerts.CreateAlertRule (Guid alertRuleKey, String name, String description, AlertRuleSeverity severity, Boolean enabled, Int32 version, String eventQuery, String machineQuery, String userQuery, String groupQuery, out DateTime modifiedTime)[inline]

Constructs a new alert rule.

Parameters:

<i>alertRuleKey</i>	The key that identifies the new alert rule.
<i>name</i>	The display name of the alert rule.
<i>description</i>	A description of the alert rule.
<i>severity</i>	A measure of how important the alert is.
<i>enabled</i>	Whether the alert rule is enabled.
<i>version</i>	Version number of the alert rule.
<i>eventQuery</i>	A query string which matches event definition keys.
<i>machineQuery</i>	A query string which matches machines.
<i>userQuery</i>	A query string which matches users.
<i>groupQuery</i>	A query string which matches a group name.
<i>modifiedTime</i>	The time that the alert rule was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAction (Guid actionKey, DateTime? modifiedTime)[inline]

Deletes an existing action from the database.

Parameters:

<i>actionKey</i>	The key that identifies the action to delete.
<i>modifiedTime</i>	The time that the action was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlert (Int32 alertKey, DateTime? modifiedTime)[inline]

Deletes an alert from the database.

Parameters:

<i>alertKey</i>	The key that identifies the alert.
<i>modifiedTime</i>	The time that the alert was last modified.

Requires administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertRule (Guid alertRuleKey, DateTime? modifiedTime)[inline]

Deletes an existing alert rule.

Parameters:

<i>alertRuleKey</i>	The key that identifies the alert rule to be deleted.
<i>modifiedTime</i>	The time that the alert rule was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertsFromGroupKey (Guid groupKey)[inline]

Deletes all alerts generated by machines within the specified group.

Parameters:

<i>groupKey</i>	The key that identifies the group.
-----------------	------------------------------------

Requires administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertsFromMachineKey (Guid machineKey)[inline]

Deletes all alerts generated by the specified machine.

Parameters:

<i>machineKey</i>	The key that identifies the machine.
-------------------	--------------------------------------

Requires administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertsFromSeverity (AlertRuleSeverity severity)[inline]

Deletes all alerts with the given severity.

Parameters:

<i>severity</i>	The severity of alerts to delete.
-----------------	-----------------------------------

Requires administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertsFromStatus (AlertStatus status)[inline]

Deletes all alerts with the given status.

Parameters:

<i>status</i>	The status of alerts to delete.
---------------	---------------------------------

Requires administrative access.

void DataAccessServices.WebServices.Alerts.DeleteAlertsFromTime (DateTime? startTime, DateTime? endTime)[inline]

Deletes all alerts generated at the specified times.

Parameters:

<i>startTime</i>	Start time of period of alerts to delete.
<i>endTime</i>	End time of period of alerts to delete.

Requires administrative access.

ActionsDataSet DataAccessServices.WebServices.Alerts.GetActionFromAlertRuleKey (Guid alertRuleKey)[inline]

Returns the actions associated with an alert rule.

Parameters:

<i>alertRuleKey</i>	The key of the alert rule.
---------------------	----------------------------

Returns:

A data set consisting of all actions associated with the alert rule.
Requires alert or administrative access.

AlertRulesDataSet DataAccessServices.WebServices.Alerts.GetAlertRuleFromKey (Guid alertRuleKey)[inline]

Returns a single alert rule from a given key.

Parameters:

<i>alertRuleKey</i>	The key that identifies the rule to run.
---------------------	--

Returns:

A data set consisting of the alert rule.
Requires alert or administrative access.

AlertRulesDataSet DataAccessServices.WebServices.Alerts.GetAlertRules ()[inline]

Returns all alert rules.

Returns:

A data set consisting of all alert rules.
Requires alert or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlerts ()[inline]

Returns all alerts within the database.

Returns:

A data set consisting of all alerts in the database.
Requires alert, group, or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromAlertRuleKey (Guid alertRuleKey)[inline]

Retrieves alerts that were created from an alert rule key.

Parameters:

<i>alertRuleKey</i>	The key that represents the alert rules.
---------------------	--

Returns:

A data set consisting of the alerts.

Requires alert, group, or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromGroupKey (Guid? groupKey)[inline]

Returns alerts that were generated from a machine within a specific group.

Parameters:

<i>groupKey</i>	The key of the group.
-----------------	-----------------------

Returns:

A data set consisting of the alerts.

Requires alert, group, or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromMachineKey (Guid? machineKey)[inline]

Returns alerts generated by the specific machine.

Parameters:

<i>machineKey</i>	The key of the machine.
-------------------	-------------------------

Returns:

A data set consisting of the alerts.

Requires alert or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromSeverity (AlertRuleSeverity severity)[inline]

Returns all alerts with the given severity.

Parameters:

<i>severity</i>	The severity of the alerts to return.
-----------------	---------------------------------------

Returns:

All alerts with the specified severity.

Requires alert, group, or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromStatus (AlertStatus status)[inline]

Returns all alerts with the given status.

Parameters:

<i>status</i>	The status of the alerts to return.
---------------	-------------------------------------

Returns:

All alerts with the specified status.

Requires alert, group, or administrative access.

AlertsDataSet DataAccessServices.WebServices.Alerts.GetAlertsFromTimePeriod (DateTime startTime, DateTime endTime)[inline]

Returns all alerts within the specified time period.

Parameters:

<i>startTime</i>	The earliest time alerts are to be returned.
<i>endTime</i>	The latest time that alerts are to be returned.

Returns:

The alerts that were created within the specified time.

Requires alert, group, or administrative access.

void DataAccessServices.WebServices.Alerts.RemoveActionConfiguration (Guid actionKey, String name, DateTime? modifiedTime)[inline]

Removes an existing configuration property from an action.

Parameters:

<i>actionKey</i>	The key that identifies the action.
<i>name</i>	The unique name of the configuration.
<i>modifiedTime</i>	The time that the configuration was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.RemoveEventFromAlert (Int32 alertKey, Int64 eventKey)[inline]

Removes an event which has previously been added to an alert.

Parameters:

<i>alertKey</i>	The key of the alert.
<i>eventKey</i>	The key of the event.

void DataAccessServices.WebServices.Alerts.UpdateAction (Guid actionKey, String name, String description, String type, ref DateTime modifiedTime)[inline]

Updates properties of an action.

Parameters:

<i>actionKey</i>	The key that identifies the action.
<i>name</i>	The name of the action.
<i>description</i>	A description of the action.
<i>type</i>	The type, such as SNMP or SMTP.
<i>modifiedTime</i>	The time that the action was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.UpdateActionConfiguration (Guid actionKey, String name, String value, ref DateTime modifiedTime)[inline]

Updates properties of a configuration.

Parameters:

<i>actionKey</i>	The action key.
<i>name</i>	The unique name of the configuration.
<i>value</i>	The value of the configuration property.
<i>modifiedTime</i>	The time that the configuration was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.UpdateAlert (Int32 alertKey, Guid? groupKey, Guid? machineKey, AlertStatus status, DateTime time, ref DateTime modifiedTime)[inline]

Updates the properties of an existing alert.

Parameters:

<i>alertKey</i>	The key of the alert to update.
<i>groupKey</i>	The key of the group containing the machine that generated this alert (Optional).
<i>machineKey</i>	The key of the machine which generated this alert.
<i>status</i>	The status of the alert.
<i>time</i>	The time that the alert occurred.
<i>modifiedTime</i>	The time that the alert was last modified.

Requires administrative access.

void DataAccessServices.WebServices.Alerts.UpdateAlertRule (Guid alertRuleKey, String name, String description, AlertRuleSeverity severity, Boolean enabled, Int32 version, String eventQuery, String machineQuery, String userQuery, String groupQuery, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates the properties of an existing alert rule.

Parameters:

<i>alertRuleKey</i>	The key that identifies the new alert rule.
<i>name</i>	The display name of the alert rule.

<i>description</i>	A description of the alert rule.
<i>severity</i>	A measure of how important the alert is.
<i>enabled</i>	Whether the alert rule is enabled.
<i>version</i>	Version of the alert rule.
<i>eventQuery</i>	A query string which matches event definition keys.
<i>machineQuery</i>	A query string which matches machines.
<i>userQuery</i>	A query string which matches users.
<i>groupQuery</i>	A query string which matches a group name.
<i>policyKey</i>	The key with identifies the policy associated with this alert rule.
<i>ownerSid</i>	The security identifier associated with the user that owns this entry.
<i>modifiedTime</i>	The time that the alert rule was last modified.

Requires alert or administrative access.

void DataAccessServices.WebServices.Alerts.UpdateAlertRuleSecurity (Guid alertRuleKey, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates security permissions associated with the alert rule.

Parameters:

<i>alertRuleKey</i>	The key that identifies the new alert rule.
<i>policyKey</i>	The key with identifies the policy associated with this alert rule.
<i>ownerSid</i>	The security identifier associated with the user that owns this entry.
<i>modifiedTime</i>	The time that the alert rule was last modified.

Requires alert, security, or administrative access.

The documentation for this class was generated from the following file:

- Alerts.cs

DataAccessServices.WebServices.Conditions Class Reference

The [Conditions](#) WebService creates conditions for use by Machine Discovery. For more information, refer to the DiscoveredMachine WebService page.

Inheritance diagram for DataAccessServices.WebServices.Conditions:



Public Member Functions

- void [ApplyChanges](#) (ref ConditionsDataSet conditions)
Apply bulk changes to a dataset. Allows Create, Update & Delete operations.
- void [CreateCondition](#) (out int conditionKey, Guid groupKey, ConditionType conditionType, bool isInclude, bool?includeChildren, Guid?adObjectGuid, string adObjectDistinguishedName, String domain, String filter, out DateTime modifiedTime)
Immediately creates a condition of any type.
- void [CreateCondition_ComputerGroup](#) (Guid groupKey, bool isInclude, bool includeChildren, Guid adObjectGuid, string adObjectDistinguishedName, String domain, String filter)
Creates a condition which includes/excludes a set of computers which are in an active directory computer group.
- void [CreateCondition_Container](#) (Guid groupKey, bool isInclude, bool includeChildren, Guid adObjectGuid, string adObjectDistinguishedName, String domain, String filter)
Creates a condition which includes/excludes a set of computers which are in a container.
- void [CreateCondition_Domain](#) (Guid groupKey, Boolean isInclude, Boolean includeChildren, Guid adObjectGuid, String adObjectDistinguishedName, String domain, String filter)
Creates a condition which includes/excludes a set of computers which are in a domain.
- void [CreateCondition_NetBIOS](#) (Guid groupKey, bool isInclude, string domain, string filter)
Creates a condition which includes/excludes a computer by its NetBIOS name.
- void [Delete](#) (int conditionKey, Guid groupKey, DateTime modifiedTime)
Immediately deletes a condition.
- ConditionsDataSet [GetConditions](#) (Guid groupKey)
Retrieves the conditions associated with a group. [Conditions](#) determine which machines should belong to a group.

- void [Update](#) (int conditionKey, Guid groupKey, ConditionType conditionType, bool isInclude, bool?includeChildren, Guid?adObjectGuid, string adObjectDistinguishedName, String domain, String filter, ref DateTime modifiedTime)
Method to directly update a condition.

Detailed Description

The [Conditions](#) WebService creates conditions for use by Machine Discovery. For more information, refer to the DiscoveredMachine WebService page.

Member Function Documentation

void DataAccessServices.WebServices.Conditions.ApplyChanges (ref ConditionsDataSet conditions)[inline]

Apply bulk changes to a dataset. Allows Create, Update & Delete operations.

Parameters:

<i>conditions</i>	The dataset to update.
-------------------	------------------------

void DataAccessServices.WebServices.Conditions.CreateCondition (out int conditionKey, Guid groupKey, ConditionType conditionType, bool isInclude, bool? includeChildren, Guid? adObjectGuid, string adObjectDistinguishedName, String domain, String filter, out DateTime modifiedTime)[inline]

Immediately creates a condition of any type.

Parameters:

<i>conditionKey</i>	OUT parameter will contain the key of the condition when the call returns. Passed in value unused.
<i>groupKey</i>	The GUID of the group to attach this condition to.
<i>conditionType</i>	The type of the condition, changes how the condition is interpreted.
<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>includeChildren</i>	Whether to include child nodes in this condition (OU/Computer groups).

<i>adObjectGuid</i>	The GUID of the node in question (OU/Computer groups).
<i>adObjectDistinguishedName</i>	The distinguished name of the group in question (OU/Computer groups).
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the condition on return. Passed in value unused.

void DataAccessServices.WebServices.Conditions.CreateCondition_ComputerGroup (Guid groupKey, bool isInclude, bool includeChildren, Guid adObjectGuid, string adObjectDistinguishedName, String domain, String filter)[inline]

Creates a condition which includes/excludes a set of computers which are in an active directory computer group.

Parameters:

<i>groupKey</i>	The GUID of the group to attach this condition to.
<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>includeChildren</i>	Whether to include child computer groups in this condition.
<i>adObjectGuid</i>	The GUID of the group in question.
<i>adObjectDistinguishedName</i>	The distinguished name of the group in question.
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.

void DataAccessServices.WebServices.Conditions.CreateCondition_Container (Guid groupKey, bool isInclude, bool includeChildren, Guid adObjectGuid, string adObjectDistinguishedName, String domain, String filter)[inline]

Creates a condition which includes/excludes a set of computers which are in a container.

Parameters:

<i>groupKey</i>	The GUID of the group to attach this condition to.
-----------------	--

<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>includeChildren</i>	Whether to include child containers in this condition.
<i>adObjectGuid</i>	The GUID of the container in question.
<i>adObjectDistinguishedName</i>	The distinguished name of the container in question.
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.

void DataAccessServices.WebServices.Conditions.CreateCondition_Domain (Guid groupKey, Boolean isInclude, Boolean includeChildren, Guid adObjectGuid, String adObjectDistinguishedName, String domain, String filter)[inline]

Creates a condition which includes/excludes a set of computers which are in a domain.

Parameters:

<i>groupKey</i>	The GUID of the group to attach this condition to.
<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>includeChildren</i>	Whether to include child containers in this condition.
<i>adObjectGuid</i>	The GUID of the container in question.
<i>adObjectDistinguishedName</i>	The distinguished name of the container in question.
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.

void DataAccessServices.WebServices.Conditions.CreateCondition_NetBIOS (Guid groupKey, bool isInclude, string domain, string filter)[inline]

Creates a condition which includes/excludes a computer by its NetBIOS name.

Parameters:

<i>groupKey</i>	The GUID of the group to attach this computer to.
<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.

void DataAccessServices.WebServices.Conditions.Delete (int conditionKey, Guid groupKey, DateTime modifiedTime)[inline]

Immediately deletes a condition.

Parameters:

<i>conditionKey</i>	The primary key of the condition to delete.
<i>groupKey</i>	The group the the condition belongs to. Used for security checks.
<i>modifiedTime</i>	Last modified time of the condition. Passed in value must match the existing record in the database. If the values mismatch, the delete will not take effect and an error will be raised.

ConditionsDataSet DataAccessServices.WebServices.Conditions.GetConditions (Guid groupKey)[inline]

Retrieves the conditions associated with a group. [Conditions](#) determine which machines should belong to a group.

Parameters:

<i>groupKey</i>	The guid of the group in question.
-----------------	------------------------------------

Must have View or FullControl permissions.

Returns:

Returns a data set containing all the conditions associated with the group.

void DataAccessServices.WebServices.Conditions.Update (int conditionKey, Guid groupKey, ConditionType conditionType, bool isInclude, bool? includeChildren, Guid? adObjectGuid, string adObjectDistinguishedName, String domain, String filter, ref DateTime modifiedTime)[inline]

Method to directly update a condition.

Parameters:

<i>conditionKey</i>	The primary key of the condition to update.
<i>groupKey</i>	The group the the condition belongs to. Used for security checks. You cannot alter which group a condition is on.
<i>isInclude</i>	Whether this condition includes or excludes the affected machines. Excludes take priority.
<i>includeChildren</i>	Whether to include child nodes in this condition (OU/Computer groups).
<i>adObjectGuid</i>	The GUID of the node in question (OU/Computer groups).
<i>adObjectDistinguishedName</i>	The distinguished name of the group in question (OU/Computer groups).
<i>domain</i>	The domain of the computer.
<i>filter</i>	Filter for the computer.
<i>modifiedTime</i>	REF parameter will contain the latest modified time of the condition on return. Passed in value must match the existing record in the database. If the values mismatch, the update will not take effect and an error will be raised.


The documentation for this class was generated from the following file:

- Conditions.cs

DataAccessServices.WebServices.DatabaseWebService Class Reference

Provides methods for retrieving information about the current Management Server database.

Inheritance diagram for DataAccessServices.WebServices.DatabaseWebService:



Public Member Functions

- NamedValuesDataSet [GetInfo](#) ()
Returns a data set consisting of name/value pairs of information about the database.
- string [GetName](#) ()
- NamedValuesDataSet [GetNameSpace](#) (string nameSpace)
Returns a set of server properties in the specified namespace.
- string [GetServerError](#) ()
Returns any errors associated with the server. Verifies that the connection to the database is valid and that the database schema is the correct version number.
- DateTime [GetServerTime](#) ()
Returns the date and time on the server.
- string [GetTransportPublicKey](#) ()
Returns the public key used for communication with the server.
- string [GetVersion](#) ()
Version of this interface
- void [SetNameSpace](#) (string nameSpace, NamedValuesDataSet properties)
Updates a set of server properties with new values in the specified namespace.

Detailed Description

Provides methods for retrieving information about the current Management Server database.

Member Function Documentation

NamedValuesDataSet DataAccessServices.WebServices.DatabaseWebService.GetInfo () [*inline*]

Returns a data set consisting of name/value pairs of information about the database.

Returns:

Data set consisting of name/value pairs of information about the database.

string DataAccessServices.WebServices.DatabaseWebService.GetName ()

Returns:

The name of this server.

NamedValuesDataSet DataAccessServices.WebServices.DatabaseWebService.GetNamespace (string namespace) [*inline*]

Returns a set of server properties in the specified namespace.

Parameters:

<i>namespace</i>	Namespace from where the properties will be retrieved from.
------------------	---

Returns:

Data set of server properties in the specified namespace.

string DataAccessServices.WebServices.DatabaseWebService.GetServerError () [*inline*]

Returns any errors associated with the server. Verifies that the connection to the database is valid and that the database schema is the correct version number.

Returns:

Any errors associated with the server as string.

DateTime DataAccessServices.WebServices.DatabaseWebService.GetServerTime () [*inline*]

Returns the date and time on the server.

Returns:

Returns a DateTime object in UTC format.

string DataAccessServices.WebServices.DatabaseWebService.GetTransportPublicKey () [inline]

Returns the public key used for communication with the server.

Returns:

Public key used for communication with the server as string.

string DataAccessServices.WebServices.DatabaseWebService.GetVersion ()

Version of this interface

Returns:

void DataAccessServices.WebServices.DatabaseWebService.SetNameSpace (string nameSpace, NamedValuesDataSet properties) [inline]

Updates a set of server properties with new values in the specified namespace.

Parameters:

<i>nameSpace</i>	Namespace from where the properties will be retrieved from.
<i>properties</i>	Data set containing changes to properties.


The documentation for this class was generated from the following file:

- Database.cs

DataAccessServices.WebServices.Deployment Class Reference

Manages deployment of the CCA. When the "Install CCA" instruction is selected from the Management Console each client machine has an associated DeploymentInstruction. This is then used to provide the "CCA Install Log" to the ManagementConsole and any deployment status. The "DeploymentCredentials" is a store of the usernames and passwords provided in the ManagementConsole. The passwords are RSA encrypted.

Inheritance diagram for DataAccessServices.WebServices.Deployment:



Public Member Functions

- string [ActivateDeploymentService](#) (int commandID)
Activate [Deployment](#) Service
- void [ApplyChanges](#) (ref DeploymentDataSet deploymentChanges)
Updates the database with the changes in the [Credentials](#) table.
- void [ApplyInstructionsChanges](#) (ref DeploymentDataSet deploymentChanges, Guid?groupKey)
Updates the database with the changes in the [Instructions](#) table.
- void [ApplyInstructionsStatusChanges](#) (ref DeploymentDataSet deploymentChanges)
Updates the database with the status changes in the [Instructions](#) table.
- void [ClearStatusHistory](#) (Guid instructionKey, Guid?groupKey)
Clear status history
- void [CreateCredentials](#) (Guid credentialsKey, Guid?groupKey, string userName, string password, int index, out DateTime modifiedTime)
Creates new credentials. To encrypt the password use [DatabaseWebService.GetTransportPublicKey](#) to retrieve the public key and encrypt using [RSACryptoServiceProvider.Encrypt](#).
- void [CreateInstructions](#) (Guid instructionKey, int commandID, Guid?groupKey, Guid?machineKey, string status, out DateTime modifiedTime)
Creates a new deployment instruction.
- void [DeleteCredentials](#) (Guid credentialsKey, DateTime?modifiedTime)

Deletes credentials.

- void [DeleteInstructions](#) (Guid instructionKey, DateTime?modifiedTime)
Deletes instructions.
- DeploymentDataSet [GetDeploymentCredentials](#) ()
Returns a data set containing all deployment credentials.
- DeploymentDataSet [GetDeploymentCredentialsFromGroupKey](#) (Guid?groupKey)
Returns a data set consisting of all credentials for a group.
- DeploymentDataSet [GetDeploymentInstructions](#) ()
Returns a [Deployment](#) data set containing CCA deployment instructions.
- DeploymentDataSet [GetDeploymentInstructionsFromDiscoveredMachineKey](#) (Guid discoveredMachineKey)
Returns a data set consisting of all instructions for a discovered machine
- DeploymentDataSet [GetDeploymentInstructionsFromGroupKey](#) (int commandID)
Returns a data set consisting of all instructions for a command ID.
- DeploymentDataSet [GetStatusHistory](#) (Guid instructionKey)
Get status history
- void [SetInstructionsCommandID](#) (Guid instructionKey, int commandID)
Set the command ID for a given instruction key
- void [UpdateCredentials](#) (Guid credentialsKey, Guid?groupKey, string userName, string password, int index, ref DateTime modifiedTime)
Updates existing credentials. To encrypt the password use [DatabaseWebService.GetTransportPublicKey](#) to retrieve the public key and encrypt using [RSACryptoServiceProvider.Encrypt](#).
- void [UpdateInstructions](#) (Guid instructionKey, int commandID, Guid?groupKey, Guid?machineKey, string status, string settings, ref DateTime modifiedTime)
Updates an existing deployment instruction.

Detailed Description

Manages deployment of the CCA. When the "Install CCA" instruction is selected from the Management Console each client machine has an associated DeploymentInstruction. This is then used to provide the "CCA Install Log" to the ManagementConsole and any deployment status. The "DeploymentCredentials" is a store of the usernames and passwords provided in the ManagementConsole. The passwords are RSA encrypted.

Member Function Documentation

string DataAccessServices.WebServices.Deployment.ActivateDeploymentService (int commandID)[inline]

Activate [Deployment](#) Service

Parameters:

<i>commandID</i>	Command for the deployment service.
------------------	-------------------------------------

Here we will signal either the global PollNow event, the global DeployCcaNow event or the global UploadEvents event. If the events are not present or the events don't have the required privileges then nothing happens

Returns:

Messages from the deployment service.

Command ID is 128 for deployment, 129 for poll now, or 130 for upload events.

void DataAccessServices.WebServices.Deployment.ApplyChanges (ref DeploymentDataSet deploymentChanges)[inline]

Updates the database with the changes in the Credentials table.

Parameters:

<i>deploymentChanges</i>	Data set containing changes to be applied.
--------------------------	--

void DataAccessServices.WebServices.Deployment.ApplyInstructionsChanges (ref DeploymentDataSet deploymentChanges, Guid? groupKey)[inline]

Updates the database with the changes in the Instructions table.

Parameters:

<i>deploymentChanges</i>	Data set containing changes to the instructions table.
<i>groupKey</i>	The group this instruction is associated with.

void DataAccessServices.WebServices.Deployment.ApplyInstructionsStatusChanges (ref DeploymentDataSet deploymentChanges)[inline]

Updates the database with the status changes in the Instructions table.

Parameters:

<i>deploymentChanges</i>	Data set containing changes to the instructions table.
--------------------------	--

void DataAccessServices.WebServices.Deployment.ClearStatusHistory (Guid instructionKey, Guid? groupKey)[inline]

Clear status history

Parameters:

<i>instructionKey</i>	Key for the deployment instruction.
<i>groupKey</i>	The group this instruction is associated with.

void DataAccessServices.WebServices.Deployment.CreateCredentials (Guid credentialsKey, Guid? groupKey, string userName, string password, int index, out DateTime modifiedTime)[inline]

Creates new credentials. To encrypt the password use [DatabaseWebService.GetTransportPublicKey](#) to retrieve the public key and encrypt using `RSACryptoServiceProvider.Encrypt`.

Parameters:

<i>credentialsKey</i>	A unique key for the credentials entry.
<i>groupKey</i>	The group this credentials entry is associated with.
<i>userName</i>	Username for the deployment credentials.
<i>password</i>	Password for the deployment credentials.
<i>index</i>	Order in which access with this credential will be attempted.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the credentials on return. Passed in value unused.

void DataAccessServices.WebServices.Deployment.CreateInstructions (Guid instructionKey, int commandID, Guid? groupKey, Guid? machineKey, string status, out DateTime modifiedTime)[inline]

Creates a new deployment instruction.

Parameters:

<i>instructionKey</i>	A unique key for this deployment instruction.
<i>commandID</i>	Command for this instruction.

<i>groupKey</i>	Key identifying which group this instruction is associated with.
<i>machineKey</i>	Key identifying which machine this instruction will be run against.
<i>status</i>	Initial status of this instruction.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the instruction on return. Passed in value unused.

Command ID is 128 for deployment and 129 for poll now.

void DataAccessServices.WebServices.Deployment.DeleteCredentials (Guid credentialsKey, DateTime? modifiedTime)[inline]

Deletes credentials.

Parameters:

<i>credentialsKey</i>	The key for the credentials entry.
<i>modifiedTime</i>	Time this entry was last modified.

void DataAccessServices.WebServices.Deployment.DeleteInstructions (Guid instructionKey, DateTime? modifiedTime)[inline]

Deletes instructions.

Parameters:

<i>instructionKey</i>	Key for the deployment instruction.
<i>modifiedTime</i>	Time this instruction entry was last modified.

DeploymentDataSet DataAccessServices.WebServices.Deployment.GetDeploymentCredentials ()[inline]

Returns a data set containing all deployment credentials.

Returns:

Data set containing all deployment credentials.

DeploymentDataSet

DataAccessServices.WebServices.Deployment.GetDeploymentCredentialsFromGroupKey (Guid? groupKey)[inline]

Returns a data set consisting of all credentials for a group.

Parameters:

<i>groupKey</i>	Key specifying the deployment group to get credentials for.
-----------------	---

Returns:

Data set consisting of all credentials for a group.

DeploymentDataSet DataAccessServices.WebServices.Deployment.GetDeploymentInstructions ()[inline]

Returns a [Deployment](#) data set containing CCA deployment instructions.

Returns:

[Deployment](#) data set containing CCA deployment instructions.

DeploymentDataSet

DataAccessServices.WebServices.Deployment.GetDeploymentInstructionsFromDiscoveredMachineKey (Guid discoveredMachineKey)[inline]

Returns a data set consisting of all instructions for a discovered machine

Parameters:

<i>discoveredMachineKey</i>	Key identifying the machine these instructions are associated with.
-----------------------------	---

Returns:

Data set consisting of all instructions for a discovered machine.

DeploymentDataSet

DataAccessServices.WebServices.Deployment.GetDeploymentInstructionsFromGroupKey (int commandID)[inline]

Returns a data set consisting of all instructions for a command ID.

Parameters:

<i>commandID</i>	Command for this instruction.
------------------	-------------------------------

Returns:

Data set consisting of all instructions for a command ID.
Command ID is 128 for deployment and 129 for poll now.

DeploymentDataSet DataAccessServices.WebServices.Deployment.GetStatusHistory (Guid instructionKey)[inline]

Get status history

Parameters:

<i>instructionKey</i>	Key for the deployment instruction.
-----------------------	-------------------------------------

Returns:

Data set containing status history for the specified instruction.

void DataAccessServices.WebServices.Deployment.SetInstructionsCommandID (Guid instructionKey, int commandID)[inline]

Set the command ID for a given instruction key

Parameters:

<i>instructionKey</i>	Key identifying the machine these instructions are associated with.
<i>commandID</i>	Command for this instruction.

Command ID is 128 for deployment and 129 for poll now.

void DataAccessServices.WebServices.Deployment.UpdateCredentials (Guid credentialsKey, Guid? groupKey, string userName, string password, int index, ref DateTime modifiedTime)[inline]

Updates existing credentials. To encrypt the password use [DatabaseWebService.GetTransportPublicKey](#) to retrieve the public key and encrypt using `RSACryptoServiceProvider.Encrypt`.

Parameters:

<i>credentialsKey</i>	The key for the credentials entry.
-----------------------	------------------------------------

<i>groupKey</i>	The group this credentials entry is associated with.
<i>userName</i>	Username for the deployment credentials.
<i>password</i>	Password for the deployment credentials.
<i>index</i>	Order in which access with this credential will be attempted.
<i>modifiedTime</i>	Time this entry was last modified.

void DataAccessServices.WebServices.Deployment.UpdateInstructions (Guid instructionKey, int commandID, Guid? groupKey, Guid? machineKey, string status, string settings, ref DateTime modifiedTime)[inline]

Updates an existing deployment instruction.

Parameters:

<i>instructionKey</i>	Key for the deployment instruction.
<i>commandID</i>	Command for this instruction.
<i>groupKey</i>	Key identifying which group this instruction is associated with.
<i>machineKey</i>	Key identifying which machine this instruction will be run against.
<i>status</i>	Initial status of this instruction.
<i>settings</i>	Settings for this instruction.
<i>modifiedTime</i>	Time this instruction entry was last modified.

Command ID is 128 for deployment and 129 for poll now.

The documentation for this class was generated from the following file:

- Deployment.cs

DataAccessServices.WebServices.DiscoveredMachines Class Reference

Manages discovered machines in the Management Centre. When discovering computer membership within a group the conditions are evaluated for each group. If a machine from the active directory search matches the condition it is then added to the [DiscoveredMachines](#) table.

Inheritance diagram for DataAccessServices.WebServices.DiscoveredMachines:



Public Member Functions

- void [ApplyMachineChanges](#) (ref DiscoveredMachinesDataSet machineChanges)
Updates the database with all changes within the supplied data set.
- void [CheckExpectedGroupPermissions](#) (Guid[] discoveredMachineIds, String userSid, [Parameter(StructuredTypeName="dbo.StringList2")] DataTable groupSids, ObjectPermissions permissions)
Checks permissions on the expected group for the given user
- DiscoveredMachinesDataSet [CreateMachine](#) (Guid discoveredMachinePK, Guid expectedGroupFK, String netBiosName, Guid?adObjectGuid, String description, String operatingSystem, Guid?actualGroupFK, String actualGroupName, String dns, Boolean userSpecified, out DateTime modifiedTime)
Creates a new discovered machine entry.
- void [DeleteAllMachines](#) ()
Deletes all discovered machines.
- void [DeleteMachine](#) (Guid discoveredMachinePK)
Deletes the specified machine.
- DiscoveredMachinesDataSet [FindMachines](#) (String match)
Returns data set with details of all discovered machines.
- SchedulerConfigurationDto [GetDiscoveryServiceSettings](#) ()
Returns a SchedulerConfigurationDto object containing information about the Discovery Service.
- DiscoveredMachinesDataSet [GetMachine](#) (Guid?adObjectGuid, string dns, string netbiosName)
Returns data set with details of the specified discovered machine.
- DiscoveredMachinesDataSet [GetMachineFromDnsAndNetbiosServer](#) (String dns, String netbios)

Returns data set with details of the specified discovered machine.

- DiscoveredMachinesDataSet [GetMachineFromKey](#) (Guid machineKey)
Returns data set with details of the specified discovered machine
- DiscoveredMachinesDataSet [GetMachineFromObjectGuidServer](#) (Guid adObjectGuid)
Returns data set with details of the specified discovered machine.
- DiscoveredMachinesDataSet [GetMachines](#) ()
Returns a data set with all discovered machines
- DiscoveredMachinesDataSet [GetMachinesDelta](#) (Guid consoleId)
Returns a data set with all discovered machines that have changed since the last call to [GetMachines](#).
- DiscoveredMachinesDataSet [GetMachinesFromGroupKey](#) (Guid groupKey)
Returns a data set with all discovered machines in the specified group.
- DiscoveredMachinesDataSet [GetMachinesFromGroupKeyDelta](#) (Guid consoleId, Guid groupKey)
Returns a data set with all changed discovered machines in the specified group and deployment states since the last call to [GetMachinesWithSummary](#).
- DiscoveredMachinesDataSet [GetMachinesFromGroupKeyWithSummary](#) (Guid GroupKey, Boolean withSummary)
Returns a data set with all discovered machines in the specified group optionally including diagnostics and deployment states.
- DiscoveredMachinesDataSet [GetMachinesFromGroupKeyWithSummaryDelta](#) (Guid consoleId, Guid groupKey, Boolean withSummary)
Returns a data set with all changed discovered machines in the specified group optionally including diagnostics and deployment states.
- DiscoveredMachinesDataSet [GetMachinesWithSummary](#) (Boolean withSummary)
Returns a data set with all discovered machines optionally including diagnostics and deployment states.
- DiscoveredMachinesDataSet [GetMachinesWithSummaryDelta](#) (Guid consoleId, Boolean withSummary)
Returns a data set with all changed discovered machines optionally including diagnostics and deployment states since the last call to [GetMachinesWithSummary](#).
- void [GetMisgroupedDataFromGroupKey](#) (Guid?groupKey, ref Int32 misgroupedCount, ref Int32 userSpecifiedCount)
Returns a data set of all misgrouped discovered machines for the specified group.
- MisgroupedMachinesDataSet [GetMisgroupedMachineCounts](#) ()
Returns a data set with the count of all misgrouped discovered machines.
- DiscoveredMachinesDataSet [GetMisgroupedMachinesFromGroupKey](#) (Guid?groupKey)
Returns a data set with all misgrouped discovered machines in the specified group.
- DiscoveredMachinesDataSet [GetPreload](#) (int topRows)
Returns the first set of [DiscoveredMachines](#).
- DiscoveredMachinesDataSet [GetPreloadFromGroupKey](#) (Guid groupKey, int topRows)
Returns the first set of [DiscoveredMachines](#) within a particular group.
- DiscoveredMachinesDataSet [GetUserSpecifiedMachinesFromGroupKey](#) (Guid?groupKey)
Returns a data set with all user-specified discovered machines in the specified group.
- void [InvokeDiscovery](#) ()
Invokes the discovery service.
- Boolean [IsDiscoveryActive](#) ()
Returns a boolean indicating if the discovery is currently taking place.
- void [Move](#) (Guid destinationGroupKey, Guid[] discoveredMachineIds)
Move a list of discovered machines from one group to another.
- DiscoveredMachinesDataSet [SetExpectedGroup](#) (Guid machineKey, Guid expectedGroup)

- void [UpdateDiscoveryInterval](#) (Int32 interval)
Defines the period to trigger a discovery.
- void [UpdateDiscoveryMode](#) (Boolean auto)
Returns a SchedulerConfigurationDto object containing information about the Discovery Service.
- void [UpdateMachineDiscovery](#) (Guid discoveredMachineKey, Guid expectedGroupKey, String netBiosName, String description, String operatingSystem, String dns, ref DateTime modifiedDiscoveryTime)
Updates the specified discovered machine.

Detailed Description

Manages discovered machines in the Management Centre. When discovering computer membership within a group the conditions are evaluated for each group. If a machine from the active directory search matches the condition it is then added to the [DiscoveredMachines](#) table.

Member Function Documentation

void DataAccessServices.WebServices.DiscoveredMachines.ApplyMachineChanges (ref DiscoveredMachinesDataSet machineChanges)[inline]

Updates the database with all changes within the supplied data set.

Parameters:

<i>machineChanges</i>	The data set consisting of the changes.
-----------------------	---

Requires deployment or administrative access.

void DataAccessServices.WebServices.DiscoveredMachines.CheckExpectedGroupPermissions (Guid[] discoveredMachineIds, String userSid, [Parameter(StructuredTypeName = "dbo.StringList2")] DataTable groupSids, ObjectPermissions permissions)[inline]

Checks permissions on the expected group for the given user

Parameters:

<i>discoveredMachineIds</i>	Array of discovered machine identifiers.
<i>userSid</i>	The sid of the user.
<i>groupSids</i>	The list of group sids.

<i>permissions</i>	The list of permissions to check.
--------------------	-----------------------------------

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.CreateMachine (Guid discoveredMachinePK, Guid expectedGroupFK, String netBiosName, Guid? adObjectGuid, String description, String operatingSystem, Guid? actualGroupFK, String actualGroupName, String dns, Boolean userSpecified, out DateTime modifiedTime)[inline]

Creates a new discovered machine entry.

Parameters:

<i>discoveredMachinePK</i>	A unique key for this discovered machine.
<i>expectedGroupFK</i>	Key identifying the group this machine is expected to be associated with.
<i>netBiosName</i>	The NetBIOS name of the machine.
<i>adObjectGuid</i>	GUID identifier for the machine in Active Directory.
<i>description</i>	Description of this machine.
<i>operatingSystem</i>	Operating system of the machine.
<i>actualGroupFK</i>	Key identifying the group the machine is actually associated with.
<i>actualGroupName</i>	Name of the group the machine is actually associated with.
<i>dns</i>	Fully qualified DNS entry for the machine.
<i>userSpecified</i>	TRUE if specified by the user. FALSE if discovered via membership rules.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the machine on return. Passed in value unused.

Returns:

Returns data set containing details of the created machine

void DataAccessServices.WebServices.DiscoveredMachines.DeleteAllMachines ()[inline]

Deletes all discovered machines.

void DataAccessServices.WebServices.DiscoveredMachines.DeleteMachine (Guid discoveredMachinePK)[inline]

Deletes the specified machine.

Parameters:

<i>discoveredMachinePK</i>	Key for the discovered machine.
----------------------------	---------------------------------

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.FindMachines (String match)[inline]

Returns data set with details of all discovered machines.

Parameters:

<i>match</i>	Not currently used.
--------------	---------------------

Returns:

Data set with details of all discovered machines.

SchedulerConfigurationDto

DataAccessServices.WebServices.DiscoveredMachines.GetDiscoveryServiceSettings ()[inline]

Returns a SchedulerConfigurationDto object containing information about the Discovery Service.

Returns:

A SchedulerConfigurationDto object containing details about the Discovery Service.

DiscoveredMachinesDataSet DataAccessServices.WebServices.DiscoveredMachines.GetMachine (Guid? adObjectGuid, string dns, string netbiosName)[inline]

Returns data set with details of the specified discovered machine.

Parameters:

<i>adObjectGuid</i>	GUID identifier for the machine in Active Directory.
<i>dns</i>	Fully qualified DNS entry for the machine.
<i>netbiosName</i>	The NetBIOS name of the machine.

Returns:

Data set with details of the specified discovered machine.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachineFromDnsAndNetbiosServer (String dns, String netbios)[inline]

Returns data set with details of the specified discovered machine.

Parameters:

<i>dns</i>	The DNS name of the discoveredMachine
<i>netbios</i>	The NETBIOS name of the discoveredMachine

Returns:

Data set with details of the specified discovered machine.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachineFromKey (Guid machineKey)[inline]

Returns data set with details of the specified discovered machine

Parameters:

<i>machineKey</i>	Key for the discovered machine.
-------------------	---------------------------------

Returns:

Data set with details of the specified discovered machine.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachineFromObjectGuidServer (Guid adObjectGuid)[inline]

Returns data set with details of the specified discovered machine.

Parameters:

<i>adObjectGuid</i>	GUID identifier for the machine in Active Directory.
---------------------	--

Returns:

Data set with details of the specified discovered machine.

DiscoveredMachinesDataSet
DataAccessServices.WebServices.DiscoveredMachines.GetMachines ()*[inline]*

Returns a data set with all discovered machines

DiscoveredMachinesDataSet
DataAccessServices.WebServices.DiscoveredMachines.GetMachinesDelta (Guid consoleId)*[inline]*

Returns a data set with all discovered machines that have changed since the last call to GetMachines.

Parameters:

<i>consoleId</i>	Id of the invoking console used to obtain the last refresh date referenced in MachineRefresh table.
------------------	---

Returns:

Data set with all discovered machines that have changed.

DiscoveredMachinesDataSet
DataAccessServices.WebServices.DiscoveredMachines.GetMachinesFromGroupKey (Guid groupKey)*[inline]*

Returns a data set with all discovered machines in the specified group.

Parameters:

<i>groupKey</i>	Key for the group associated with the discovered machines.
-----------------	--

Returns:

Data set with all discovered machines in the specified group.

DiscoveredMachinesDataSet
DataAccessServices.WebServices.DiscoveredMachines.GetMachinesFromGroupKeyDelta (Guid consoleId, Guid groupKey)*[inline]*

Returns a data set with all changed discovered machines in the specified group and deployment states since the last call to GetMachinesWithSummary.

Parameters:

<i>consoleId</i>	Id of the invoking console used to obtain the last refresh date referenced in MachineRefresh table.
<i>groupKey</i>	Key for the group associated with the discovered machines.

Returns:

Data set with all changed discovered machines in the specified group.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachinesFromGroupKeyWithSummary (Guid GroupKey, Boolean withSummary)[inline]

Returns a data set with all discovered machines in the specified group optionally including diagnostics and deployment states.

Parameters:

<i>GroupKey</i>	Key for the group associated with the discovered machines.
<i>withSummary</i>	Boolean flag indicating if the diagnostics and deployment state should be retrieved.

Returns:

Data set with all discovered machines in the specified group including diagnostics and deployment states.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachinesFromGroupKeyWithSummaryDelta (Guid consoleId, Guid groupKey, Boolean withSummary)[inline]

Returns a data set with all changed discovered machines in the specified group optionally including diagnostics and deployment states.

Parameters:

<i>consoleId</i>	Id of the invoking console used to obtain the last refresh date referenced in MachineRefresh table.
<i>groupKey</i>	Key for the group associated with the discovered machines.
<i>withSummary</i>	Boolean flag indicating if the diagnostics and deployment state should be retrieved.

Returns:

Data set with all changed discovered machines in the specified group including diagnostics and deployment states.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachinesWithSummary (Boolean withSummary)[inline]

Returns a data set with all discovered machines optionally including diagnostics and deployment states.

Parameters:

<i>withSummary</i>	Boolean flag indicating if the diagnostics and deployment state should be retrieved.
--------------------	--

Returns:

Data set with all discovered machines including diagnostics and deployment states.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMachinesWithSummaryDelta (Guid consoleId, Boolean withSummary)[inline]

Returns a data set with all changed discovered machines optionally including diagnostics and deployment states since the last call to GetMachinesWithSummary.

Parameters:

<i>consoleId</i>	Id of the invoking console used to obtain the last refresh date referenced in MachineRefresh table.
<i>withSummary</i>	Boolean flag indicating if the diagnostics and deployment state should be retrieved.

Returns:

Data set with all changed discovered machines including diagnostics and deployment states.

void DataAccessServices.WebServices.DiscoveredMachines.GetMisgroupedDataFromGroupKey (Guid? groupKey, ref Int32 misgroupedCount, ref Int32 userSpecifiedCount)[inline]

Returns a data set of all misgrouped discovered machines for the specified group.

Parameters:

<i>groupKey</i>	Key for the group associated with the discovered machines.
<i>misgroupedCount</i>	The count of misgrouped machines discovered via membership rules.
<i>userSpecifiedCount</i>	The count of user specified machines.

MisgroupedMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMisgroupedMachineCounts() [*inline*]

Returns a data set with the count of all misgrouped discovered machines.

Returns:

Data set with the count of all misgrouped discovered machines.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetMisgroupedMachinesFromGroupKey(Guid? groupKey) [*inline*]

Returns a data set with all misgrouped discovered machines in the specified group.

Parameters:

<i>groupKey</i>	Key for the group associated with the discovered machines.
-----------------	--

Returns:

Data set with all misgrouped discovered machines in the specified group.

DiscoveredMachinesDataSet DataAccessServices.WebServices.DiscoveredMachines.GetPreload(int topRows) [*inline*]

Returns the first set of [DiscoveredMachines](#).

Parameters:

<i>topRows</i>	The number of rows to return.
----------------	-------------------------------

Returns:

Data set containing the first set of [DiscoveredMachines](#) as specified by the topRows value.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetPreloadFromGroupKey (Guid groupKey, int topRows)[inline]

Returns the first set of [DiscoveredMachines](#) within a particular group.

Parameters:

<i>groupKey</i>	Id of the group.
<i>topRows</i>	The number of rows to return.

Returns:

Data set containing the first set of [DiscoveredMachines](#) in the given group as specified by the topRows value.

DiscoveredMachinesDataSet

DataAccessServices.WebServices.DiscoveredMachines.GetUserSpecifiedMachinesFromGroupKey (Guid? groupKey)[inline]

Returns a data set with all user-specified discovered machines in the specified group.

Parameters:

<i>groupKey</i>	Key for the group associated with the discovered machines.
-----------------	--

Returns:

Data set with all user-specified discovered machines in the specified group.

void DataAccessServices.WebServices.DiscoveredMachines.InvokeDiscovery ()[inline]

Invokes the discovery service.

Boolean DataAccessServices.WebServices.DiscoveredMachines.IsDiscoveryActive ()[inline]

Returns a boolean indicating if the discovery is currently taking place.

Returns:

Boolean indicating if the discovery is taking place.

void DataAccessServices.WebServices.DiscoveredMachines.Move (Guid destinationGroupKey, Guid[] discoveredMachinesIds)[inline]

Move a list of discovered machines from one group to another.

Parameters:

<i>destinationGroupKey</i>	Move a list of discovered machines from one group to another.
<i>discoveredMachinesIds</i>	List of ids for the machines to move.

void DataAccessServices.WebServices.DiscoveredMachines.UpdateDiscoveryInterval (Int32 interval)[inline]

Defines the period to trigger a discovery.

Parameters:

<i>interval</i>	The number of milliseconds between each automatic discovery.
-----------------	--

This value is only used when the discovery mode is set to automatic.

void DataAccessServices.WebServices.DiscoveredMachines.UpdateDiscoveryMode (Boolean auto)[inline]

Returns a SchedulerConfigurationDto object containing information about the Discovery Service.

Parameters:

<i>auto</i>	True for Automatic discovery. False for Manual discovery.
-------------	---

The method takes one parameter: setting the parameter to true sets the mode to automatic, whereas setting the value to false sets the discovery mode to manual. Automatic discovery triggers a discovery every period set by the call to UpdateDiscoveryInterval. Manual discovery only triggers on a call to InvokeDiscovery.

void DataAccessServices.WebServices.DiscoveredMachines.UpdateMachineDiscovery (Guid discoveredMachineKey, Guid expectedGroupKey, String netBiosName, String description, String operatingSystem, String dns, ref DateTime modifiedDiscoveryTime)[inline]

Updates the specified discovered machine.

Parameters:

<i>discoveredMachineKey</i>	Key for the discovered machine.
<i>expectedGroupKey</i>	Key identifying the group that this machine is expected to be associated with.
<i>netBiosName</i>	The NetBIOS name of the machine.
<i>description</i>	Description of this machine.
<i>operatingSystem</i>	Operating system of the machine.
<i>dns</i>	Fully qualified DNS entry for the machine.
<i>modifiedDiscoveryTime</i>	Time this entry was last modified.


The documentation for this class was generated from the following file:

- DiscoveredMachines.cs

DataAccessServices.WebServices.Events Class Reference

Manages events in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events to the Management Center. In order to receive and display these events the Management Center database contains a list of all the possible events that can be raised via the product agents.

Inheritance diagram for DataAccessServices.WebServices.Events:



Public Member Functions

- void [AddEventDateTimeParam](#) (long eventKey, string paramName, DateTime paramValue)
Adds a date/time parameter to an existing event.
- void [AddEventDefinitionParam](#) (int eventDefinitionKey, string name, string description, EventParamType type, out DateTime modifiedTime)
Adds a parameter to an existing event definition.
- void [AddEventIntegerParam](#) (long eventKey, string paramName, long paramValue)
Adds an integer parameter to an existing event.
- void [AddEventStringParam](#) (long eventKey, string paramName, string paramValue)
Adds a string parameter to an existing event.
- void [ApplyEventChanges](#) (EventsDataSet eventsChanges)
Deletes all events that have been deleted within the supplied data set.
- void [ApplyEventDefinitionChanges](#) (ref EventDefinitionsDataSet eventDefinitionChanges)
Applies changes within an event definition data set into the database.
- long [CreateEvent](#) (int eventDefinitionKey, Guid?machineKey, Guid?groupKey, string userName, DateTime time)
Creates a new event.
- void [CreateEventDefinition](#) (int eventDefinitionKey, string name, string description, int type, string eventDescription, Guid productKey, bool highVolume, bool defaultEnabledState, string version, out DateTime modifiedTime)
Creates a new event definition. Supplied key must not exist.

- void [DeleteEvent](#) (long eventKey)
Deletes an existing event.
 - void [DeleteEventDefinition](#) (int eventDefinitionKey, DateTime?modifiedTime)
Deletes an existing event definition.
 - void [DeleteEventsFromAlertKey](#) (int alertKey)
Deletes events associated with a specific alert.
 - void [DeleteEventsFromGroupKey](#) (Guid?groupKey, bool unreferencedOnly)
Deletes events generated by the specified group.
 - void [DeleteEventsFromMachineKey](#) (Guid?machineKey, bool unreferencedOnly)
Deletes events generated by the specified machine.
 - EventDefinitionsDataSet [GetEventDefinitions](#) ()
Returns all event definitions.
 - EventDefinitionsDataSet [GetEventDefinitionsFromKey](#) (int eventDefinitionKey)
Returns a specific event definition.
 - EventsDataSet [GetEventFromKey](#) (long eventKey, bool withParameters)
Returns a single event.
 - EventParameterValuesDataSet [GetEventParameterValues](#) (int eventNumber, string eventParameter)
Gets the distinct values for an event parameter
 - EventsDataSet [GetEventsForMultipleIds](#) (List< int > eventTypeIds, Guid?groupKey, string userName, string machineName, bool withParameters, DateTime?startDate, DateTime?endDate)
Return the first 10K [Events](#) based on a list of IDs. It can be further filtered by a group, user, machine and date range
 - EventsDataSet [GetEventsFromAlert](#) (int alertKey, bool withParameters)
Returns all events associated with the specific alert.
 - EventsDataSet [GetEventsFromGroupKey](#) (Guid?groupKey, bool withParameters)
Returns all events associated with a specific group.
 - EventsDataSet [GetEventsFromMachineKey](#) (Guid?machineKey, bool withParameters)
Returns all events associated with a specific machine.
 - EventsDataSet [GetEventsFromQuery](#) (string queryString)
Executes the supplied expression returning any results.
 - EventsDataSet [GetEventsFromRange](#) (long firstEventKey, long maxResults, bool withParameters)
Returns upto maxResults events, starting with firstEventKey.
 - DataSet [GetExpandedEventsFromQuery](#) (string queryString)
Executes the supplied expression returning any events in an expanded data set.
 - DataTable [GetSummaryByParameterValues](#) (List< int > eventTypeIds, List< string > parameterNames, string additionalParameterName, Guid?groupKey, DateTime?startDate, DateTime?endDate)
Return grouped summary of events by event id and parameter names, grouped by values in the parameter name
 - void [RemoveEventDefinitionParam](#) (int eventDefinitionKey, string name, DateTime?modifiedTime)
Removes an existing parameter from an event definition.
 - void [UpdateEventDefinition](#) (int eventDefinitionKey, string name, string description, int type, string eventDescription, Guid productKey, bool highVolume, bool defaultEnabledState, string version, ref DateTime modifiedTime)
Updates an existing event definition.
-

Detailed Description

Manages events in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events to the Management Center. In order to receive and display these events the Management Center database contains a list of all the possible events that can be raised via the product agents.

Each product agent in the AppSense suite can raise an event based on different conditions within the product agent. The Management Center must store all the different event definitions for each product in order to successfully report on any event that is configured and reported back via the CCA.

Member Function Documentation

void DataAccessServices.WebServices.Events.AddEventDateTimeParam (long eventKey, string paramName, DateTime paramValue)[inline]

Adds a date/time parameter to an existing event.

Parameters:

<i>eventKey</i>	The key of the event to add the parameter to.
<i>paramName</i>	The name of the parameter.
<i>paramValue</i>	The date/time value of the parameter.

Requires alert or administrative access.

void DataAccessServices.WebServices.Events.AddEventDefinitionParam (int eventDefinitionKey, string name, string description, EventParamType type, out DateTime modifiedTime)[inline]

Adds a parameter to an existing event definition.

Parameters:

<i>eventDefinitionKey</i>	The key of the event definition to add the parameter onto.
<i>name</i>	The name of the parameter.
<i>description</i>	A description of the parameter.
<i>type</i>	The data type of the parameter values.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the event definition on return. Passed in value unused.

Requires administrative access.

void DataAccessServices.WebServices.Events.AddEventIntegerParam (long eventKey, string paramName, long paramValue)[inline]

Adds an integer parameter to an existing event.

Parameters:

<i>eventKey</i>	The key of the event to add the parameter to.
<i>paramName</i>	The name of the parameter.
<i>paramValue</i>	The integer value of the parameter.

Requires alert or administrative access.

void DataAccessServices.WebServices.Events.AddEventStringParam (long eventKey, string paramName, string paramValue)[inline]

Adds a string parameter to an existing event.

Parameters:

<i>eventKey</i>	The key of the event to add the parameter to.
<i>paramName</i>	The name of the parameter.
<i>paramValue</i>	The string value of the parameter.

Requires alert or administrative access.

void DataAccessServices.WebServices.Events.ApplyEventChanges (EventsDataSet eventsChanges)[inline]

Deletes all events that have been deleted within the supplied data set.

Parameters:

<i>eventsChanges</i>	The data set consisting of the changes
----------------------	--

void DataAccessServices.WebServices.Events.ApplyEventDefinitionChanges (ref EventDefinitionsDataSet eventDefinitionChanges)[inline]

Applies changes within an event definition data set into the database.

Parameters:

<i>eventDefinitionChanges</i>	A data set consisting of modifications.
-------------------------------	---

Requires administrative access.

long DataAccessServices.WebServices.Events.CreateEvent (int eventDefinitionKey, Guid? machineKey, Guid? groupKey, string userName, DateTime time)[inline]

Creates a new event.

Parameters:

<i>eventDefinitionKey</i>	The event definition of the event to create.
<i>machineKey</i>	The key of the machine which generated the event.
<i>groupKey</i>	The key of the group containing the machine when the events were generated.
<i>userName</i>	The name of the user who generated the event.
<i>time</i>	The time that the event was generated.

Returns:

The event key which identifies the created event.

Requires alert or administrative access.

void DataAccessServices.WebServices.Events.CreateEventDefinition (int eventDefinitionKey, string name, string description, int type, string eventDescription, Guid productKey, bool highVolume, bool defaultEnabledState, string version, out DateTime modifiedTime)[inline]

Creates a new event definition. Supplied key must not exist.

Parameters:

<i>eventDefinitionKey</i>	The key which identifies this event definition.
<i>name</i>	The name of the event definition.
<i>description</i>	A description of the event definition.

<i>type</i>	The type of the event. 4 for information, 2 for warning, 1 for error.
<i>eventDescription</i>	A format string for displaying event descriptions.
<i>productKey</i>	The key of the product associated with this event.
<i>highVolume</i>	True if large quantities of these events are generated.
<i>defaultEnabledState</i>	The default state of this event definition.
<i>version</i>	The version of the event definition.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the event definition on return. Passed in value unused.

Requires administrative access.

void DataAccessServices.WebServices.Events.DeleteEvent (long eventKey)[inline]

Deletes an existing event.

Parameters:

<i>eventKey</i>	The key of the event to delete.
-----------------	---------------------------------

Requires alert or administrative access.

void DataAccessServices.WebServices.Events.DeleteEventDefinition (int eventDefinitionKey, DateTime? modifiedTime)[inline]

Deletes an existing event definition.

Parameters:

<i>eventDefinitionKey</i>	The key of the event definition.
<i>modifiedTime</i>	The time that the event definition was modified.

Requires administrative access.

void DataAccessServices.WebServices.Events.DeleteEventsFromAlertKey (int alertKey)[inline]

Deletes events associated with a specific alert.

Parameters:

<i>alertKey</i>	The alert key whose events will be deleted
-----------------	--

void DataAccessServices.WebServices.Events.DeleteEventsFromGroupKey (Guid? groupKey, bool unreferencedOnly)[inline]

Deletes events generated by the specified group.

Parameters:

<i>groupKey</i>	The group that contains the events to delete.
<i>unreferencedOnly</i>	Whether to just delete events that are not referenced by an alert.

void DataAccessServices.WebServices.Events.DeleteEventsFromMachineKey (Guid? machineKey, bool unreferencedOnly)[inline]

Deletes events generated by the specified machine.

Parameters:

<i>machineKey</i>	The machine that contains the events to delete.
<i>unreferencedOnly</i>	Whether to just delete events that are not referenced by an alert.

EventDefinitionsDataSet DataAccessServices.WebServices.Events.GetEventDefinitions ()[inline]

Returns all event definitions.

Returns:

A data set consisting of all event definitions and their parameters.

Requires alert or administrative access.

EventDefinitionsDataSet DataAccessServices.WebServices.Events.GetEventDefinitionsFromKey (int eventDefinitionKey)[inline]

Returns a specific event definition.

Parameters:

<i>eventDefinitionKey</i>	The key of the event definition to return.
---------------------------	--

Returns:

A data set consisting of the event definition and its parameters.

Requires alert or administrative access.

EventsDataSet DataAccessServices.WebServices.Events.GetEventFromKey (long eventKey, bool withParameters)[inline]

Returns a single event.

Parameters:

<i>eventKey</i>	The event to return.
<i>withParameters</i>	Whether to include event parameters.

Returns:

A data set consisting of the event and its parameters.

Requires alert, deployment or administrative access.

***EventParameterValuesDataSet
DataAccessServices.WebServices.Events.GetEventParameterValues (int eventNumber, string eventParameter)[inline]***

Gets the distinct values for an event parameter

Parameters:

<i>eventNumber</i>	The event number.
<i>eventParameter</i>	The event parameter.

Returns:

Data set containing event parameter values.

EventsDataSet DataAccessServices.WebServices.Events.GetEventsForMultipleIds (List< int > eventTypelds, Guid? groupKey, string userName, string machineName, bool withParameters, DateTime? startDate, DateTime? endDate)[inline]

Return the first 10K [Events](#) based on a list of IDs. It can be further filtered by a group, user, machine and date range

Parameters:

<i>eventTypeIds</i>	List of event type ids
<i>groupKey</i>	specify a group by its key, or null for all groups
<i>userName</i>	Specify a user by name, or null for all users
<i>machineName</i>	Specify a machine by name, or null for all machines
<i>withParameters</i>	Set to true if you want the parameters for the events returned
<i>startDate</i>	Start date for event filtering (optional)
<i>endDate</i>	End date for event filtering (optional)

Returns:

Data Table with appropriate columns based on parameter names

EventsDataSet DataAccessServices.WebServices.Events.GetEventsFromAlert (int alertKey, bool withParameters)[inline]

Returns all events associated with the specific alert.

Parameters:

<i>alertKey</i>	The key of the alert.
<i>withParameters</i>	Whether event parameters should be returned.

Returns:

Requires alert, deployment or administrative access.

EventsDataSet DataAccessServices.WebServices.Events.GetEventsFromGroupKey (Guid? groupKey, bool withParameters)[inline]

Returns all events associated with a specific group.

Parameters:

<i>groupKey</i>	The group key of the events to return.
<i>withParameters</i>	Whether to include event parameters.

Returns:

A data set consisting of all events and parameters within a specific group.

Requires alert, deployment or administrative access.

EventsDataSet DataAccessServices.WebServices.Events.GetEventsFromMachineKey (Guid? machineKey, bool withParameters)[inline]

Returns all events associated with a specific machine.

Parameters:

<i>machineKey</i>	The machine key of the events to return.
<i>withParameters</i>	Whether to include event parameters.

Returns:

A data set consisting of all events and parameters associated with a machine.

Requires alert, deployment or administrative access.

EventsDataSet DataAccessServices.WebServices.Events.GetEventsFromQuery (string queryString)[inline]

Executes the supplied expression returning any results.

Parameters:

<i>queryString</i>	The query string.
--------------------	-------------------

Returns:

Data set containing events.

EventsDataSet DataAccessServices.WebServices.Events.GetEventsFromRange (long firstEventKey, long maxResults, bool withParameters)[inline]

Returns upto maxResults events, starting with firstEventKey.

Parameters:

<i>firstEventKey</i>	The earliest value of the key to return.
<i>maxResults</i>	The maximum number of events to return.
<i>withParameters</i>	Whether to include event parameters.

Returns:

A data set consisting of events within the supplied range.

Requires alert or administrative access.

DataSet DataAccessServices.WebServices.Events.GetExpandedEventsFromQuery (string queryString)[inline]

Executes the supplied expression returning any events in an expanded data set.

Parameters:

<i>queryString</i>	The query string.
--------------------	-------------------

Returns:

[Events](#) in an expanded data set.

DataTable DataAccessServices.WebServices.Events.GetSummaryByParameterValues (List< int > eventTypeId, List< string > parameterNames, string additionalParameterName, Guid? groupKey, DateTime? startDate, DateTime? endDate)[inline]

Return grouped summary of events by event id and parameter names, grouped by values in the parameter name

Parameters:

<i>eventTypeIds</i>	List of event type ids
<i>parameterNames</i>	List of names of event parameters (only string-valued parameters supported)
<i>additionalParameterName</i>	Additional parameter displayed for each row of grouping, representing a random value in that parameter for the group. This parameter should have the same value for all events in the group. (Optional)
<i>deploymentGroup</i>	Guid of deployment group for filtering events (Optional)
<i>startDate</i>	Start date for event filtering (optional)

<i>endDate</i>	End date for event filterig (optional)
----------------	--

Returns:

Data Table with appropriate columns based on parameter names

void DataAccessServices.WebServices.Events.RemoveEventDefinitionParam (int eventDefinitionKey, string name, DateTime? modifiedTime)[inline]

Removes an existing parameter from an event definition.

Parameters:

<i>eventDefinitionKey</i>	The key of the event definition to remove the event from.
<i>name</i>	The name of the event definition.
<i>modifiedTime</i>	The time that the event definition was modified.

Requires administrative access.

void DataAccessServices.WebServices.Events.UpdateEventDefinition (int eventDefinitionKey, string name, string description, int type, string eventDescription, Guid productKey, bool highVolume, bool defaultEnabledState, string version, ref DateTime modifiedTime)[inline]

Updates an existing event definition.

Parameters:

<i>eventDefinitionKey</i>	The key which identifies this event definition.
<i>name</i>	The name of the event definition.
<i>description</i>	A description of the event definition.
<i>type</i>	The type of the event. 4 for information, 2 for warning, 1 for error.
<i>eventDescription</i>	A format string for displaying event descriptions.
<i>productKey</i>	The key of the product associated with this event.
<i>highVolume</i>	True if large quantities of these events are generated.
<i>defaultEnabledState</i>	The default state of this event definition.

<i>version</i>	The product version of the event definition.
<i>modifiedTime</i>	The time that the event definition was modified.

Requires administrative access.


The documentation for this class was generated from the following file:

- Events.cs

DataAccessServices.WebServices.Groups Class Reference

Manages deployment groups and assigned packages in the Management Centre. The groups table represents a deployment group, with associated settings being stored within the related tables. The GroupPackages and MachinePackages tables represent the packages which are assigned to a group, and are installed on the group's machines.

Inheritance diagram for DataAccessServices.WebServices.Groups:



Public Member Functions

- void [AddGroupLatestPackage](#) (Guid groupKey, Guid packageKey, out DateTime creationTime, out DateTime modifiedTime)
Adds a package to a group using the latest version.
- void [AddGroupPackage](#) (Guid groupKey, Guid packageKey, Guid?patchKey, Int32 major, Int32 minor, Int32 build, Int32 revision, out DateTime creationTime, out DateTime modifiedTime)
Adds a package to a group.
- void [AddGroupPatch](#) (Guid groupKey, Guid packageKey, Guid patchKey, out DateTime creationTime, out DateTime modifiedTime)
Adds a patch to a group.
- void [ApplyEventFilterChanges](#) (ref EventFilterDataSet eventFilterChanges)
Applies changes made to the event filter data set into the database.
- void [ApplyGroupChanges](#) (ref GroupsDataSet groupChanges)
Applies changes found within the data set to the database.
- void [ApplyGroupPackagesChanges](#) (ref GroupPackagesDataSet groupPackagesChanges)
Applies changes found within the group packages data set to the database.
- void [ApplyGroupSecurityChanges](#) (ref GroupsDataSet groupChanges)
Applies changes found within the data set to the database.
- void [ApplyInstallationScheduleChanges](#) (ref ScheduleDataSet scheduleChanges)
Applies the changes of an installation schedule to the database.

- void **CloneGroup** (Guid groupKey)
- void [CreateGroup](#) (Guid groupKey, String name, String description, Int32 pollPeriodSeconds, Int32 uploadPollPeriodSeconds, Boolean eventLogEnabled, Boolean fileLogEnabled, String fileLogFilename, Boolean anonymousUserLogging, Boolean anonymousMachineLogging, Boolean overrideServerUrls, out DateTime modifiedTime, Boolean selfRegistrationEnabled, Boolean selfUnregistrationEnabled, Boolean selfUpdateEnabled, int priority, Int32 pollPeriodVariationSeconds, Int32 uploadPollPeriodVariationSeconds, Boolean nativeConfigurations, String configurationLocation)
Constructs a group.
- void [DeleteGroup](#) (Guid groupKey, DateTime?modifiedTime)
Deletes an existing group.
- GroupsDataSet [GetDefault](#) ()
Returns a data set containing the default group in the groups table.
- GroupsDataSet [GetDeploymentGroupsLight](#) ()
Returns a filtered list of group keys/names in the standard data set.
- DeploymentGroupDto[] [GetDeploymentGroupsLightDto](#) ()
Returns an ordered list of all the group names.
- EventFilterDataSet [GetEventFilter](#) (Guid groupKey)
Returns the event filter for a group.
- GroupsDataSet [GetGroupFromKey](#) (Guid groupKey, Boolean withSummary)
Returns a single group based on a group key.
- GroupPackagesDataSet [GetGroupPackages](#) (Guid groupKey)
Returns a list of packages assigned to a group.
- GroupsDataSet [GetGroups](#) (Boolean withSummary)
Returns all groups known to the database.
- NamedValuesDataSet [GetInfo](#) (Guid?groupKey)
Returns a data set consisting statistical information about the specified group.
- ScheduleDataSet [GetInstallationSchedule](#) (Guid groupKey)
Returns an installation schedule for the supplied group.
- StatisticsDto [GetStatistics](#) ()
Get a statistics summary of all groups, computers and alerts.
- void [RemoveGroupPackage](#) (Guid groupKey, Guid packageKey, DateTime?modifiedTime)
Removes an existing package from a group.
- void [RemoveGroupPatch](#) (Guid groupKey, Guid patchKey, DateTime?modifiedTime)
Removes an existing patch from a group.
- void [UpdateEventFilter](#) (Guid groupKey, Int32 eventDefinitionKey, Boolean enabled)
Adds or removed an event from the event filter of a group, depending upon whether the event is enabled.
- void [UpdateGroup](#) (Guid groupKey, String name, String description, Int32 pollPeriodSeconds, Int32 uploadPollPeriodSeconds, Boolean eventLogEnabled, Boolean fileLogEnabled, String fileLogFilename, Boolean anonymousUserLogging, Boolean anonymousMachineLogging, Boolean overrideServerUrls, Guid?policyKey, String ownerSid, ref DateTime modifiedTime, Boolean selfRegistrationEnabled, Boolean selfUnregistrationEnabled, Boolean selfUpdateEnabled, Int32 priority, Int32 pollPeriodVariationSeconds, Int32 uploadPollPeriodVariationSeconds, Boolean nativeConfigurations, String configurationLocation)
Updates the properties of an existing group.
- void [UpdateGroupLatestPackage](#) (Guid groupKey, Guid packageKey, ref DateTime modifiedTime)
Updates the version of a package within a group.
- void [UpdateGroupPackage](#) (Guid groupKey, Guid packageKey, Guid?patchKey, Int32 major, Int32 minor, Int32 build, Int32 revision, ref DateTime modifiedTime)
Updates the version of a package within a group.

- void [UpdateGroupSecurity](#) (Guid groupKey, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates security options for a group.
- void [UpdateInstallationSchedule](#) (Guid groupKey, Int64 mondayFlags, Int64 tuesdayFlags, Int64 wednesdayFlags, Int64 thursdayFlags, Int64 fridayFlags, Int64 saturdayFlags, Int64 sundayFlags, Int32 flags, Boolean doNotInstallAgent, ref DateTime modifiedTime, Int64 mondayConfigFlags, Int64 tuesdayConfigFlags, Int64 wednesdayConfigFlags, Int64 thursdayConfigFlags, Int64 fridayConfigFlags, Int64 saturdayConfigFlags, Int64 sundayConfigFlags, Int32 configFlags, Boolean doNotInstallConfig, Boolean mirrorAgentSchedule, Boolean postponeInstallationPromptEnabled, Int32 postponeInstallationLimit, Boolean downloadConfigurationsOnStartup, Boolean midSessionUpdate, Boolean updateAtShutdown)
Updates the installation schedule for an individual group.

Detailed Description

Manages deployment groups and assigned packages in the Management Centre. The groups table represents a deployment group, with associated settings being stored within the related tables. The GroupPackages and MachinePackages tables represent the packages which are assigned to a group, and are installed on the group's machines.

Member Function Documentation

void DataAccessServices.WebServices.Groups.AddGroupLatestPackage (Guid groupKey, Guid packageKey, out DateTime creationTime, out DateTime modifiedTime)[inline]

Adds a package to a group using the latest version.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>creationTime</i>	Time the group was created.
<i>modifiedTime</i>	Time the group was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.AddGroupPackage (Guid groupKey, Guid packageKey, Guid? patchKey, Int32 major, Int32 minor, Int32 build, Int32 revision, out DateTime creationTime, out DateTime modifiedTime)[inline]

Adds a package to a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>patchKey</i>	The patch GUID.
<i>major</i>	Major version of package version to add.
<i>minor</i>	Minor version of package version to add.
<i>build</i>	Build of package version to add.
<i>revision</i>	Revision of package version to add.
<i>creationTime</i>	Time the group was created.
<i>modifiedTime</i>	Time the group was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.AddGroupPatch (Guid groupKey, Guid packageKey, Guid patchKey, out DateTime creationTime, out DateTime modifiedTime)[inline]

Adds a patch to a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>patchKey</i>	The key of the patch.
<i>creationTime</i>	Time the group was created.
<i>modifiedTime</i>	Time the group was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.ApplyEventFilterChanges (ref EventFilterDataSet eventFilterChanges)[inline]

Applies changes made to the event filter data set into the database.

Parameters:

<i>eventFilterChanges</i>	A modified data set.
---------------------------	----------------------

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.ApplyGroupChanges (ref GroupsDataSet groupChanges)[inline]

Applies changes found within the data set to the database.

Parameters:

<i>groupChanges</i>	A data set consisting of changes.
---------------------	-----------------------------------

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.ApplyGroupPackagesChanges (ref GroupPackagesDataSet groupPackagesChanges)[inline]

Applies changes found within the group packages data set to the database.

Parameters:

<i>groupPackagesChanges</i>	A data set consisting of changes.
-----------------------------	-----------------------------------

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.ApplyGroupSecurityChanges (ref GroupsDataSet groupChanges)[inline]

Applies changes found within the data set to the database.

Parameters:

<i>groupChanges</i>	A data set consisting of changes.
---------------------	-----------------------------------

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.ApplyInstallationScheduleChanges (ref ScheduleDataSet scheduleChanges)[inline]

Applies the changes of an installation schedule to the database.

Parameters:

<i>scheduleChanges</i>	The schedule changes.
------------------------	-----------------------

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.CreateGroup (Guid groupKey, String name, String description, Int32 pollPeriodSeconds, Int32 uploadPollPeriodSeconds, Boolean eventLogEnabled, Boolean fileLogEnabled, String fileLogFilename, Boolean anonymousUserLogging, Boolean anonymousMachineLogging, Boolean overrideServerUrls, out DateTime modifiedTime, Boolean selfRegistrationEnabled, Boolean selfUnregistrationEnabled, Boolean selfUpdateEnabled, int priority, Int32 pollPeriodVariationSeconds, Int32 uploadPollPeriodVariationSeconds, Boolean nativeConfigurations, String configurationLocation)[inline]

Constructs a group.

Parameters:

<i>groupKey</i>	The key which identifies this group.
<i>name</i>	The name of the group.
<i>description</i>	Description of the group.
<i>pollPeriodSeconds</i>	The amount of seconds between polls.
<i>uploadPollPeriodSeconds</i>	The amount of seconds between uploads.
<i>eventLogEnabled</i>	Whether to log events to the event log.
<i>fileLogEnabled</i>	Whether to log events to the file log.
<i>fileLogFilename</i>	The file name to log events to.
<i>anonymousUserLogging</i>	Whether events from machines within this group will be logged with anonymous users.
<i>anonymousMachineLogging</i>	Whether events from machines within this group will be logged with anonymous machines.
<i>overrideServerUrls</i>	Whether this group overrides server URL's.

<i>modifiedTime</i>	The time that the group was modified.
<i>selfRegistrationEnabled</i>	Whether or not self registration is allowed.
<i>selfUnregistrationEnabled</i>	Whether or not self unregistration is allowed.
<i>selfUpdateEnabled</i>	Whether or not self update of agents and configurations is allowed.
<i>priority</i>	Order in which this groups membership rules will be evaluated.
<i>pollPeriodVariationSeconds</i>	The VariationSeconds allowed for each poll.
<i>uploadPollPeriodVariationSeconds</i>	The VariationSeconds allowed for each upload.
<i>nativeConfigurations</i>	Whether configurations be deployed to this group in native format.
<i>configurationLocation</i>	Location on agent machine to store native configurations.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.DeleteGroup (Guid groupKey, DateTime? modifiedTime)[inline]

Deletes an existing group.

Parameters:

<i>groupKey</i>	The key which identifies the group.
<i>modifiedTime</i>	The time that the group was last modified.

Requires deployment or administrative access.

GroupsDataSet DataAccessServices.WebServices.Groups.GetDefault ()[inline]

Returns a data set containing the default group in the groups table.

Returns:

Data set containing the default group in the groups table.

GroupsDataSet DataAccessServices.WebServices.Groups.GetDeploymentGroupsLight
()*[inline]*

Returns a filtered list of group keys/names in the standard data set.

Returns:

Data set containing groups within the database.
Requires deployment or administrative access.

DeploymentGroupDto []
DataAccessServices.WebServices.Groups.GetDeploymentGroupsLightDto ()*[inline]*

Returns an ordered list of all the group names.

Returns:

Array of DeploymentGroupDto's.

EventFilterDataSet DataAccessServices.WebServices.Groups.GetEventFilter (Guid
groupKey)*[inline]*

Returns the event filter for a group.

Parameters:

<i>groupKey</i>	The key of the group.
-----------------	-----------------------

Returns:

A data set consisting of all of the events in the groups event filter.
Requires deployment or administrative access.

GroupsDataSet DataAccessServices.WebServices.Groups.GetGroupFromKey (Guid **groupKey**,
Boolean withSummary)*[inline]*

Returns a single group based on a group key.

Parameters:

<i>groupKey</i>	The key that identifies the group to return.
<i>withSummary</i>	Whether to include summary information.

Returns:

The specified group if it exists.

Requires deployment or administrative access.

GroupPackagesDataSet DataAccessServices.WebServices.Groups.GetGroupPackages (Guid groupKey)[inline]

Returns a list of packages assigned to a group.

Parameters:

<i>groupKey</i>	The group key.
-----------------	----------------

Returns:

Requires deployment or administrative access.

GroupsDataSet DataAccessServices.WebServices.Groups.GetGroups (Boolean withSummary)[inline]

Returns all groups known to the database.

Parameters:

<i>withSummary</i>	Whether to include summary information.
--------------------	---

Returns:

All groups within the database.

Requires deployment or administrative access.

NamedValuesDataSet DataAccessServices.WebServices.Groups.GetInfo (Guid? groupKey)[inline]

Returns a data set consisting statistical information about the specified group.

Parameters:

<i>groupKey</i>	The key of the group.
-----------------	-----------------------

Returns:

Data set containing statistical information about the specified group.

ScheduleDataSet DataAccessServices.WebServices.Groups.GetInstallationSchedule (Guid groupKey)[inline]

Returns an installation schedule for the supplied group.

Parameters:

<i>groupKey</i>	The key which identifies the installation schedule.
-----------------	---

Returns:

A data set consisting of the installation schedule for the group.
Requires deployment or administrative access.

StatisticsDto DataAccessServices.WebServices.Groups.GetStatistics ()[inline]

Get a statistics summary of all groups, computers and alerts.

Returns:

A StatisticsDto object containing information about the groups, computers and alerts.
This data is used on the home page of the Management Console.

void DataAccessServices.WebServices.Groups.RemoveGroupPackage (Guid groupKey, Guid packageKey, DateTime? modifiedTime)[inline]

Removes an existing package from a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>modifiedTime</i>	The date time the group package row was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.RemoveGroupPatch (Guid groupKey, Guid patchKey, DateTime? modifiedTime)[inline]

Removes an existing patch from a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>patchKey</i>	The key of the patch.
<i>modifiedTime</i>	The date time the group package row was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.UpdateEventFilter (Guid groupKey, Int32 eventDefinitionKey, Boolean enabled)[inline]

Adds or removed an event from the event filter of a group, depending upon whether the event is enabled.

Parameters:

<i>groupKey</i>	The group to add/remove the event filter to/from.
<i>eventDefinitionKey</i>	The key of the event definition.
<i>enabled</i>	Whether the event definition is enabled or disabled.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.UpdateGroup (Guid groupKey, String name, String description, Int32 pollPeriodSeconds, Int32 uploadPollPeriodSeconds, Boolean eventLogEnabled, Boolean fileLogEnabled, String fileLogFilename, Boolean anonymousUserLogging, Boolean anonymousMachineLogging, Boolean overrideServerUrls, Guid? policyKey, String ownerSid, ref DateTime modifiedTime, Boolean selfRegistrationEnabled, Boolean selfUnregistrationEnabled, Boolean selfUpdateEnabled, Int32 priority, Int32 pollPeriodVariationSeconds, Int32 uploadPollPeriodVariationSeconds, Boolean nativeConfigurations, String configurationLocation)[inline]

Updates the properties of an existing group.

Parameters:

<i>groupKey</i>	The key which identifies this group.
<i>name</i>	The name of the group.
<i>description</i>	Description of the group.
<i>pollPeriodSeconds</i>	The amount of seconds between polls.

<i>uploadPollPeriodSeconds</i>	The amount of seconds between uploads.
<i>eventLogEnabled</i>	Whether to log events to the event log.
<i>fileLogEnabled</i>	Whether to log events to the file log.
<i>fileLogFilename</i>	The file name to log events to.
<i>anonymousUserLogging</i>	Whether events from machines within this group will be logged with anonymous users.
<i>anonymousMachineLogging</i>	Whether events from machines within this group will be logged with anonymous machines.
<i>overrideServerURLs</i>	Whether this group overrides server URL's.
<i>policyKey</i>	Policy associated with this group.
<i>ownerSid</i>	SID of user owning this group.
<i>modifiedTime</i>	The time that the group was modified.
<i>selfRegistrationEnabled</i>	Whether or not self registration is allowed.
<i>selfUnregistrationEnabled</i>	Whether or not self unregistration is allowed.
<i>selfUpdateEnabled</i>	Whether or not self update of agents and configurations is allowed.
<i>priority</i>	Order in which this groups membership rules will be evaluated.
<i>pollPeriodVariationSeconds</i>	The VariationSeconds allowed for each poll.
<i>uploadPollPeriodVariationSeconds</i>	The VariationSeconds allowed for each upload.
<i>nativeConfigurations</i>	Whether configurations be deployed to this group in native format.
<i>configurationLocation</i>	Location on agent machine to store native configurations.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.UpdateGroupLatestPackage (Guid groupKey, Guid packageKey, ref DateTime modifiedTime)[inline]

Updates the version of a package within a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>modifiedTime</i>	Time the group package was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.UpdateGroupPackage (Guid groupKey, Guid packageKey, Guid? patchKey, Int32 major, Int32 minor, Int32 build, Int32 revision, ref DateTime modifiedTime)[inline]

Updates the version of a package within a group.

Parameters:

<i>groupKey</i>	The key of the group.
<i>packageKey</i>	The key of the package.
<i>patchKey</i>	The patch GUID.
<i>major</i>	Major version of package version to use.
<i>minor</i>	Minor version of package version to use.
<i>build</i>	Build of package version to use.
<i>revision</i>	Revision of package version to use.
<i>modifiedTime</i>	Time the group package was last modified.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Groups.UpdateGroupSecurity (Guid groupKey, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates security options for a group.

Parameters:

<i>groupKey</i>	The key which identifies this group.
<i>policyKey</i>	Policy associated with this group.
<i>ownerSid</i>	SID of user owning this group.
<i>modifiedTime</i>	The time that the group was last modified.

void DataAccessServices.WebServices.Groups.UpdateInstallationSchedule (Guid groupKey, Int64 mondayFlags, Int64 tuesdayFlags, Int64 wednesdayFlags, Int64 thursdayFlags, Int64 fridayFlags, Int64 saturdayFlags, Int64 sundayFlags, Int32 flags, Boolean doNotInstallAgent, ref DateTime modifiedTime, Int64 mondayConfigFlags, Int64 tuesdayConfigFlags, Int64 wednesdayConfigFlags, Int64 thursdayConfigFlags, Int64 fridayConfigFlags, Int64 saturdayConfigFlags, Int64 sundayConfigFlags, Int32 configFlags, Boolean doNotInstallConfig, Boolean mirrorAgentSchedule, Boolean postponeInstallationPromptEnabled, Int32 postponeInstallationLimit, Boolean downloadConfigurationsOnStartup, Boolean midSessionUpdate, Boolean updateAtShutdown)[inline]

Updates the installation schedule for an individual group.

Parameters:

<i>groupKey</i>	The key of the group to update.
<i>mondayFlags</i>	The flags for Monday
<i>tuesdayFlags</i>	The flags for Tuesday
<i>wednesdayFlags</i>	The flags for Wednesday
<i>thursdayFlags</i>	The flags for Thursday
<i>fridayFlags</i>	The flags for Friday
<i>saturdayFlags</i>	The flags for Saturday
<i>sundayFlags</i>	The flags for Sunday
<i>flags</i>	The global flags
<i>doNotInstallAgent</i>	Indicates agent installation has been disabled

<i>modifiedTime</i>	The time that the installation schedule was last modified.
<i>mondayConfigFlags</i>	The flags for Monday Config
<i>tuesdayConfigFlags</i>	The flags for Tuesday Config
<i>wednesdayConfigFlags</i>	The flags for Wednesday Config
<i>thursdayConfigFlags</i>	The flags for Thursday Config
<i>fridayConfigFlags</i>	The flags for Friday Config
<i>saturdayConfigFlags</i>	The flags for Saturday Config
<i>sundayConfigFlags</i>	The flags for Sunday Config
<i>configFlags</i>	The global config flags
<i>doNotInstallConfig</i>	Indicates the config installation schedule has been disabled
<i>mirrorAgentSchedule</i>	Indicates the config schedule should mirror the agent schedule
<i>postponeInstallationPromptEnabled</i>	Set for postpone prompt for scheduled installs
<i>postponeInstallationLimit</i>	Max limit for postponement in seconds
<i>downloadConfigurationsOnStartup</i>	Download and install configurations before signalling agents to start
<i>midSessionUpdate</i>	Whether non-rebooting packages can be installed or uninstalled on computers mid-session.
<i>updateAtShutdown</i>	Whether packages can be installed or uninstalled on computers at shutdown.

Requires deployment or administrative access.


The documentation for this class was generated from the following file:

- Groups.cs

DataAccessServices.WebServices.Housekeeping Class Reference

Summary description for [Events](#)

Inheritance diagram for DataAccessServices.WebServices.Housekeeping:



Detailed Description

Summary description for [Events](#)


The documentation for this class was generated from the following file:

- Housekeeping.cs

DataAccessServices.WebServices.Licenses Class Reference

Manages licenses in the Management Centre. When using the AppSense Management Suite a valid license must be used.

Inheritance diagram for DataAccessServices.WebServices.Licenses:



Public Member Functions

- void [AddLicense](#) (Guid licenseKey, String licenseCode, String activationCode, Int32 licenseType, Guid productKey, Int32 licenseCount, DateTime expiryDate, Boolean baseLicense, out DateTime modifiedTime)
Adds a license.
- void [AddLicenseV2](#) (String licensingKey, out DateTime modifiedTime)
Adds a license using the new V2 license schema.
- void [ApplyChanges](#) (ref LicensesDataSet licenseChanges)
Updates the database with the changes in the data set.
- void [DeleteLicense](#) (Guid licenseKey, DateTime?modifiedTime)
Deletes the specified license.
- void [DeleteLicenseV1FromReg](#) (String licenceCode)
Deletes the specified license from the registry on the server.
- void [DeleteLicenseV2](#) (Guid licenseID, DateTime?modifiedTime)
Removes the specified license from the database.
- LicensesDataSet [GetLicenses](#) ()
Returns a data set containing all licenses.
- LicensingV2DataSet [GetV2Licenses](#) ()
Returns a data set containing all V2 licenses.
- void **SetLicenses** (DataSet ds)
- void [UpdateLicenses](#) (Guid licenseKey, String licenseCode, String activationCode, Int32 licenseType, Guid productKey, Int32 licenseCount, DateTime expiryDate, Boolean baseLicense, ref DateTime modifiedTime)
Updates the specified license.

Detailed Description

Manages licenses in the Management Centre. When using the AppSense Management Suite a valid license must be used.

Member Function Documentation

void DataAccessServices.WebServices.Licenses.AddLicense (Guid licenseKey, String licenseCode, String activationCode, Int32 licenseType, Guid productKey, Int32 licenseCount, DateTime expiryDate, Boolean baseLicense, out DateTime modifiedTime)[inline]

Adds a license.

Parameters:

<i>licenseKey</i>	GUID to identify this license.
<i>licenseCode</i>	License code for this license.
<i>activationCode</i>	Activation code for this license.
<i>licenseType</i>	Type of license.
<i>productKey</i>	Product GUID this license applies to.
<i>licenseCount</i>	Number of machines.
<i>expiryDate</i>	Expiry date for this license.
<i>baseLicense</i>	Whether or not this license is a base license.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the license on return. Passed in value unused.

void DataAccessServices.WebServices.Licenses.AddLicenseV2 (String licensingKey, out DateTime modifiedTime)[inline]

Adds a license using the new V2 license schema.

Parameters:

<i>licensingKey</i>	String containing the license encrypted using a base 64 encryption.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the license on return. Passed in value unused.

void DataAccessServices.WebServices.Licenses.ApplyChanges (ref LicensesDataSet licenseChanges)[inline]

Updates the database with the changes in the data set.

Parameters:

<i>licenseChanges</i>	A data set containing changes to licenses.
-----------------------	--

void DataAccessServices.WebServices.Licenses.DeleteLicense (Guid licenseKey, DateTime? modifiedTime)[inline]

Deletes the specified license.

Parameters:

<i>licenseKey</i>	GUID identifying the license.
<i>modifiedTime</i>	Time this license was last modified.

void DataAccessServices.WebServices.Licenses.DeleteLicenseV1FromReg (String licenceCode)[inline]

Deletes the specified license from the registry on the server.

Parameters:

<i>licenceCode</i>	String identifying the license.
--------------------	---------------------------------

void DataAccessServices.WebServices.Licenses.DeleteLicenseV2 (Guid licenseID, DateTime? modifiedTime)[inline]

Removes the specified license from the database.

Parameters:

<i>licenseID</i>	GUID identifying the V2 license ID.
<i>modifiedTime</i>	Time this license was last modified.

LicensesDataSet DataAccessServices.WebServices.Licenses.GetLicenses ()[inline]

Returns a data set containing all licenses.

Returns:

Data set containing all licenses.

LicensingV2DataSet DataAccessServices.WebServices.Licenses.GetV2Licenses ()[inline]

Returns a data set containing all V2 licenses.

Returns:

Data set containing all V2 licenses.

void DataAccessServices.WebServices.Licenses.UpdateLicenses (Guid licenseKey, String licenseCode, String activationCode, Int32 licenseType, Guid productKey, Int32 licenseCount, DateTime expiryDate, Boolean baseLicense, ref DateTime modifiedTime)[inline]

Updates the specified license.

Parameters:

<i>licenseKey</i>	GUID identifying the license.
<i>licenseCode</i>	License code for this license.
<i>activationCode</i>	Activation code for this license.
<i>licenseType</i>	Type of license.
<i>productKey</i>	Product GUID this license applies to.
<i>licenseCount</i>	Number of machines.
<i>expiryDate</i>	Expiry date for this license.
<i>baseLicense</i>	Whether or not this license is a base license.

<i>modifiedTime</i>	Time this license was last modified.
---------------------	--------------------------------------

The documentation for this class was generated from the following file:

- Licenses.cs

DataAccessServices.WebServices.Machines Class Reference

Manages machines in the Management Centre. The [Machines](#) table stores an entry for each machine managed by the Management Center.

Inheritance diagram for DataAccessServices.WebServices.Machines:



Public Member Functions

- void [AddMachineDetails](#) (Guid machineKey, String name, String value)
Adds some detailed description about a machine.
- void [AddMachinePackage](#) (Guid machineKey, Guid packageKey, String name, String company, String type, PackagePlatform platform, Version version, DeploymentStatus status, Version childVersion, DeploymentStatus?childStatus, Version patchVersion, Guid?patchCode, DeploymentStatus?patchStatus, Version patchChildVersion, Guid?patchChildCode, DeploymentStatus?patchChildStatus, String statusMessage, out DateTime modifiedTime)
Associates a package with a machine.
- void [ApplyAndUpdateMachines](#) (ref MachinesDataSet machineChanges)
Updates the database with all changes within the supplied data set.
- void [ApplyMachineChanges](#) (ref MachinesDataSet machineChanges)
Updates the database with all changes within the supplied data set.
- void [ApplyMachineDetailsChanges](#) (ref MachineDetailsDataSet machineDetailsChanges)
Applies edits within the machine details data set into the database.
- void [ApplyMachineDiagnosticsStateChanges](#) (ref MachinesDataSet machineChanges)
Updates the database with all changes within the supplied data set.
- void [ApplyMachinePackageChanges](#) (ref MachinePackagesDataSet machinePackageChanges)
Applies changes from a machines packages data set into the database.
- void [AutoMove](#) (Guid[] machineIds)
Automatically moves the given machines into their expected group.

- void [CheckMachineGroupPermissions](#) (Guid[] machineIds, String userSid, [Parameter(StructuredTypeName="dbo.StringList2")] DataTable groupSids, ObjectPermissions permissions)
Deprecated.
- int [Count](#) (Guid groupKey)
Returns the number of machines overall, or in a specific group.
- void [CreateMachine](#) (Guid machineKey, String netBiosName, String dns, MachinePlatform platform, MachineDiagnosticsState diagnosticsState, String distinguishedName, Guid objectGuid, Guid?groupKey, out DateTime modifiedTime)
Creates a new machine.
- void [DeleteMachine](#) (Guid machineKey, DateTime?modifiedTime)
Deletes an existing machine.
- MachinesDataSet [FindMachines](#) (String match)
Retrieves all of the machines that match the search string.
- DeploymentStatisticsDto [GetDeploymentStatistics](#) (Guid?groupId=null)
Get a statistics summary of all groups, computers and alerts.
- MachinesDataSet [GetFromDns](#) (String dns, Boolean withSummary)
Returns a machine from a given fully qualified domain name.
- MachinesDataSet [GetFromGroupKey](#) (Guid groupKey, Boolean withSummary)
Returns all machines within a specific group.
- MachinesDataSet [GetFromGroupKeyDelta](#) (Guid consoleId, Guid groupKey, Boolean withSummary, ref DateTime?lastRefresh)
Returns all changed machines within a specific group since the last refresh.
- MachinesDataSet [GetFromKey](#) (Guid machineKey, Boolean withSummary)
Returns a single machine.
- MachinesDataSet [GetFromObjectGuid](#) (Guid objectGuid, Boolean withSummary)
Returns a machine from a given objectGUID attribute.
- MachineDetailsDataSet [GetMachineDetails](#) (Guid machineKey)
Retrieves the machine details for a specified machine.
- MachineDiagnosticsDataSet [GetMachineDiagnostics](#) (Guid machineKey)
Retrieves the diagnostic details for a specified machine.
- MachinesDataSet [GetMachineFromDnsAndNetbios](#) (String dns, string netbiosName, Boolean withSummary)
Returns a machine from a given NetBIOS name and a DNS.
- MachinePackagesDataSet [GetMachinePackages](#) (Guid machineKey)
Returns a set of packages associated with the supplied machine.
- MachinesDataSet [GetMachines](#) (Boolean withSummary)
Returns all machines
- MachinesDataSet [GetMachinesDelta](#) (Guid consoleId, Boolean withSummary, ref DateTime?lastRefresh)
Returns all machines changed since the last refresh
- MachinesDataSet [GetPendingDeletion](#) (Boolean withSummary)
Returns all machines which have the IsPendingDeletion flag set to true.
- MachinesDataSet [GetPreloadFromGroupKey](#) (Guid groupKey, Int32 preloadAmount)
Returns the specified number of machines from the start of the [Machines](#) table belonging to the specified group
- MachinesDataSet [GetPreloadMachines](#) (Int32 preloadAmount)
Returns the specified number of machines from the start of the [Machines](#) table
- MachinesDataSet [GetWithObjectGuid](#) (Boolean withSummary)
Returns all machines which contain an objectGUID.

- MachinesDataSet [GetWithPackage](#) (Guid packageKey)
Returns the machines that have a particular package installed.
- MachinesDataSet [GetWithPackageVersion](#) (Guid packageKey, String version)
Returns the machines that have a particular package version installed.
- void [Move](#) (Guid destinationGroupKey, Guid[] machineIds)
Move a list of machines from one group to another.
- void [RemoveMachineDetails](#) (Guid machineKey, String name)
Removes descriptive information from a machine.
- void [RemoveMachinePackage](#) (Guid machineKey, Guid packageKey, DateTime?modifiedTime)
Removes a package from a machine.
- void [UpdateMachine](#) (Guid machineKey, String netBiosName, String dns, MachinePlatform platform, MachineDiagnosticsState diagnosticsState, String distinguishedName, String oldDistinguishedName, Guid objectGuid, Guid?groupKey, Boolean isPendingDeletion, Boolean offline, DateTime modifiedGroupTime, ref DateTime modifiedTime)
Updates an existing machine.
- void [UpdateMachineDetails](#) (Guid machineKey, String name, String value)
Updates some detailed description about a machine.
- void [UpdateMachineDiagnosticsState](#) (Guid machineKey, Boolean diagnosticsError, MachineDiagnosticsState diagnosticsState, out DateTime modifiedTime)
Updates an existing machine.
- void [UpdateMachinePackage](#) (Guid machineKey, Guid packageKey, String name, String company, String type, PackagePlatform platform, Version version, DeploymentStatus status, Version childVersion, DeploymentStatus?childStatus, Version patchVersion, Guid?patchCode, DeploymentStatus?patchStatus, Version patchChildVersion, Guid?patchChildCode, DeploymentStatus?patchChildStatus, String statusMessage, ref DateTime modifiedTime)
Updates a package associated with a machine.

Detailed Description

Manages machines in the Management Centre. The [Machines](#) table stores an entry for each machine managed by the Management Center.

Member Function Documentation

void DataAccessServices.WebServices.Machines.AddMachineDetails (Guid machineKey, String name, String value)[inline]

Adds some detailed description about a machine.

Parameters:

<i>machineKey</i>	The key that identifies the machine.
-------------------	--------------------------------------

<i>name</i>	The name of the descriptive information.
<i>value</i>	The value of the descriptive information.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.AddMachinePackage (Guid machineKey, Guid packageKey, String name, String company, String type, PackagePlatform platform, Version version, DeploymentStatus status, Version childVersion, DeploymentStatus? childStatus, Version patchVersion, Guid? patchCode, DeploymentStatus? patchStatus, Version patchChildVersion, Guid? patchChildCode, DeploymentStatus? patchChildStatus, String statusMessage, out DateTime modifiedTime)[inline]

Associates a package with a machine.

Parameters:

<i>machineKey</i>	The key of the machine.
<i>packageKey</i>	The key of the package.
<i>name</i>	The name of the package.
<i>company</i>	The company that supplied the package.
<i>type</i>	The type of the package, such as software or config.
<i>platform</i>	The platform of the package.
<i>version</i>	The version number of the package.
<i>status</i>	The status.
<i>childVersion</i>	The child version.
<i>childStatus</i>	The child status.
<i>patchVersion</i>	The version number of the patch.
<i>patchCode</i>	The patch code.
<i>patchStatus</i>	The patch status.
<i>patchChildVersion</i>	The patch child version.
<i>patchChildCode</i>	The patch child code.

<i>patchChildStatus</i>	The patch child status.
<i>statusMessage</i>	The status message.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the license on return. Passed in value unused.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.ApplyAndUpdateMachines (ref MachinesDataSet machineChanges)[inline]

Updates the database with all changes within the supplied data set.

Parameters:

<i>machineChanges</i>	The data set consisting of the changes.
-----------------------	---

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.ApplyMachineChanges (ref MachinesDataSet machineChanges)[inline]

Updates the database with all changes within the supplied data set.

Parameters:

<i>machineChanges</i>	The data set consisting of the changes.
-----------------------	---

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.ApplyMachineDetailsChanges (ref MachineDetailsDataSet machineDetailsChanges)[inline]

Applies edits within the machine details data set into the database.

Parameters:

<i>machineDetailsChanges</i>	A data set consisting of the machine details edits.
------------------------------	---

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.ApplyMachineDiagnosticsStateChanges (ref MachinesDataSet machineChanges)[inline]

Updates the database with all changes within the supplied data set.

Parameters:

<i>machineChanges</i>	The data set consisting of the changes.
-----------------------	---

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.ApplyMachinePackageChanges (ref MachinePackagesDataSet machinePackageChanges)[inline]

Applies changes from a machines packages data set into the database.

Parameters:

<i>machinePackageChanges</i>	A machine packages data set consisting of changes.
------------------------------	--

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.AutoMove (Guid[] machinelds)[inline]

Automatically moves the given machines into their expected group.

Parameters:

<i>machinelds</i>	Array of ids for the machines to move.
-------------------	--

void DataAccessServices.WebServices.Machines.CheckMachineGroupPermissions (Guid[] machinelds, String userSid, [Parameter(StructredTypeName = "dbo.StringList2")] DataTable groupSids, ObjectPermissions permissions)[inline]

Deprecated.

int DataAccessServices.WebServices.Machines.Count (Guid groupKey)[inline]

Returns the number of machines overall, or in a specific group.

Parameters:

<i>groupKey</i>	The key for a group, or Guid.Empty for the overall count.
-----------------	---

Returns:

Number of machines overall, or in a specific group.

void DataAccessServices.WebServices.Machines.CreateMachine (Guid machineKey, String netBiosName, String dns, MachinePlatform platform, MachineDiagnosticsState diagnosticsState, String distinguishedName, Guid objectGuid, Guid? groupKey, out DateTime modifiedTime)[inline]

Creates a new machine.

Parameters:

<i>machineKey</i>	The key which identifies this machine.
<i>netBiosName</i>	The NetBIOS name of the machine.
<i>dns</i>	Specifies a fully qualified domain name for the machine.
<i>platform</i>	The platform of the machine, 32bit or 64bit.
<i>diagnosticsState</i>	State of the diagnostics.
<i>distinguishedName</i>	The distinguished name of the machine (optional).
<i>objectGuid</i>	The objectGUID attribute (optional).
<i>groupKey</i>	The group that the machine is attached to (optional).
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the license on return. Passed in value unused.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.DeleteMachine (Guid machineKey, DateTime? modifiedTime)[inline]

Deletes an existing machine.

Parameters:

<i>machineKey</i>	The machine to delete.
-------------------	------------------------

<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
---------------------	--

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.FindMachines (String match)[inline]

Retrieves all of the machines that match the search string.

Parameters:

<i>match</i>	The search string to match.
--------------	-----------------------------

Returns:

Data set containing all the machines that match the search string.

Requires deployment or administrative access.

DeploymentStatisticsDto DataAccessServices.WebServices.Machines.GetDeploymentStatistics (Guid? groupId = null)[inline]

Get a statistics summary of all groups, computers and alerts.

Parameters:

<i>groupId</i>	The group id to filter the deployment statistics or NULL to return all data
----------------	---

Returns:

Statistics Dto

MachinesDataSet DataAccessServices.WebServices.Machines.GetFromDns (String dns, Boolean withSummary)[inline]

Returns a machine from a given fully qualified domain name.

Parameters:

<i>dns</i>	Specifies a fully qualified domain name for the machine.
<i>withSummary</i>	Whether to include summary information.

Returns:

A data set consisting of a machine with a matching NetBIOS name if found.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetFromGroupKey (Guid groupKey, Boolean withSummary)[inline]

Returns all machines within a specific group.

Parameters:

<i>groupKey</i>	The group that the returned machines belong to.
<i>withSummary</i>	Whether to include summary information.

Returns:

A data set consisting of the machines in the specified group.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetFromGroupKeyDelta (Guid consoleId, Guid groupKey, Boolean withSummary, ref DateTime? lastRefresh)[inline]

Returns all changed machines within a specific group since the last refresh.

Parameters:

<i>consoleId</i>	Guid to identify the console making the request.
<i>groupKey</i>	The group that the returned machines belong to.
<i>withSummary</i>	Whether to include summary information.
<i>lastRefresh</i>	DateTime of the last refresh.

Returns:

A data set consisting of the changed machines since the last refresh in the specified group.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetFromKey (Guid machineKey, Boolean withSummary)[inline]

Returns a single machine.

Parameters:

<i>machineKey</i>	The machine to return.
-------------------	------------------------

<i>withSummary</i>	Whether to include summary information.
--------------------	---

Returns:

A data set consisting of a single machine.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetFromObjectGuid (Guid objectGUID, Boolean withSummary)[inline]

Returns a machine from a given objectGUID attribute.

Parameters:

<i>objectGuid</i>	The objectGUID attribute returned from the LDAP server.
<i>withSummary</i>	Whether to include summary information.

Returns:

A data set consisting of a machine with a matching objectGUID attribute if found.

Requires deployment or administrative access.

MachineDetailsDataSet DataAccessServices.WebServices.Machines.GetMachineDetails (Guid machineKey)[inline]

Retrieves the machine details for a specified machine.

Parameters:

<i>machineKey</i>	The key which identifies the machine.
-------------------	---------------------------------------

Returns:

A data set consisting of the machine details.

Requires deployment or administrative access.

MachineDiagnosticsDataSet DataAccessServices.WebServices.Machines.GetMachineDiagnostics (Guid machineKey)[inline]

Retrieves the diagnostic details for a specified machine.

Parameters:

<i>machineKey</i>	The key which identifies the machine.
-------------------	---------------------------------------

Returns:

A data set consisting of the machine diagnostics.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetMachineFromDnsAndNetbios (String dns, string netbiosName, Boolean withSummary)[inline]

Returns a machine from a given NetBIOS name and a DNS.

Parameters:

<i>dns</i>	The name of the DNS machine to return.
<i>netbiosName</i>	The name of the NetBIOS machine to return.
<i>withSummary</i>	Whether to include summary information.

Returns:

A data set consisting of a machine with a matching NetBIOS name if found.

Requires deployment or administrative access.

MachinePackagesDataSet DataAccessServices.WebServices.Machines.GetMachinePackages (Guid machineKey)[inline]

Returns a set of packages associated with the supplied machine.

Parameters:

<i>machineKey</i>	The machine key.
-------------------	------------------

Returns:

A data set of all packages applied to the machine.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetMachines (Boolean withSummary)[inline]

Returns all machines

Parameters:

<i>withSummary</i>	Whether to include summary information.
--------------------	---

Returns:

A data set consisting of all the machines.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetMachinesDelta (Guid consoleId, Boolean withSummary, ref DateTime? lastRefresh)[inline]

Returns all machines changed since the last refresh

Parameters:

<i>consoleId</i>	Guid to identify the console making the request.
<i>withSummary</i>	Whether to include summary information.
<i>lastRefresh</i>	DateTime of the last refresh.

Returns:

A data set consisting of the machines in the specified group.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetPendingDeletion (Boolean withSummary)[inline]

Returns all machines which have the IsPendingDeletion flag set to true.

Parameters:

<i>withSummary</i>	Whether to include summary information.
--------------------	---

Returns:

A dataset consisting of all machines pending deletion.

MachinesDataSet DataAccessServices.WebServices.Machines.GetPreloadFromGroupKey (Guid groupKey, Int32 preloadAmount)[inline]

Returns the specified number of machines from the start of the [Machines](#) table belonging to the specified group

Parameters:

<i>groupKey</i>	Guid of the group.
<i>preloadAmount</i>	Number of machines to get.

Returns:

Data set containing the machines belonging to the specified group

MachinesDataSet DataAccessServices.WebServices.Machines.GetPreloadMachines (Int32 preloadAmount)[inline]

Returns the specified number of machines from the start of the [Machines](#) table

Parameters:

<i>preloadAmount</i>	Number of machines to get.
----------------------	----------------------------

Returns:

Data set containing the machines

MachinesDataSet DataAccessServices.WebServices.Machines.GetWithObjectGuid (Boolean withSummary)[inline]

Returns all machines which contain an objectGUID.

Parameters:

<i>withSummary</i>	Whether to include summary information.
--------------------	---

Returns:

A data set consisting of all machines with an objectGUID attribute.

Requires deployment or administrative access.

MachinesDataSet DataAccessServices.WebServices.Machines.GetWithPackage (Guid packageKey)[inline]

Returns the machines that have a particular package installed.

Parameters:

<i>packageKey</i>	GUID specifying a key for the associated package.
-------------------	---

Returns:

Data set containing machines that have a particular package installed.

MachinesDataSet DataAccessServices.WebServices.Machines.GetWithPackageVersion (Guid packageKey, String version)[inline]

Returns the machines that have a particular package version installed.

Parameters:

<i>packageKey</i>	GUID specifying a key for the associated package.
<i>version</i>	The version number of the package.

Returns:

Data set containing the machines that have a particular package version installed.

void DataAccessServices.WebServices.Machines.Move (Guid destinationGroupKey, Guid[] machinelds)[inline]

Move a list of machines from one group to another.

Parameters:

<i>destinationGroupKey</i>	Guid of the group to move the machines into.
<i>machinelds</i>	Array of ids for the machines to move.

void DataAccessServices.WebServices.Machines.RemoveMachineDetails (Guid machineKey, String name)[inline]

Removes descriptive information from a machine.

Parameters:

<i>machineKey</i>	The key that identifies the machine.
<i>name</i>	The name of the descriptive information to remove.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.RemoveMachinePackage (Guid machineKey, Guid packageKey, DateTime? modifiedTime)[inline]

Removes a package from a machine.

Parameters:

<i>machineKey</i>	The key of the machine.
<i>packageKey</i>	The key of the package.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.UpdateMachine (Guid machineKey, String netBiosName, String dns, MachinePlatform platform, MachineDiagnosticsState diagnosticsState, String distinguishedName, String oldDistinguishedName, Guid objectGuid, Guid? groupKey, Boolean isPendingDeletion, Boolean offline, DateTime modifiedGroupTime, ref DateTime modifiedTime)[inline]

Updates an existing machine.

Parameters:

<i>machineKey</i>	The key which identifies this machine.
<i>netBiosName</i>	The NetBIOS name of the machine.
<i>dns</i>	Specifies a fully qualified domain name for the machine.
<i>platform</i>	The platform of the machine, 32bit or 64bit.
<i>diagnosticsState</i>	State of the diagnostics.
<i>distinguishedName</i>	The distinguished name of the machine (optional).
<i>oldDistinguishedName</i>	The old distinguished name, if distinguishedName has changed.
<i>objectGuid</i>	The objectGUID attribute (optional).
<i>groupKey</i>	The group that the machine is attached to (optional).
<i>isPendingDeletion</i>	Whether this machine has been marked for deletion.
<i>offline</i>	If set to true machine is shown as offline.
<i>modifiedGroupTime</i>	The modified group time.

<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
---------------------	--

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.UpdateMachineDetails (Guid machineKey, String name, String value)[inline]

Updates some detailed description about a machine.

Parameters:

<i>machineKey</i>	The key that identifies the machine.
<i>name</i>	The name of the descriptive information.
<i>value</i>	The value of the descriptive information.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.UpdateMachineDiagnosticsState (Guid machineKey, Boolean diagnosticsError, MachineDiagnosticsState diagnosticsState, out DateTime modifiedTime)[inline]

Updates an existing machine.

Parameters:

<i>machineKey</i>	The key which identifies this machine.
<i>diagnosticsError</i>	If set to true show a diagnostics error has occurred.
<i>diagnosticsState</i>	State of the diagnostics.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the machine on return. Passed in value unused.

Requires deployment or administrative access.

void DataAccessServices.WebServices.Machines.UpdateMachinePackage (Guid machineKey, Guid packageKey, String name, String company, String type, PackagePlatform platform, Version version, DeploymentStatus status, Version childVersion, DeploymentStatus? childStatus, Version patchVersion, Guid? patchCode, DeploymentStatus? patchStatus, Version patchChildVersion, Guid? patchChildCode, DeploymentStatus? patchChildStatus, String statusMessage, ref DateTime modifiedTime)[inline]

Updates a package associated with a machine.

Parameters:

<i>machineKey</i>	The key of the machine.
<i>packageKey</i>	The key of the package.
<i>name</i>	The name of the package.
<i>company</i>	The company that supplied the package.
<i>type</i>	The type of the package, such as software or config.
<i>platform</i>	The platform of the package.
<i>version</i>	The version number of the package.
<i>status</i>	The status.
<i>childVersion</i>	The child version.
<i>childStatus</i>	The child status.
<i>patchVersion</i>	The version number of the patch.
<i>patchCode</i>	The patch code.
<i>patchStatus</i>	The patch status.
<i>patchChildVersion</i>	The patch child version.
<i>patchChildCode</i>	The patch child code.
<i>patchChildStatus</i>	The patch child status.
<i>statusMessage</i>	The status message.
<i>modifiedTime</i>	Datetime specifying when this item was last modified by the application - used for concurrency purposes.

Requires deployment or administrative access.


The documentation for this class was generated from the following file:

- Machines.cs

DataAccessServices.WebServices.Maintenance Class Reference

Manages maintenance tasks in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events/alerts to the Management Center. In order to receive and display these events/alerts the Management Center database contains a list of all the possible evnets/alerts that can be raised via the product agents.

Inheritance diagram for DataAccessServices.WebServices.Maintenance:



Public Member Functions

- void [CancelSchedule](#) (Int64 jobId, DateTime modifiedTime)
 Cancels a running schedule
- MaintenanceSchedulesDataSet [GetSchedules](#) ()
Returns a dataset of all Scheduled maintenance actions
- Int64 **Maintenance_AddScheduleRemoveEventsFromDeploymentGroup** (string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- Int64 **Maintenance_AddScheduleRemoveEventsOlderThan** (int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- Int64 **Maintenance_AddScheduleRemoveEventsWithId** (int eventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- Int64 **Maintenance_AddScheduleRemoveEventsWithIdRange** (int startEventId, int endEventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- Int64 **Maintenance_AddScheduleRemoveHighVolumeEventsOlderThan** (int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- Int64 **Maintenance_AddScheduleRemoveOrphanedAlerts** (string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)

- **Int64 Maintenance_AddScheduleRemoveUnresponsiveMachines** (int daysToRetain, string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool isTemporary=false)
- void [Maintenance_DisableSchedule](#) (Int64 jobId, DateTime modifiedTime)
Disable the Scheduled [Maintenance](#) task specified by the supplied jobId.
- void [Maintenance_EnableSchedule](#) (Int64 jobId, DateTime modifiedTime)
Enable the Scheduled [Maintenance](#) task specified by the supplied jobId.
- void [Maintenance_LockSchedulingJob](#) (Int64 jobId, String activeServer, out bool lockSuccess)
This method sets the task ActiveServer name if the task is not running and the table is not locked.
- MaintenanceHelper.PreviewEventsDto [Maintenance_RemoveAllEventsFromDeploymentGroup](#) (string deploymentGroup, long batchSize, long batchDelay)
Removes all product events from the specified deployment group.
- MaintenanceHelper.PreviewEventsDto [Maintenance_RemoveAllEventsOlderThanXDays](#) (int daysToRetain, long batchSize, long batchDelay)
Removes all product events older than the specified number of days.
- MaintenanceHelper.PreviewEventsDto [Maintenance_RemoveAllEventsWithId](#) (int eventId, long batchSize, long batchDelay)
Removes all product events with the specified identifier.
- MaintenanceHelper.PreviewEventsDto [Maintenance_RemoveAllEventsWithinIdRange](#) (int startEventId, int endEventId, long batchSize, long batchDelay)
Removes all product events within the specified event range
- MaintenanceHelper.PreviewEventsDto [Maintenance_RemoveAllHighVolumeEventsOlderThanXDays](#) (int daysToRetain, long batchSize, long batchDelay)
Removes all high volume product events older than the specified cutoff.
- MaintenanceHelper.PreviewAlertsDto [Maintenance_RemoveAllOrphanedAlerts](#) (Int64 batchSize, long batchDelay)
Removes orphaned alerts from within the database.
- void [Maintenance_RemoveSchedule](#) (Int64 jobId, DateTime?modifiedTime)
Removes the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId.
- void [Maintenance_ResetSchedule](#) (Int64 jobId, DateTime modifiedTime)
Removes the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId.
- void [Maintenance_UnlockSchedulingJob](#) (Int64 jobId, DateTime dtCompleted, out bool lockSuccess)
This method sets the task back to unlocked by clearing the ActiveServer name.
- void [Maintenance_UpdateSchedule](#) (Int64 jobId, string description, string maintenanceType, TimeSpan startTime, DayOfWeek dayOfWeek, int maxRunHours, int batchSize, int batchDelay, string parameters, string activeServer, ScheduleJobStatus jobStatus, DateTime jobCompleted, bool enabled, bool isTemporary)
Updates the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId, using the other supplied parameters. Used by the scheduler service to push updates to the database.
- void [Maintenance_UpdateScheduleRemoveEventsFromDeploymentGroup](#) (Int64 jobId, string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)
Update the scheduled task's attributes specified by the supplied jobId.
- void [Maintenance_UpdateScheduleRemoveEventsOlderThan](#) (Int64 jobId, int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool changeTypeToHighVolumeEventsOlderThan, DateTime modifiedTime)
Update the scheduled task's attributes specified by the supplied jobId.
- void [Maintenance_UpdateScheduleRemoveEventsWithId](#) (Int64 jobId, int eventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)

Update the scheduled task's attributes specified by the supplied jobId.

- void [Maintenance_UpdateScheduleRemoveEventsWithIdRange](#) (Int64 jobId, int startEventId, int endEventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)

Update the scheduled task's attributes specified by the supplied jobId.

- void [Maintenance_UpdateScheduleRemoveHighVolumeEventsOlderThan](#) (Int64 jobId, int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool changeTypeToOlderThan, DateTime modifiedTime)

Update the scheduled task's attributes specified by the supplied jobId.

- void [Maintenance_UpdateScheduleRemoveOrphanedAlerts](#) (Int64 jobId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)

Update the scheduled task's attributes specified by the supplied jobId.

- void [Maintenance_UpdateScheduleRemoveUnresponsiveMachines](#) (Int64 jobId, int daysToRetain, string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)

Update the scheduled task's attributes specified by the supplied jobId.

- EventsMaintenanceDataSet [Preview_RemoveAllEventsFromDeploymentGroup](#) (string deploymentGroup, long batchSize)

Provides a preview of expected results for removing all product events from the specified deployment group (see Maintenance_RemoveAllEventsFromDeploymentGroup).

- EventsMaintenanceDataSet [Preview_RemoveAllEventsOlderThanXDays](#) (int daysToRetain, long batchSize)

Provides a preview of expected results for removing all product events older than the specified number of days (see Maintenance_RemoveAllEventsOlderThanXDays).

- EventsMaintenanceDataSet [Preview_RemoveAllEventsWithId](#) (int eventId, long batchSize)

Provides a preview of expected results for removing all event records that match the specified event ID (see Maintenance_RemoveAllEventsWithId).

- EventsMaintenanceDataSet [Preview_RemoveAllEventsWithinIdRange](#) (int startEventID, int endEventID, long batchSize)

Provides a preview of expected results for removing all product events within the specified event range (see Maintenance_RemoveAllEventsWithinIdRange).

- EventsMaintenanceDataSet [Preview_RemoveAllHighVolumeEventsOlderThanXDays](#) (int daysToRetain, long batchSize)

Provides a preview of expected results for removing all high volume product events older than the specified cutoff (see Maintenance_RemoveAllHighVolumeEventsOlderThan).

- AlertsMaintenanceDataSet [Preview_RemoveAllOrphanedAlerts](#) (Int64 batchSize)

Provides preview results of the 'Maintenance_RemoveAllOrphanedAlerts' web method (see above), and similarly calculates results in terms of the specified batch size so that we can aim to avoid long database locks.

Detailed Description

Manages maintenance tasks in the Management Centre. Within the AppSense Management Suite the product agents can raise a number of different events/alerts to the Management Center. In order to receive and display these events/alerts the Management Center database contains a list of all the possible events/alerts that can be raised via the product agents.

Each product agent in the AppSense suite can raise an event based on different conditions within the product agent. The Management Center must store all the different event definitions for each product in order to successfully report on any event that is configured and reported back via the CCA.

Member Function Documentation

void DataAccessServices.WebServices.Maintenance.CancelSchedule (Int64 jobId, DateTime modifiedTime)[inline]

Cancels a running schedule

Parameters:

<i>jobId</i>	The id of the job to cancel
--------------	-----------------------------

MaintenanceSchedulesDataSet DataAccessServices.WebServices.Maintenance.GetSchedules ()[inline]

Returns a dataset of all Scheduled maintenance actions

Returns:

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_DisableSchedule (Int64 jobId, DateTime modifiedTime)[inline]

Disable the Scheduled [Maintenance](#) task specified by the supplied jobId.

Returns:

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_EnableSchedule (Int64 jobId, DateTime modifiedTime)[inline]

Enable the Scheduled [Maintenance](#) task specified by the supplied jobId.

Returns:

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_LockSchedulingJob (Int64 jobld, String activeServer, out bool lockSuccess)[inline]

This method sets the task ActiveServer name if the task is not running and the table is not locked.

Parameters:

<i>jobld</i>	A unique job id created for the ScheduledMaintenance row.
<i>activeServer</i>	The server that is executing the job.
<i>result</i>	This is a return value if the task was successfully locked.

MaintenanceHelper.PreviewEventsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllEventsFromDeployment Group (string deploymentGroup, long batchSize, long batchDelay)[inline]

Removes all product events from the specified deployment group.

Parameters:

<i>deploymentGroup</i>	The deployment group at which to target deletion action.
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewEventsDto

Requires administrative access.

MaintenanceHelper.PreviewEventsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllEventsOlderThanXDays (int daysToRetain, long batchSize, long batchDelay)[inline]

Removes all product events older than the specified number of days.

Parameters:

<i>daysToRetain</i>	The number of days worth of events to keep after this operation completes.
---------------------	--

<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewEventsDto

Requires administrative access.

MaintenanceHelper.PreviewEventsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllEventsWithId (int eventId, long batchSize, long batchDelay)[inline]

Removes all product events with the specified identifier.

Parameters:

<i>eventId</i>	The product event ID for which all records are to be deleted.
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewEventsDto

Requires administrative access.

MaintenanceHelper.PreviewEventsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllEventsWithinIdRange (int startEventId, int endEventId, long batchSize, long batchDelay)[inline]

Removes all product events within the specified event range

Parameters:

<i>startEventId</i>	The lowest product event ID for which all records are to be deleted.
<i>endEventId</i>	The highest product event ID for which all records are to be deleted.
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewEventsDto

Requires administrative access.

MaintenanceHelper.PreviewEventsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllHighVolumeEventsOlderThanXDays (int daysToRetain, long batchSize, long batchDelay)[inline]

Removes all *high volume* product events older than the specified cutoff.

Parameters:

<i>daysToRetain</i>	The number of days worth of high volume events that should remain after this operation.
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewEventsDto

Requires administrative access.

MaintenanceHelper.PreviewAlertsDto

DataAccessServices.WebServices.Maintenance.Maintenance_RemoveAllOrphanedAlerts (Int64 batchSize, long batchDelay)[inline]

Removes orphaned alerts from within the database.

Parameters:

<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations (Optional).
<i>batchDelay</i>	The delay between batches

Returns:

PreviewAlertsDto

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_RemoveSchedule (Int64 jobId, DateTime? modifiedTime)[inline]

Removes the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId.

Returns:

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_ResetSchedule (Int64 jobId, DateTime modifiedTime)[inline]

Removes the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId.

Returns:

Requires administrative access.

void DataAccessServices.WebServices.Maintenance.Maintenance_UnlockSchedulingJob (Int64 jobId, DateTime dtCompleted, out bool lockSuccess)[inline]

This method sets the task back to unlocked by clearing the ActiveServer name.

Parameters:

<i>jobId</i>	A unique job id created for the ScheduledMaintenance row.
<i>timeCompleted</i>	The time that the task is completed.
<i>result</i>	This is a return value if the task was successfully unlocked.

void DataAccessServices.WebServices.Maintenance.Maintenance_UpdateSchedule (Int64 jobId, string description, string maintenanceType, TimeSpan startTime, DayOfWeek dayOfWeek, int maxRunHours, int batchSize, int batchDelay, string parameters, string activeServer, ScheduleJobStatus jobStatus, DateTime jobCompleted, bool enabled, bool isTemporary)[inline]

Updates the entry in the Scheduled [Maintenance](#) table specified by the supplied jobId, using the other supplied parameters. Used by the scheduler service to push updates to the database.

Returns:

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveEventsFromDeploymentGroup (Int64 jobId, string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>groupName</i>	Name of deployment group for events to be removed by.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveEventsOlderThan (Int64 jobId, int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool changeTypeToHighVolumeEventsOlderThan, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>daysToRetain</i>	The number of days worth of events that should remain after this operation.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run

<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveEventsWithId (Int64 jobId, int eventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>startEventId</i>	The product event ID for which all records are to be deleted.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveEventsWithIdRange (Int64 jobId, int startEventId, int endEventId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
--------------	-------------------------------------

<i>startEventId</i>	The lowest product event ID for which all records are to be deleted.
<i>endEventId</i>	The highest product event ID for which all records are to be deleted.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveHighVolumeEventsOlderThan (Int64 jobId, int daysToRetain, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, bool changeTypeToOlderThan, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>daysToRetain</i>	The number of days worth of high volume events that should remain after this operation.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveOrphanedAlerts (Int64 jobId, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTime</i>	Time of day for schedule task to start
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches

Requires administrative access.

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTimeTicks</i>	Time of day for schedule task to start
<i>maxRunHours</i>	Maximum run time
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches
<i>enabled</i>	
<i>modifiedTime</i>	

void

DataAccessServices.WebServices.Maintenance.Maintenance_UpdateScheduleRemoveUnresponsiveMachines (Int64 jobId, int daysToRetain, string groupName, string description, int dayOfWeek, long startTimeTicks, long maxRunHours, long batchSize, long batchDelay, bool enabled, DateTime modifiedTime)[inline]

Update the scheduled task's attributes specified by the supplied jobId.

Parameters:

<i>jobId</i>	Job id of scheduled task to update.
<i>daysToRetain</i>	The number of days worth of events to keep after this operation completes.
<i>groupName</i>	Name of deployment group for events to be removed by.
<i>description</i>	Description for the scheduled task.
<i>dayOfWeek</i>	Day of week the scheduled task is to run
<i>startTimeTicks</i>	Time of day for schedule task to start
<i>maxRunHours</i>	Maximum run time
<i>batchSize</i>	How many rows to delete at a time, so as to avoid locking db data during potentially lengthy operations
<i>batchDelay</i>	The delay between batches
<i>enabled</i>	
<i>modifiedTime</i>	

Requires administrator access

EventsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllEventsFromDeploymentGroup (string deploymentGroup, long batchSize)[inline]

Provides a preview of expected results for removing all product events from the specified deployment group (see Maintenance_RemoveAllEventsFromDeploymentGroup).

Parameters:

<i>deploymentGroup</i>	The deployment group at which to target deletion action.
------------------------	--

<i>batchSize</i>	How many rows would be deleted at a time.
------------------	---

Returns:

EventsMaintenanceDataSet.

Requires administrative access.

EventsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllEventsOlderThanXDays (int daysToRetain, long batchSize)[inline]

Provides a preview of expected results for removing all product events older than the specified number of days (see Maintenance_RemoveAllEventsOlderThanXDays).

Parameters:

<i>daysToRetain</i>	The number of days worth of events to keep after this operation completes.
<i>batchSize</i>	How many rows would be deleted at a time.

Returns:

EventsMaintenanceDataSet.

Requires administrative access.

EventsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllEventsWithId (int eventID, long batchSize)[inline]

Provides a preview of expected results for removing all event records that match the specified event ID (see Maintenance_RemoveAllEventsWithId).

Parameters:

<i>eventID</i>	The ID of the event that it to be deleted.
<i>batchSize</i>	How many rows would be deleted at a time.

Returns:

EventsMaintenanceDataSet.

Requires administrative access.

EventsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllEventsWithinIdRange (int startEventID, int endEventID, long batchSize)[inline]

Provides a preview of expected results for removing all product events within the specified event range (see Maintenance_RemoveAllEventsWithinIdRange).

Parameters:

<i>startEventID</i>	The lowest product event ID for which all records are to be deleted.
<i>endEventID</i>	The highest product event ID for which all records are to be deleted.
<i>batchSize</i>	How many rows would be deleted at a time.

Returns:

EventsMaintenanceDataSet.

Requires administrative access.

EventsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllHighVolumeEventsOlderThan XDays (int daysToRetain, long batchSize)[inline]

Provides a preview of expected results for removing all *high volume* product events older than the specified cutoff (see Maintenance_RemoveAllHighVolumeEventsOlderThan).

Parameters:

<i>daysToRetain</i>	The number of days worth of events to keep after this operation completes.
<i>batchSize</i>	How many rows would be deleted at a time.

Returns:

EventsMaintenanceDataSet.

Requires administrative access.

AlertsMaintenanceDataSet

DataAccessServices.WebServices.Maintenance.Preview_RemoveAllOrphanedAlerts (Int64 batchSize)[inline]

Provides preview results of the 'Maintenance_RemoveAllOrphanedAlerts' web method (see above), and similarly calculates results in terms of the specified batch size so that we can aim to avoid long database locks.

Parameters:

<i>batchSize</i>	How many rows would be deleted at a time.
------------------	---

Returns:

(Nothing).


The documentation for this class was generated from the following file:

- Maintenance.cs

DataAccessServices.WebServices.Packages Class Reference

[Packages](#) within the Management Center are stored as MSI files and comprise of either an agent or configuration. A package has one or more associated versions to support software and configuration versioning and concurrency control.

Inheritance diagram for DataAccessServices.WebServices.Packages:



Public Member Functions

- void [ApplyPackageChanges](#) (ref PackagesDataSet packageChanges)
Applies package changes from a packages data set. Note that this method currently only supports deletion of packages and package versions.
- void [ApplyPackageSecurityChanges](#) (ref PackagesDataSet packageChanges)
Applies package changes from a packages data set. Note that this method currently only supports deletion of packages and package versions.
- void [ApplyPrerequisiteChanges](#) (ref PrerequisitesDataSet prerequisiteChanges)
Applies the prerequisite changes.
- Guid [BeginPackageVersionDownload](#) (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision)
Begins a package download.
- Guid [BeginPackageVersionUpload](#) (Guid packageKey, String description, Guid packageVersionKey, out DateTime modifiedTime, int dataLength)
Begins an upload of a package version.
- Guid [BeginPatchDownload](#) (Guid patchKey)
Begins a patch download.
- Guid [BeginPatchUpload](#) (Guid patchKey, String description, out DateTime modifiedTime, int dataLength)
Begins a patch upload.
- Guid [BeginPrerequisiteResourceDownload](#) (Guid resourceKey)
Begins the prerequisite resource download.
- Guid [BeginPrerequisiteResourceUpload](#) (Guid resourceKey, int dataLength, out DateTime modifiedTime)

Begins the prerequisite resource upload.

- void [CommitPackageVersion](#) (Guid packageVersionKey)
Commits the package version.
- void [CommitPatch](#) (Guid patchKey)
Commits a patch to the database.
- Byte[] [ContinuePackageVersionDownload](#) (Guid downloadKey, Int32 offset, Int32 length)
Continues a package download. The bytes of the package from 'offset' to 'offset + length' are returned.
- void [ContinuePackageVersionUpload](#) (Guid packageVersionKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)
Continues an upload of a package version.
- Byte[] [ContinuePatchDownload](#) (Guid downloadKey, Int32 offset, Int32 length)
Continues the patch download.
- void [ContinuePatchUpload](#) (Guid patchKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)
Continues the patch upload.
- Byte[] [ContinuePrerequisiteResourceDownload](#) (Guid downloadKey, Int32 offset, Int32 length)
Continues the prerequisite resource download.
- void [ContinuePrerequisiteResourceUpload](#) (Guid resourceKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)
Continues the prerequisite resource upload.
- void [CreatePackage](#) (Guid key, String company, String type, PackagePlatform platform, Guid productKey, out DateTime modifiedTime)
Creates a configuration package within the database.
- void [CreatePackageVersion](#) (Guid packageKey, Guid packageVersionKey, String name, Int32 major, Int32 minor, Int32 build, Int32 revision, String marketingVersion, Int32 creatorMajor, Int32 creatorMinor, Int32 creatorBuild, Int32 creatorRevision, Int32 dependentMinimumMajor, Int32 dependentMinimumMinor, Int32 dependentMinimumBuild, Int32 dependentMinimumRevision, Int32 dependentMaximumMajor, Int32 dependentMaximumMinor, Int32 dependentMaximumBuild, Int32 dependentMaximumRevision, string description, Boolean supportsMidSessionUpdate, out DateTime modifiedTime)
Creates the package version.
- void [CreatePatch](#) (Guid patchKey, Guid patchCode, Guid packageVersionKey, String name, Int32 major, Int32 minor, Int32 build, Int32 revision, string marketingVersion, Int32 targetMajor, Int32 targetMinor, Int32 targetBuild, Int32 targetRevision, Int32 validationFlags, string description, Boolean supportsMidSessionUpdate, out DateTime modifiedTime)
Creates a patch.
- void [DeleteAndUnlockPackage](#) (Guid packageKey)
Delete a WIP package and unlock the parent as a single operation rolling back the operation if either fails
- void [DeletePackage](#) (Guid key, DateTime?modifiedTime)
Deletes an existing package from the database.
- void [DeletePrerequisite](#) (Guid prerequisiteKey, DateTime?modifiedTime)
Deletes the prerequisite.
- void [FinalisePackageVersion](#) (Guid packageVersionKey)
Finalises the package version.
- PackagesDataSet [GetAllDependentPatchesFromPatchKey](#) (Guid patchKey)
Returns all dependents for a given patch.
- string [GetLegacyPrerequisitesXmlV1](#) (Guid productCode, string name, string version, string platform, Guid upgradeCode, string type, Guid productKey)
Gets the legacy prerequisites XML v1.

- string [GetLegacyPrerequisitesXmlV2](#) (Guid productCode, string name, string version, string platform, Guid upgradeCode, string type, Guid productKey)
Gets the legacy prerequisites XML v2.
- PackagesDataSet [GetPackageFromKey](#) (Guid key)
Returns an individual package within the database.
- PackagesDataSet [GetPackageFromKeyWithInProgress](#) (Guid key)
Gets the package from key with in progress.

Parameters:

key	The key that identifies the package to return.
-----	--

- PackagesDataSet [GetPackageFromPackageVersionKey](#) (Guid packageVersionKey)
Returns a package and package version for a package version with a matching package version key.
- PackagesDataSet [GetPackageFromProductKey](#) (Guid productKey)
Returns all packages and their versions that belong to a specific product.
- PackagesDataSet [GetPackageFromProductName](#) (String productName)
Returns all packages and their versions that belong to a specific product.
- PackagesDataSet [GetPackageFromType](#) (String type)
Returns all packages and their versions that are of a specific type.
- PackagesDataSet [GetPackages](#) ()
Returns all packages and their versions stored within the database.
- PackagesDataSet [GetPackagesWithInProgress](#) ()
Gets the packages with in progress.
- Int32 [GetPackageVersionLength](#) (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision)
Determines the length of a version of a package.
- PackagesDataSet [GetPatchesWithInProgress](#) ()
Gets the patches with in progress.
- PackagesDataSet [GetPatchesWithMissingMetadata](#) ()
Gets existing patches that need updating with additional metadata.
- PackagesDataSet [GetPatchFromPatchKey](#) (Guid patchKey)
Returns all dependent patches for a given patch.
- PackagesDataSet [GetPatchInstallSequenceFromPatchCode](#) (Guid patchCode)
Returns all dependencies for a given patch code.
- PackagesDataSet [GetPatchInstallSequenceFromPatchKey](#) (Guid patchKey)
Returns all dependencies for a given patch.
- Int32 [GetPatchLength](#) (Guid patchKey)
Determines the length of a patch.
- PrerequisitesDataSet [GetPrerequisiteFromPrerequisiteKey](#) (Guid prerequisiteKey)
Gets the prerequisites from prerequisite key.
- PrerequisitesDataSet [GetPrerequisiteFromPrerequisiteName](#) (String prerequisiteName)
Gets the prerequisites from the prerequisite name.
- PrerequisitesDataSet [GetPrerequisites](#) ()
Gets the prerequisites for package version key.
- PrerequisitesDataSet [GetPrerequisitesForPackageVersionKey](#) (Guid packageVersionKey)
Gets the prerequisites from prerequisite key.

- PrerequisitesDataSet [GetPrerequisitesFromXml](#) (String xml)
Gets the prerequisites from XML.
- void [LockPackage](#) (Guid packageKey)
Locks the package.
- void [QueryCommitPackageVersionStatus](#) (Guid packageVersionKey, out AgentUploadStatus.UploadState status, out String errorString)
The CommitPackageVersion launches a separate thread within ProductAgentInitialize to complete the initialization of events, alerts, and prerequisites. This method allows the client to query whether that process has completed or not.
- void [QueryCommitPatchStatus](#) (Guid patchKey, out AgentUploadStatus.UploadState status, out String errorString)
Checks if the Management Server has finished processing the specified patch.
- void [RemovePackageVersion](#) (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision, DateTime?modifiedTime)
Deletes a package version from a package.
- void [RemovePatch](#) (Guid patchKey, DateTime?modifiedTime)
Deletes the patch.
- void [UnlockPackage](#) (Guid packageKey)
Unlocks the package.
- void [UpdatePackage](#) (Guid key, String company, String type, PackagePlatform platform, Guid productKey, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates a package within the database.
- void [UpdatePackageSecurity](#) (Guid key, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates the package security.
- void [WIPSaved](#) (Guid packageKey)
Marks a package as a work-in-progress.

Detailed Description

[Packages](#) within the Management Center are stored as MSI files and comprise of either an agent or configuration. A package has one or more associated versions to support software and configuration versioning and concurrency control.

Member Function Documentation

void DataAccessServices.WebServices.Packages.ApplyPackageChanges (ref PackagesDataSet packageChanges)[inline]

Applies package changes from a packages data set. Note that this method currently only supports deletion of packages and package versions.

Parameters:

<i>packageChanges</i>	The package changes.
-----------------------	----------------------

void DataAccessServices.WebServices.Packages.ApplyPackageSecurityChanges (ref PackagesDataSet packageChanges)[inline]

Applies package changes from a packages data set. Note that this method currently only supports deletion of packages and package versions.

Parameters:

<i>packageChanges</i>	The package changes.
-----------------------	----------------------

void DataAccessServices.WebServices.Packages.ApplyPrerequisiteChanges (ref PrerequisitesDataSet prerequisiteChanges)[inline]

Applies the prerequisite changes.

Parameters:

<i>prerequisiteChanges</i>	The prerequisite changes.
----------------------------	---------------------------

Guid DataAccessServices.WebServices.Packages.BeginPackageVersionDownload (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision)[inline]

Begins a package download.

Parameters:

<i>packageKey</i>	The key which represents the package.
<i>major</i>	The major version of the package.
<i>minor</i>	The minor version of the package.
<i>build</i>	The build version of the package.
<i>revision</i>	The revision version of the package.

Returns:

A guid which represents a download key.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

Guid DataAccessServices.WebServices.Packages.BeginPackageVersionUpload (Guid packageKey, String description, Guid packageVersionKey, out DateTime modifiedTime, int dataLength)[inline]

Begins an upload of a package version.

Parameters:

<i>packageKey</i>	The key which represents the package.
<i>description</i>	Description of the specified item.
<i>packageVersion Key</i>	The key which uniquely identifies this package.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>dataLength</i>	The length of data that will be uploaded.

Returns:

An upload key used to add data to the upload.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

Guid DataAccessServices.WebServices.Packages.BeginPatchDownload (Guid patchKey)[inline]

Begins a patch download.

Parameters:

<i>patchKey</i>	The patch key
-----------------	---------------

Returns:

A download key.

Guid DataAccessServices.WebServices.Packages.BeginPatchUpload (Guid patchKey, String description, out DateTime modifiedTime, int dataLength)[inline]

Begins a patch upload.

Parameters:

<i>patchKey</i>	The patch key
<i>description</i>	Description for the patch.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>dataLength</i>	Length of the data.

Returns:

An upload key.

Guid DataAccessServices.WebServices.Packages.BeginPrerequisiteResourceDownload (Guid resourceKey)[inline]

Begins the prerequisite resource download.

Parameters:

<i>resourceKey</i>	The resource key.
--------------------	-------------------

Returns:

A download key.

Guid DataAccessServices.WebServices.Packages.BeginPrerequisiteResourceUpload (Guid resourceKey, int dataLength, out DateTime modifiedTime)[inline]

Begins the prerequisite resource upload.

Parameters:

<i>resourceKey</i>	The resource key.
<i>dataLength</i>	Length of the data.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

Returns:

An upload key used to add data to the upload.

void DataAccessServices.WebServices.Packages.CommitPackageVersion (Guid packageVersionKey)[inline]

Commits the package version.

Parameters:

<i>packageVersion Key</i>	The package version key.
---------------------------	--------------------------

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.CommitPatch (Guid patchKey)[inline]

Commits a patch to the database.

Parameters:

<i>patchKey</i>	The patch key
-----------------	---------------

Byte [] DataAccessServices.WebServices.Packages.ContinuePackageVersionDownload (Guid downloadKey, Int32 offset, Int32 length)[inline]

Continues a package download. The bytes of the package from 'offset' to 'offset + length' are returned.

Parameters:

<i>downloadKey</i>	The key which represents the download.
<i>offset</i>	The offset of the first byte to return.
<i>length</i>	The number of bytes to download.

Returns:

Bytes from the package.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.ContinuePackageVersionUpload (Guid packageVersionKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte [] data)[inline]

Continues an upload of a package version.

Parameters:

<i>packageVersionKey</i>	The key which uniquely identifies this package.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>uploadKey</i>	The upload key.
<i>offset</i>	The offset.
<i>data</i>	The data.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

Byte [] DataAccessServices.WebServices.Packages.ContinuePatchDownload (Guid downloadKey, Int32 offset, Int32 length)[inline]

Continues the patch download.

Parameters:

<i>downloadKey</i>	The download key
<i>offset</i>	The offset
<i>length</i>	The length

Returns:

The next block of binary data representing the downloaded patch.

void DataAccessServices.WebServices.Packages.ContinuePatchUpload (Guid patchKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)[inline]

Continues the patch upload.

Parameters:

<i>patchKey</i>	The patch key
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

<i>uploadKey</i>	Length of the data.
<i>offset</i>	Length of the data.
<i>data</i>	Length of the data.

Byte [] DataAccessServices.WebServices.Packages.ContinuePrerequisiteResourceDownload (Guid downloadKey, Int32 offset, Int32 length)[inline]

Continues the prerequisite resource download.

Parameters:

<i>downloadKey</i>	The download key.
<i>offset</i>	The offset.
<i>length</i>	The length.

Returns:

The next block of binary data representing the downloaded prerequisites.

void DataAccessServices.WebServices.Packages.ContinuePrerequisiteResourceUpload (Guid resourceKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)[inline]

Continues the prerequisite resource upload.

Parameters:

<i>resourceKey</i>	The resource key.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>uploadKey</i>	The upload key.
<i>offset</i>	The offset.
<i>data</i>	The data.

void DataAccessServices.WebServices.Packages.CreatePackage (Guid key, String company, String type, PackagePlatform platform, Guid productKey, out DateTime modifiedTime)[inline]

Creates a configuration package within the database.

Parameters:

<i>key</i>	The Guid which identifies the package.
<i>company</i>	The company name.
<i>type</i>	The type of the package, i.e. Software, Configuration.
<i>platform</i>	The platform that the package should be installed on.
<i>productKey</i>	The name of the product associated with this package.
<i>modifiedTime</i>	A date time indicating when the package was created.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.CreatePackageVersion (Guid packageKey, Guid packageVersionKey, String name, Int32 major, Int32 minor, Int32 build, Int32 revision, String marketingVersion, Int32 creatorMajor, Int32 creatorMinor, Int32 creatorBuild, Int32 creatorRevision, Int32 dependentMinimumMajor, Int32 dependentMinimumMinor, Int32 dependentMinimumBuild, Int32 dependentMinimumRevision, Int32 dependentMaximumMajor, Int32 dependentMaximumMinor, Int32 dependentMaximumBuild, Int32 dependentMaximumRevision, string description, Boolean supportsMidSessionUpdate, out DateTime modifiedTime)[inline]

Creates the package version.

Parameters:

<i>packageKey</i>	GUID specifying a key for the associated package.
<i>packageVersion Key</i>	The package version key.
<i>name</i>	Name of the specified item.
<i>major</i>	The major.
<i>minor</i>	The minor.
<i>build</i>	The build.
<i>revision</i>	The revision.
<i>creatorMajor</i>	Major version of package creator (console)

<i>creatorMinor</i>	Minor version of package creator (console)
<i>creatorBuild</i>	Build version of package creator (console)
<i>creatorRevision</i>	Revision version of package creator (console)
<i>dependentMinimumMajor</i>	Major version of minimum associated agent
<i>dependentMinimumMinor</i>	Minor version of minimum associated agent
<i>dependentMinimumBuild</i>	Build version of minimum associated agent
<i>dependentMinimumRevision</i>	Revision version of minimum associated agent
<i>dependentMaximumMajor</i>	Major version of maximum associated agent
<i>dependentMaximumMinor</i>	Minor version of maximum associated agent
<i>dependentMaximumBuild</i>	Build version of maximum associated agent
<i>dependentMaximumRevision</i>	Revision version of maximum associated agent
<i>description</i>	Description of the specified item.
<i>supportsMidSessionUpdate</i>	Whether package can be installed or uninstalled on computers mid-session.
<i>modifiedTime</i>	A date time indicating when the package version was created.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.CreatePatch (Guid patchKey, Guid patchCode, Guid packageVersionKey, String name, Int32 major, Int32 minor, Int32 build, Int32 revision, string marketingVersion, Int32 targetMajor, Int32 targetMinor, Int32 targetBuild, Int32 targetRevision, Int32 validationFlags, string description, Boolean supportsMidSessionUpdate, out DateTime modifiedTime)[inline]

Creates a patch.

Parameters:

<i>patchKey</i>	GUID specifying a key for the associated package
<i>patchCode</i>	Patch Code property from MSP file
<i>packageVersion Key</i>	The package version key
<i>name</i>	Name of the specified item
<i>major</i>	The major
<i>minor</i>	The minor
<i>build</i>	The build
<i>revision</i>	The revision
<i>targetMajor</i>	The major version of the patch or package that this patch updates
<i>targetMinor</i>	The minor version of the patch or package that this patch updates
<i>targetBuild</i>	The build version of the patch or package that this patch updates
<i>targetRevision</i>	The revision version of the patch or package that this patch updates
<i>validationFlags</i>	The Validation Flags property from the Windows Installer MSP file
<i>description</i>	Description of the specified item.
<i>supportsMidSessionUpdate</i>	This defines whether an agent can be installed without requiring a reboot
<i>modifiedTime</i>	Time that the package version was created.

void DataAccessServices.WebServices.Packages.DeleteAndUnlockPackage (Guid packageKey)[inline]

Delete a WIP package and unlock the parent as a single operation rolling back the operation if either fails

Parameters:

<i>packageKey</i>	The primary key of the package
-------------------	--------------------------------

void DataAccessServices.WebServices.Packages.DeletePackage (Guid key, DateTime? modifiedTime)[inline]

Deletes an existing package from the database.

Parameters:

<i>key</i>	The Guid which identifies the package.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.DeletePrerequisite (Guid prerequisiteKey, DateTime? modifiedTime)[inline]

Deletes the prerequisite.

Parameters:

<i>prerequisiteKey</i>	The prerequisite key.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Packages.FinalisePackageVersion (Guid packageVersionKey)[inline]

Finalises the package version.

Parameters:

<i>packageVersion Key</i>	The package version key.
-------------------------------	--------------------------

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

PackagesDataSet

DataAccessServices.WebServices.Packages.GetAllDependentPatchesFromPatchKey (Guid patchKey)[inline]

Returns all dependents for a given patch.

Parameters:

<i>patchKey</i>	The key which represents the patch.
-----------------	-------------------------------------

Returns:

A dataset consisting of all dependent patches.

string DataAccessServices.WebServices.Packages.GetLegacyPrerequisitesXmlV1 (Guid productCode, string name, string version, string platform, Guid upgradeCode, string type, Guid productKey)[inline]

Gets the legacy prerequisites XML v1.

Parameters:

<i>productCode</i>	The product code.
<i>name</i>	Name of the specified item.
<i>version</i>	The version number of the package.
<i>platform</i>	The platform.
<i>upgradeCode</i>	The upgrade code.
<i>type</i>	The type.
<i>productKey</i>	GUID specifying a key for the associated product.

Returns:

An XML string

string DataAccessServices.WebServices.Packages.GetLegacyPrerequisitesXmlV2 (Guid productCode, string name, string version, string platform, Guid upgradeCode, string type, Guid productKey)[inline]

Gets the legacy prerequisites XML v2.

Parameters:

<i>productCode</i>	The product code.
<i>name</i>	Name of the specified item.

<i>version</i>	The version number of the package.
<i>platform</i>	The platform.
<i>upgradeCode</i>	The upgrade code.
<i>type</i>	The type.
<i>productKey</i>	GUID specifying a key for the associated product.

Returns:

An XML string

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackageFromKey (Guid key)[inline]

Returns an individual package within the database.

Parameters:

<i>key</i>	The key that identifies the package to return.
------------	--

Returns:

A data set describing the package and its versions.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible. Requires deployment or administrative access.

***PackagesDataSet
DataAccessServices.WebServices.Packages.GetPackageFromKeyWithInProgress (Guid key)[inline]***

Gets the package from key with in progress.

Parameters:

<i>key</i>	The key that identifies the package to return.
------------	--

Returns:

A data set describing the packages and its versions.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

PackagesDataSet

DataAccessServices.WebServices.Packages.GetPackageFromPackageVersionKey (Guid packageVersionKey)[inline]

Returns a package and package version for a package version with a matching package version key.

Parameters:

<i>packageVersion Key</i>	The key which uniquely identifies a package version.
---------------------------	--

Returns:

A data set populated with a package and a version.

Requires deployment or administrative access.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackageFromProductKey (Guid productKey)[inline]

Returns all packages and their versions that belong to a specific product.

Parameters:

<i>productKey</i>	GUID specifying a key for the associated product
-------------------	--

Returns:

A data set consisting of the packages and their versions.

Requires deployment or administrative access.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackageFromProductName (String productName)[inline]

Returns all packages and their versions that belong to a specific product.

Parameters:

<i>productName</i>	The name of the product.
--------------------	--------------------------

Returns:

A data set consisting of the packages and their versions.

Requires deployment or administrative access.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackageFromType (String type)[inline]

Returns all packages and their versions that are of a specific type.

Parameters:

<i>type</i>	The type of the package.
-------------	--------------------------

Returns:

A data set consisting of the packages and their versions.
Requires deployment or administrative access.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackages ()[inline]

Returns all packages and their versions stored within the database.

Returns:

A data set consisting of all packages and versions.
Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible. Requires deployment or administrative access.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPackagesWithInProgress ()[inline]

Gets the packages with in progress.

Returns:

A data set describing the packages and its versions.
Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

Int32 DataAccessServices.WebServices.Packages.GetPackageVersionLength (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision)[inline]

Determines the length of a version of a package.

Parameters:

<i>packageKey</i>	The key which represents the package.
<i>major</i>	The major version of the package.

<i>minor</i>	The minor version of the package.
<i>build</i>	The build version of the package.
<i>revision</i>	The revision version of the package.

Returns:

The length of data in bytes.

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPatchesWithInProgress
() [inline]

Gets the patches with in progress.

Returns:

A dataset consisting of all dependent patches.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPatchesWithMissingMetadata
() [inline]

Gets existing patches that need updating with additional metadata.

Returns:

A dataset consisting of all dependent patches.

PackagesDataSet DataAccessServices.WebServices.Packages.GetPatchFromPatchKey (Guid patchKey)
[inline]

Returns all dependent patches for a given patch.

Parameters:

<i>patchKey</i>	The key which represents the patch.
-----------------	-------------------------------------

Returns:

A dataset consisting of all dependent patches.

PackagesDataSet
DataAccessServices.WebServices.Packages.GetPatchInstallSequenceFromPatchCode (Guid patchCode)
[inline]

Returns all dependencies for a given patch code.

Parameters:

<i>patchCode</i>	The Patch Code property from the Windows Installer MSP file
------------------	---

Returns:

A dataset consisting of all dependent patches.

PackagesDataSet

DataAccessServices.WebServices.Packages.GetPatchInstallSequenceFromPatchKey (Guid patchKey)[inline]

Returns all dependencies for a given patch.

Parameters:

<i>patchKey</i>	The key which represents the patch.
-----------------	-------------------------------------

Returns:

A dataset consisting of all dependent patches.

Int32 DataAccessServices.WebServices.Packages.GetPatchLength (Guid patchKey)[inline]

Determines the length of a patch.

Parameters:

<i>patchKey</i>	The patch key
-----------------	---------------

Returns:

The length of data in bytes.

PrerequisitesDataSet

DataAccessServices.WebServices.Packages.GetPrerequisiteFromPrerequisiteKey (Guid prerequisiteKey)[inline]

Gets the prerequisites from prerequisite key.

Parameters:

<i>prerequisiteKey</i>	The prerequisite key.
------------------------	-----------------------

Returns:

A prerequisite data set.

PrerequisitesDataSet

DataAccessServices.WebServices.Packages.GetPrerequisiteFromPrerequisiteName (String prerequisiteName)[inline]

Gets the prerequisites from the prerequisite name.

Parameters:

<i>prerequisiteName</i>	Name of the prerequisite.
-------------------------	---------------------------

Returns:

A prerequisite data set.

PrerequisitesDataSet DataAccessServices.WebServices.Packages.GetPrerequisites ()[inline]

Gets the prerequisites for package version key.

Returns:

A prerequisite data set.

PrerequisitesDataSet

DataAccessServices.WebServices.Packages.GetPrerequisitesForPackageVersionKey (Guid packageVersionKey)[inline]

Gets the prerequisites from prerequisite key.

Parameters:

<i>packageVersionKey</i>	The package version key.
--------------------------	--------------------------

Returns:

A prerequisite data set.

PrerequisitesDataSet DataAccessServices.WebServices.Packages.GetPrerequisitesFromXml (String xml)[inline]

Gets the prerequisites from XML.

Parameters:

<i>xml</i>	The XML.
------------	----------

Returns:

A prerequisite data set.

void DataAccessServices.WebServices.Packages.LockPackage (Guid packageKey)[inline]

Locks the package.

Parameters:

<i>packageKey</i>	GUID specifying a key for the associated package.
-------------------	---

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.QueryCommitPackageVersionStatus (Guid packageVersionKey, out AgentUploadStatus.UploadState status, out String errorString)[inline]

The CommitPackageVersion launches a separate thread within ProductAgentInitialize to complete the initialization of events, alerts, and prerequisites. This method allows the client to query whether that process has completed or not.

Parameters:

<i>packageVersion Key</i>	The package version key.
<i>status</i>	The current upload status
<i>errorString</i>	The error string

void DataAccessServices.WebServices.Packages.QueryCommitPatchStatus (Guid patchKey, out AgentUploadStatus.UploadState status, out String errorString)[inline]

Checks if the Management Server has finished processing the specified patch.

Parameters:

<i>patchKey</i>	The patch key.
<i>status</i>	The current upload status

<i>errorString</i>	The error string
--------------------	------------------

void DataAccessServices.WebServices.Packages.RemovePackageVersion (Guid packageKey, Int32 major, Int32 minor, Int32 build, Int32 revision, DateTime? modifiedTime)[inline]

Deletes a package version from a package.

Parameters:

<i>packageKey</i>	The key which identifies the package which contains the package version.
<i>major</i>	The major version number of the package to remove.
<i>minor</i>	The minor version number of the package to remove.
<i>build</i>	The build version number of the package to remove.
<i>revision</i>	The revision number of the package to remove.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Packages.RemovePatch (Guid patchKey, DateTime? modifiedTime)[inline]

Deletes the patch.

Parameters:

<i>patchKey</i>	The patch key
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Packages.UnlockPackage (Guid packageKey)[inline]

Unlocks the package.

Parameters:

<i>packageKey</i>	GUID specifying a key for the associated package.
-------------------	---

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.

void DataAccessServices.WebServices.Packages.UpdatePackage (Guid key, String company, String type, PackagePlatform platform, Guid productKey, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates a package within the database.

Parameters:

<i>key</i>	The Guid which identifies the package.
<i>company</i>	The company name.
<i>type</i>	The type of the package, i.e. Software, Configuration.
<i>platform</i>	The platform that the package should be installed on.
<i>productKey</i>	The name of the product associated with this package.
<i>policyKey</i>	The policy key.
<i>ownerSid</i>	The owner sid.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Packages.UpdatePackageSecurity (Guid key, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates the package security.

Parameters:

<i>key</i>	The Guid which identifies the package.
<i>policyKey</i>	The policy key.
<i>ownerSid</i>	The owner sid.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Packages.WIPSaved (Guid packageKey)[inline]

Marks a package as a work-in-progress.

Parameters:

<code>packageKey</code>	The key which represents the package.
-------------------------	---------------------------------------

Caution: This method is also defined in the PackageManagement Endpoint. Developers should use this alternative endpoint whenever possible.


The documentation for this class was generated from the following file:

- Packages.cs

DataAccessServices.WebServices.Products Class Reference

The ProductsWebService creates product entries needed for uploading and managing packages. For more information, refer to the PackagesWebService.

Inheritance diagram for DataAccessServices.WebServices.Products:



Public Member Functions

- void [ApplyChanges](#) (ref ProductsDataSet productChanges)
Updates the database with the changes in the data set.
- void [CreateProduct](#) (Guid productKey, String name, Byte[] icon, Boolean supportsAgents, Boolean supportsConfigurations, Boolean supportsSoftware, string highestVersionNumber, out DateTime modifiedTime)
Creates a new product.
- void [DeleteProduct](#) (Guid productKey, DateTime?modifiedTime)
Deletes a product.
- ProductsDataSet [GetProducts](#) ()
Returns a data set consisting of all products.
- void [UpdateProduct](#) (Guid productKey, String name, Byte[] icon, Boolean supportsAgents, Boolean supportsConfigurations, Boolean supportsSoftware, string highestVersionNumber, ref DateTime modifiedTime)
Updates an existing product.

Detailed Description

The ProductsWebService creates product entries needed for uploading and managing packages. For more information, refer to the PackagesWebService.

Member Function Documentation

void DataAccessServices.WebServices.Products.ApplyChanges (ref ProductsDataSet productChanges)[inline]

Updates the database with the changes in the data set.

Parameters:

<i>productChanges</i>	The product changes.
-----------------------	----------------------

void DataAccessServices.WebServices.Products.CreateProduct (Guid productKey, String name, Byte [] icon, Boolean supportsAgents, Boolean supportsConfigurations, Boolean supportsSoftware, string highestVersionNumber, out DateTime modifiedTime)[inline]

Creates a new product.

Parameters:

<i>productKey</i>	GUID specifying a key for the associated product.
<i>name</i>	Name of the specified item.
<i>icon</i>	Byte array containing a Windows Icon file.
<i>supportsAgents</i>	Whether or not the product can support agents.
<i>supportsConfigurations</i>	Whether or not the product can support configuration files.
<i>supportsSoftware</i>	Whether or not the product can support software such as consoles.
<i>highestVersionNumber</i>	
<i>modifiedTime</i>	A date time indicating when the product was created.

void DataAccessServices.WebServices.Products.DeleteProduct (Guid productKey, DateTime? modifiedTime)[inline]

Deletes a product.

Parameters:

<i>productKey</i>	GUID specifying a key for the associated product.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

ProductsDataSet DataAccessServices.WebServices.Products.GetProducts ()[inline]

Returns a data set consisting of all products.

Returns:

A data set consisting of all products.

void DataAccessServices.WebServices.Products.UpdateProduct (Guid productKey, String name, Byte [] icon, Boolean supportsAgents, Boolean supportsConfigurations, Boolean supportsSoftware, string highestVersionNumber, ref DateTime modifiedTime)[inline]

Updates an existing product.

Parameters:

<i>productKey</i>	GUID specifying a key for the associated product.
<i>name</i>	Name of the specified item.
<i>icon</i>	Byte array containing a Windows Icon file.
<i>supportsAgents</i>	Whether or not the product can support agents.
<i>supportsConfigurations</i>	Whether or not the product can support configuration files.
<i>supportsSoftware</i>	Whether or not the product can support software such as consoles.
<i>highestVersionNumber</i>	
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.


The documentation for this class was generated from the following file:

- Products.cs

DataAccessServices.WebServices.Queries Class Reference

Provides methods for querying the Management Server database via the reporting engine.

Inheritance diagram for DataAccessServices.WebServices.Queries:



Public Member Functions

- DataSet [Execute](#) (String queryString, Int32 timeout)
Returns a data set containing the results of the specified query.

Detailed Description

Provides methods for querying the Management Server database via the reporting engine.

Member Function Documentation

DataSet DataAccessServices.WebServices.Queries.Execute (String queryString, Int32 timeout)[inline]

Returns a data set containing the results of the specified query.

Parameters:

<i>queryString</i>	The query to execute, in serialised XML.
--------------------	--

<i>timeout</i>	The timeout before the query is cancelled (in milliseconds)
----------------	---

Returns:

Data set containing the results of the specified query.

The documentation for this class was generated from the following file:

- Queries.cs

DataAccessServices.WebServices.Reports Class Reference

Manages reports in the Management Centre. Report definitions store the necessary data for generating the reports visible within the Management Console.

Inheritance diagram for DataAccessServices.WebServices.Reports:



Public Member Functions

- void [ApplyReportDefinitionChanges](#) (ref ReportDefinitionsDataSet reportDefinitionChanges)
Applies changes within a report definition data set.
- void [ApplyReportDefinitionSecurityChanges](#) (ref ReportDefinitionsDataSet reportDefinitionChanges)
Updates owner sid for report definitions specified in a report definition data set.
- Guid [BeginReportDefinitionDownload](#) (Guid reportDefinitionKey)
Begins downloading a report definition, allowing for chunked streaming of data.
- Guid [BeginReportDefinitionUpload](#) (Guid reportDefinitionKey, ref DateTime modifiedTime, Int32 dataLength)
Begins an upload of some report definition data.
- Byte[] [ContinueReportDefinitionDownload](#) (Guid downloadKey, Int32 offset, Int32 length)
Continues downloading a report definition, after receiving a download key from BeginReportDefinitionDownload.
- void [ContinueReportDefinitionUpload](#) (Guid reportDefinitionKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte[] data)
Continues uploading a report definition, after creation of an upload key from BeginReportDefinitionUpload.
- void [CreateReportDefinition](#) (Guid reportDefinitionKey, String name, String description, String category, String type, Guid productKey, Boolean visible, DateTime?fileTime, out DateTime modifiedTime)
Creates a new report definition within the database. The report definition will only be available when data has been added.
- void [CreateReportDefinitions](#) (ReportDefinitionList reportDefinitionList, Boolean compress)
Creates the supplied report definitions within the database.
- void [DeleteReportDefinition](#) (Guid reportDefinitionKey, DateTime?modifiedTime)

Deletes a report definition from the database.

- void [DeleteReportDefinitions](#) (ReportDefinitionList reportDefinitionList)
Deletes the supplied report definitions from the database.
- ReportDefinitionsDataSet [GetReportDefinition](#) (Guid reportDefinitionKey)
Returns a specific report definition from the database.
- ReportDefinitionsDataSet [GetReportDefinitions](#) ()
Returns a list of all report definitions stored within the database.
- ReportDefinitionsDataSet [GetVisibleReportDefinitions](#) (Boolean visible)
Returns report definitions filtered on the visible property.
- void [UpdateReportDefinition](#) (Guid reportDefinitionKey, String name, String description, String category, String type, Guid productKey, Boolean visible, Guid?policyKey, String ownerSid, DateTime modifiedTime)
Updates the report definition.
- void [UpdateReportDefinitionSecurity](#) (Guid reportDefinitionKey, Guid?policyKey, String ownerSid, ref DateTime modifiedTime)
Updates the report definition security.

Detailed Description

Manages reports in the Management Centre. Report definitions store the necessary data for generating the reports visible within the Management Console.

Member Function Documentation

void DataAccessServices.WebServices.Reports.ApplyReportDefinitionChanges (ref ReportDefinitionsDataSet reportDefinitionChanges)[inline]

Applies changes within a report definition data set.

Parameters:

<i>reportDefinitionChanges</i>	The report definition changes.
--------------------------------	--------------------------------

void DataAccessServices.WebServices.Reports.ApplyReportDefinitionSecurityChanges (ref ReportDefinitionsDataSet reportDefinitionChanges)[inline]

Updates owner sid for report definitions specified in a report definition data set.

Parameters:

<i>reportDefinitionChanges</i>	The report definition changes containing the owner sids to apply.
--------------------------------	---

Guid DataAccessServices.WebServices.Reports.BeginReportDefinitionDownload (Guid reportDefinitionKey)[inline]

Begins downloading a report definition, allowing for chunked streaming of data.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
----------------------------	----------------------------

Returns:

Download Key to be passed to ContinueReportDefinitionDownload to continue downloading the report definition

Guid DataAccessServices.WebServices.Reports.BeginReportDefinitionUpload (Guid reportDefinitionKey, ref DateTime modifiedTime, Int32 dataLength)[inline]

Begins an upload of some report definition data.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>dataLength</i>	Length of the data to be written.

Returns:

Upload Key to be passed to ContinueReportDefinitionUpload to continue uploading the report definition

Byte [] DataAccessServices.WebServices.Reports.ContinueReportDefinitionDownload (Guid downloadKey, Int32 offset, Int32 length)[inline]

Continues downloading a report definition, after receiving a download key from BeginReportDefinitionDownload.

Parameters:

<i>downloadKey</i>	The download key returned by BeginReportDefinitionDownload.
<i>offset</i>	The offset to start reading the data from.
<i>length</i>	Length of the data to read.

Returns:

Array of bytes read from the database

void DataAccessServices.WebServices.Reports.ContinueReportDefinitionUpload (Guid reportDefinitionKey, ref DateTime modifiedTime, Guid uploadKey, Int32 offset, Byte [] data)[inline]

Continues uploading a report definition, after creation of an upload key from BeginReportDefinitionUpload.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.
<i>uploadKey</i>	The upload key returned by BeginReportDefinitionUpload.
<i>offset</i>	The offset to start writing the data from.
<i>data</i>	Length of the data.

void DataAccessServices.WebServices.Reports.CreateReportDefinition (Guid reportDefinitionKey, String name, String description, String category, String type, Guid productKey, Boolean visible, DateTime? fileTime, out DateTime modifiedTime)[inline]

Creates a new report definition within the database. The report definition will only be available when data has been added.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
<i>name</i>	Name of the specified item.

<i>description</i>	Description of the specified item.
<i>category</i>	The category.
<i>type</i>	The type.
<i>productKey</i>	GUID specifying a key for the associated product.
<i>visible</i>	If set to true report is visible.
<i>modifiedTime</i>	OUT parameter will contain the latest modified time of the report definition on return. Passed in value unused.

void DataAccessServices.WebServices.Reports.CreateReportDefinitions (ReportDefinitionList reportDefinitionList, Boolean compress)[inline]

Creates the supplied report definitions within the database.

Parameters:

<i>reportDefinitionList</i>	A list of report definitions to add.
<i>compress</i>	Whether or not the report definitions are compressed.

void DataAccessServices.WebServices.Reports.DeleteReportDefinition (Guid reportDefinitionKey, DateTime? modifiedTime)[inline]

Deletes a report definition from the database.

Parameters:

<i>reportDefinitionKey</i>	Key of the report to delete.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Reports.DeleteReportDefinitions (ReportDefinitionList reportDefinitionList)[inline]

Deletes the supplied report definitions from the database.

Parameters:

<i>reportDefinitionList</i>	The report definition list.
-----------------------------	-----------------------------

ReportDefinitionsDataSet DataAccessServices.WebServices.Reports.GetReportDefinition (Guid reportDefinitionKey)[inline]

Returns a specific report definition from the database.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
----------------------------	----------------------------

Returns:

Data set containing specific report definition from the database.

ReportDefinitionsDataSet DataAccessServices.WebServices.Reports.GetReportDefinitions ()[inline]

Returns a list of all report definitions stored within the database.

Returns:

Data set containing all report definitions stored within the database.

ReportDefinitionsDataSet DataAccessServices.WebServices.Reports.GetVisibleReportDefinitions (Boolean visible)[inline]

Returns report definitions filtered on the visible property.

Parameters:

<i>visible</i>	If set to true returns visible reports.
----------------	---

Returns:

Data set containing report definitions filtered on the visible property.

void DataAccessServices.WebServices.Reports.UpdateReportDefinition (Guid reportDefinitionKey, String name, String description, String category, String type, Guid productKey, Boolean visible, Guid? policyKey, String ownerSid, DateTime modifiedTime)[inline]

Updates the report definition.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
<i>name</i>	Name of the specified item.
<i>description</i>	Description of the specified item.
<i>category</i>	The category.
<i>type</i>	The type.
<i>productKey</i>	GUID specifying a key for the associated product.
<i>visible</i>	If set to true report is visible.
<i>policyKey</i>	The policy key.
<i>ownerSid</i>	The owner sid.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

void DataAccessServices.WebServices.Reports.UpdateReportDefinitionSecurity (Guid reportDefinitionKey, Guid? policyKey, String ownerSid, ref DateTime modifiedTime)[inline]

Updates the report definition security.

Parameters:

<i>reportDefinitionKey</i>	The report definition key.
<i>policyKey</i>	The policy key.
<i>ownerSid</i>	The owner sid.
<i>modifiedTime</i>	DateTime specifying when this item was last modified by the application - used for concurrency purposes.

The documentation for this class was generated from the following file:

- Reports.cs

DataAccessServices.WebServices.Security Class Reference

Within the Management Center it is possible to configure permissions for the different object types; these object types include groups, packages and alerts rules etc. These objects contain an OwnerSid and PolicyFK columns which control the permissions on the objects.

Inheritance diagram for DataAccessServices.WebServices.Security:



Public Member Functions

- void [ApplySecurityElementChanges](#) (ref SecurityElementsDataSet changes)
Apply changes made to a users data set into the database.
- void [ApplySecurityRoleChanges](#) (ref SecurityRolesDataSet changes)
Apply changes made to a users data set into the database.
- void [ApplyUserChanges](#) (ref UsersDataSet userChanges)
Apply changes made to the users data set.
- Boolean [CanLogin](#) ()
Determine if the current user can login to the database.
- Boolean [CanLoginEx](#) (out String userSid)
Determine if the current user can login to the database.
- void [CreateObjectSecurityRole](#) (Guid securityRoleKey, String name, String description, ObjectPermissions mask, out DateTime modifiedTime, Boolean readOnly)
Create an Object security role.
- void [CreatePolicy](#) (Guid policyKey, PolicyType type)
Create a new policy.
- void [CreateSecurityElement](#) (Guid securityElementKey, Guid policyKey, ElementType elementType, Guid securityRoleKey, String userSid, out DateTime modifiedTime)
Create a security element.
- void [CreateServerSecurityRole](#) (Guid securityRoleKey, String name, String description, ServerPermissions mask, out DateTime modifiedTime, Boolean readOnly)

Create a Server security role.

- void [CreateUser](#) (Guid userKey, String name, String sid, Boolean isGroup, out DateTime modifiedTime)
Create a new user.
- void [DeletePolicy](#) (Guid policyKey)
Delete a policy.
- void [DeleteSecurityElement](#) (Guid securityElementKey, DateTime modifiedTime)
Delete a security element.
- void [DeleteSecurityRole](#) (Guid securityRoleKey, DateTime modifiedTime)
Delete a security role.
- void [DeleteUser](#) (Guid userKey, DateTime?modifiedTime)
Delete an existing user.
- PoliciesDataSet [GetPolicies](#) ()
Get all policy keys.
- SecurityElementsDataSet [GetSecurityElementFromKey](#) (Guid securityElementKey)
Get a specific security element.
- SecurityElementsDataSet [GetSecurityElements](#) ()
Get all security elements.
- SecurityElementsDataSet [GetSecurityElementsFromPolicy](#) (Guid policyKey)
Get security elements with the specific policy key.
- SecurityRolesDataSet [GetSecurityRoleFromKey](#) (Guid securityRoleKey)
Get a specific security role from the database.
- SecurityRolesDataSet [GetSecurityRoles](#) (Boolean withPermissions)
Get all security roles.
- SecurityRolesDataSet [GetSecurityRolesFromType](#) (RoleType roleType)
Get security roles with a specified type.
- ServerPermissions [GetServerPermissions](#) ()
Get all server permissions for the current user.
- String [GetUserName](#) ()
Get the current user name.
- UsersDataSet [GetUsers](#) ()
Get all users.
- void [UpdateSecurityRole](#) (Guid securityRoleKey, String name, String description, ObjectPermissions mask, ref DateTime modifiedTime, Boolean readOnly)
Update an existing security role.
- void [UpdateUser](#) (Guid userKey, String name, String sid, ref DateTime modifiedTime)
Update information about a user.

Detailed Description

Within the Management Center it is possible to configure permissions for the different object types; these object types include groups, packages and alerts rules etc. These objects contain an OwnerSid and PolicyFK columns which control the permissions on the objects.

Member Function Documentation

void DataAccessServices.WebServices.Security.ApplySecurityElementChanges (ref SecurityElementsDataSet changes)[inline]

Apply changes made to a users data set into the database.

Parameters:

<i>changes</i>	The data set consisting of the changes.
----------------	---

void DataAccessServices.WebServices.Security.ApplySecurityRoleChanges (ref SecurityRolesDataSet changes)[inline]

Apply changes made to a users data set into the database.

Parameters:

<i>changes</i>	The data set consisting of the changes.
----------------	---

void DataAccessServices.WebServices.Security.ApplyUserChanges (ref UsersDataSet userChanges)[inline]

Apply changes made to the users data set.

Parameters:

<i>userChanges</i>	The data set consisting of the changes.
--------------------	---

Boolean DataAccessServices.WebServices.Security.CanLogin ()[inline]

Determine if the current user can login to the database.

Returns:

True if the user can login, otherwise False.

Boolean DataAccessServices.WebServices.Security.CanLoginEx (out String userSid)[inline]

Determine if the current user can login to the database.

Parameters:

<i>userSid</i>	Returns the security identifier of the current user.
----------------	--

Returns:

True if the user can login, otherwise False.

void DataAccessServices.WebServices.Security.CreateObjectSecurityRole (Guid securityRoleKey, String name, String description, ObjectPermissions mask, out DateTime modifiedTime, Boolean readOnly)[inline]

Create an Object security role.

Parameters:

<i>securityRoleKey</i>	The key for the role.
<i>name</i>	The name of the role.
<i>description</i>	The description for the role.
<i>mask</i>	The permissions for the role.
<i>modifiedTime</i>	Returns the modified time of the role.
<i>readOnly</i>	Whether the role is read only.

void DataAccessServices.WebServices.Security.CreatePolicy (Guid policyKey, PolicyType type)[inline]

Create a new policy.

Parameters:

<i>policyKey</i>	The key for the new policy.
<i>type</i>	The type of the policy to create.

void DataAccessServices.WebServices.Security.CreateSecurityElement (Guid securityElementKey, Guid policyKey, ElementType elementType, Guid securityRoleKey, String userSid, out DateTime modifiedTime)[inline]

Create a security element.

Parameters:

<i>securityElementKey</i>	The key for the new element.
<i>policyKey</i>	The policy key associated with this element.
<i>elementType</i>	The element type.
<i>securityRoleKey</i>	The security role associated with this element.
<i>userSid</i>	The security identifier of the user associated with this element.
<i>modifiedTime</i>	Returns the modified time of the new element.

void DataAccessServices.WebServices.Security.CreateServerSecurityRole (Guid securityRoleKey, String name, String description, ServerPermissions mask, out DateTime modifiedTime, Boolean readOnly)[inline]

Create a Server security role.

Parameters:

<i>securityRoleKey</i>	The key for the role.
<i>name</i>	The name of the role.
<i>description</i>	The description for the role.
<i>mask</i>	The permissions for the role.
<i>modifiedTime</i>	Returns the modified time of the role.
<i>readOnly</i>	Whether the role is read only.

void DataAccessServices.WebServices.Security.CreateUser (Guid userKey, String name, String sid, Boolean isGroup, out DateTime modifiedTime)[inline]

Create a new user.

Parameters:

<i>userKey</i>	The key which identifies the user.
<i>name</i>	The name of the user.

<i>sid</i>	The security identifier of the user.
<i>isGroup</i>	Whether the user is a Windows group.
<i>modifiedTime</i>	Returns the modified time of the new record.

void DataAccessServices.WebServices.Security.DeletePolicy (Guid policyKey)[inline]

Delete a policy.

Parameters:

<i>policyKey</i>	The key of the policy to delete.
------------------	----------------------------------

void DataAccessServices.WebServices.Security.DeleteSecurityElement (Guid securityElementKey, DateTime modifiedTime)[inline]

Delete a security element.

Parameters:

<i>securityElementKey</i>	The key of the element to delete.
<i>modifiedTime</i>	Modified time of the element.

void DataAccessServices.WebServices.Security.DeleteSecurityRole (Guid securityRoleKey, DateTime modifiedTime)[inline]

Delete a security role.

Parameters:

<i>securityRoleKey</i>	The key of the role to delete.
<i>modifiedTime</i>	Modified time of the role.

void DataAccessServices.WebServices.Security.DeleteUser (Guid userKey, DateTime? modifiedTime)[inline]

Delete an existing user.

Parameters:

<i>userKey</i>	The key which identifies the user.
<i>modifiedTime</i>	Modified time of the user to delete, or Null.

PoliciesDataSet DataAccessServices.WebServices.Security.GetPolicies ()[inline]

Get all policy keys.

Returns:

A data set containing all policy keys.

***SecurityElementsDataSet
DataAccessServices.WebServices.Security.GetSecurityElementFromKey (Guid
securityElementKey)[inline]***

Get a specific security element.

Parameters:

<i>securityElement Key</i>	The key of the element.
--------------------------------	-------------------------

Returns:

A data set containing the specific element, or an empty data set if the key does not exist.

***SecurityElementsDataSet DataAccessServices.WebServices.Security.GetSecurityElements
()[inline]***

Get all security elements.

Returns:

A data set containing all security elements.

***SecurityElementsDataSet
DataAccessServices.WebServices.Security.GetSecurityElementsFromPolicy (Guid
policyKey)[inline]***

Get security elements with the specific policy key.

Parameters:

<i>policyKey</i>	The policy key to find.
------------------	-------------------------

Returns:

A data set containing matching security elements, or an empty data set if there are no matches.

SecurityRolesDataSet DataAccessServices.WebServices.Security.GetSecurityRoleFromKey (Guid securityRoleKey)[inline]

Get a specific security role from the database.

Parameters:

<i>securityRoleKey</i>	The key of the security role.
------------------------	-------------------------------

Returns:

A data set containing information for the specified security role, or an empty data set if there are no matches.

SecurityRolesDataSet DataAccessServices.WebServices.Security.GetSecurityRoles (Boolean withPermissions)[inline]

Get all security roles.

Parameters:

<i>withPermissions</i>	Whether to include the Server and Object permissions for each role.
------------------------	---

Returns:

A data set containing information for the security roles or an empty data set if none exist.

SecurityRolesDataSet DataAccessServices.WebServices.Security.GetSecurityRolesFromType (RoleType roleType)[inline]

Get security roles with a specified type.

Parameters:

<i>roleType</i>	The role type to retrieve. This is either Server or Object.
-----------------	---

Returns:

A data set containing information for the security roles of the specified type or an empty data set if none exist.

***ServerPermissions* DataAccessServices.WebServices.Security.GetServerPermissions () [inline]**

Get all server permissions for the current user.

Returns:

The server permissions for the current user.

***String* DataAccessServices.WebServices.Security.GetUserName () [inline]**

Get the current user name.

Returns:

The current user name.

***UsersDataSet* DataAccessServices.WebServices.Security.GetUsers () [inline]**

Get all users.

Returns:

A data set containing all users.

***void* DataAccessServices.WebServices.Security.UpdateSecurityRole (Guid securityRoleKey, String name, String description, ObjectPermissions mask, ref DateTime modifiedTime, Boolean readOnly) [inline]**

Update an existing security role.

Parameters:

<i>securityRoleKey</i>	The key of the role to update.
<i>name</i>	The name of the role.
<i>description</i>	The description for the role.
<i>mask</i>	The permissions mask for the role.

<i>modifiedTime</i>	The modified time of the record to update. Returns the modified time of the updated record.
<i>readOnly</i>	Whether the role is read only.

void DataAccessServices.WebServices.Security.UpdateUser (Guid userKey, String name, String sid, ref DateTime modifiedTime)[inline]

Update information about a user.

Parameters:

<i>userKey</i>	The key which identifies the user.
<i>name</i>	The name of the user.
<i>sid</i>	The security identifier of the user.
<i>modifiedTime</i>	The modified time of the record to update. Returns the modified time of the updated record.


The documentation for this class was generated from the following file:

- Security.cs

DataAccessServices.WebServices.Servers Class Reference

Within the Management Center database it is possible to configure a number of fail over servers which are used if the current management server cannot be contacted. The user can configure a number of fail over servers on a per group basis allowing different groups to be serviced by different management servers.

Inheritance diagram for DataAccessServices.WebServices.Servers:



Public Member Functions

- void [ApplyChanges](#) (ref ServersDataSet serverChanges)
Update the database with the changes in the data set.
 - void [CreateServer](#) (Guid serverKey, Guid?groupKey, String url, Int32 index, Boolean performDiagnostics, Boolean disabled, out DateTime modifiedTime)
Create a new server.
 - void [DeleteServer](#) (Guid serverKey, DateTime?modifiedTime)
Delete a server.
 - ServersDataSet [GetServers](#) (Boolean includeDisabled)
Get all servers.
 - ServersDataSet [GetServersFromGroupKey](#) (Guid?groupKey, Boolean includeDisabled)
Get all servers for a group.
 - void [UpdateServer](#) (Guid serverKey, Guid?groupKey, String url, Int32 index, Boolean performDiagnostics, Boolean disabled, ref DateTime modifiedTime)
Update an existing server.
-

Detailed Description

Within the Management Center database it is possible to configure a number of fail over servers which are used if the current management server cannot be contacted. The user can configure a number of fail over servers on a per group basis allowing different groups to be serviced by different management servers.

Member Function Documentation

void DataAccessServices.WebServices.Servers.ApplyChanges (ref ServersDataSet serverChanges)[inline]

Update the database with the changes in the data set.

Parameters:

<i>serverChanges</i>	A data set containing the server changes to apply.
----------------------	--

void DataAccessServices.WebServices.Servers.CreateServer (Guid serverKey, Guid? groupKey, String url, Int32 index, Boolean performDiagnostics, Boolean disabled, out DateTime modifiedTime)[inline]

Create a new server.

Parameters:

<i>serverKey</i>	The key of the new server.
<i>groupKey</i>	The group key this server will be added to.
<i>url</i>	The URL of the server.
<i>index</i>	The index of the server.
<i>performDiagnostics</i>	Whether the group can perform diagnostics.
<i>disabled</i>	Whether the group is disabled.
<i>modifiedTime</i>	Returns the modified time of the new server.

void DataAccessServices.WebServices.Servers.DeleteServer (Guid serverKey, DateTime? modifiedTime)[inline]

Delete a server.

Parameters:

<i>serverKey</i>	The key of the server to delete.
<i>modifiedTime</i>	Modified time of the server to delete.

ServersDataSet DataAccessServices.WebServices.Servers.GetServers (Boolean includeDisabled)[inline]

Get all servers.

Parameters:

<i>includeDisabled</i>	Whether to include disabled servers.
------------------------	--------------------------------------

Returns:

A data set containing the servers.

ServersDataSet DataAccessServices.WebServices.Servers.GetServersFromGroupKey (Guid? groupKey, Boolean includeDisabled)[inline]

Get all servers for a group.

Parameters:

<i>groupKey</i>	The group key to retrieve.
<i>includeDisabled</i>	Whether to include disabled servers.

Returns:

A data set containing the servers or an empty data set if none exist.

void DataAccessServices.WebServices.Servers.UpdateServer (Guid serverKey, Guid? groupKey, String url, Int32 index, Boolean performDiagnostics, Boolean disabled, ref DateTime modifiedTime)[inline]

Update an existing server.

Parameters:

<i>serverKey</i>	The key of the server to update.
<i>groupKey</i>	The group key for the server.
<i>url</i>	The URL for the server.
<i>index</i>	The index of the server.
<i>performDiagnostics</i>	Whether the server should be enabled or disabled for diagnostics.
<i>disabled</i>	Whether the server should be enabled or disabled.
<i>modifiedTime</i>	The modified time of the server. Returns the new modified time of the server.
