



Ivanti Endpoint Security 8.6

System Requirements Guide



Endpoint Security

powered by HEAT

Notices

Version Information

Ivanti Endpoint Security System Requirements Guide - Ivanti Endpoint Security Version 8.6 - Published: Dec 2020

Document Number: 02_237_8.6_171281412

Copyright Information

This document contains the confidential information and/or proprietary property of Ivanti, Inc. and its affiliates (referred to collectively as "Ivanti"), and may not be disclosed or copied without prior written consent of Ivanti.

Ivanti retains the right to make changes to this document or related product specifications and descriptions, at any time, without notice. Ivanti makes no warranty for the use of this document and assumes no responsibility for any errors that can appear in the document nor does it make a commitment to update the information contained herein.

For the most current product information, please visit www.ivanti.com.

Copyright© 2020, Ivanti. All rights reserved.

Ivanti and its logos are registered trademarks or trademarks of Ivanti, Inc. and its affiliates in the United States and/or other countries. Other brands and names may be claimed as the property of others.

Protected by patents, see <https://www.ivanti.com/patents>.

Table of Contents

System Requirements.....	7
Supported Operating Systems.....	7
Supported Languages and Locales.....	8
Software Requirements.....	9
Web Browser Requirements.....	10
SQL Server Requirements.....	11
IIS Requirements.....	12
.NET Framework Requirements.....	13
Hardware Requirements.....	13
Network Requirements.....	14
Recommended Configurations.....	15
Combined Ivanti Endpoint Security Application and Database Server.....	16
Separated Ivanti Endpoint Security Application and Database Servers.....	17
Chapter 2: Agent Requirements.....	21
Supported Endpoint Operating Systems.....	21
Windows Endpoint Operating Systems.....	22
Mac Endpoint Operating Systems.....	23
Linux Endpoint Operating Systems.....	24
UNIX Endpoint Operating Systems.....	24
Supported Endpoint Browsers.....	25
Windows Endpoint Requirements.....	25
Linux, UNIX, or Mac Endpoint Requirements.....	27
Agent Locales and Internationalization.....	30
Supported Endpoint Module Operating Systems.....	31
Windows Endpoint Supported Modules.....	31
Linux, UNIX, and Mac Supported Modules.....	32
Chapter 3: Recommended Configurations.....	33
Ivanti Endpoint Security Server Components.....	34
Combined Ivanti Endpoint Security Application and Database Server.....	34
Separated Ivanti Endpoint Security Application and Database Servers.....	36
Recommended Server Configuration Information.....	38



System Requirements

Before installing Ivanti Endpoint Security, verify that the targets meets hardware, software, and network requirements.

On servers that do not meet recommended system requirements, Ivanti Endpoint Security will not perform optimally, or may not install.

Review all hardware, software, and network requirements before proceeding with installation.

For all platforms, we recommend that you upgrade to the latest Service Pack and critical updates to ensure the best compatibility and security. For some Windows Operating Systems, installation of the latest service pack may be required.

Supported Operating Systems

The Ivanti Endpoint Security server is supported on a number of Microsoft Windows operating systems.

Table 1: Supported Operating Systems

Operating System	Edition	Data Width
Microsoft Windows Server 2019	Standard Datacenter	64-bit
Microsoft Windows Server 2016	Standard Datacenter	64-bit
Microsoft Windows Server 2012 R2 ¹	Standard ² Datacenter ² Foundation	64-bit
Microsoft Windows Server 2012 ¹	Standard ² Datacenter ²	64-bit

Operating System	Edition	Data Width
1. Initial installation of Ivanti Endpoint Security on this family of operating systems when Core mode is enabled is not supported; a GUI is required. However, following installation, general operation of Ivanti Endpoint Security while Core mode is enabled is supported.		
2. The Hyper-V edition of this operating system edition is supported, however, the Microsoft Hyper-V Server 2012 stand-alone edition is not.		

Supported Languages and Locales

Ivanti Endpoint Security can only be installed on servers for certain languages and locales. Ensure the target server you are installing on uses one of the listed languages and locales.

Ivanti Endpoint Security is installable on the following locales. The installer is available only in English.

Table 2: Server Supported Locales

Language	Locale Identifier
<ul style="list-style-type: none">English: United StatesEnglish: AustraliaEnglish: BelizeEnglish: CanadaEnglish: IndiaEnglish: IrelandEnglish: JamaicaEnglish: New ZealandEnglish: PhilippinesEnglish: SingaporeEnglish: South AfricaEnglish: United KingdomGerman: GermanySpanish: Spain (Modern Sort)	<ul style="list-style-type: none">en-usen-auen-bzen-caen-inen-ieen-jmen-nzen-phen-sgen-azen-gbde-dees-es

After installing Ivanti Endpoint Security, you can use a translated UI by selecting one of the following languages in your Web browser.

Table 3: Server Supported Languages

Language	Language Identifier
<ul style="list-style-type: none">English: United StatesFrench: FranceGerman: GermanySpanish: Spain (Modern Sort)	<ul style="list-style-type: none">en-usfr-frde-dees-es



Software Requirements

Your Ivanti Endpoint Security server requires other software to operate. Review the listed software requirements to confirm your server has the required software.

Before you begin installation of Ivanti Endpoint Security you must install the following software on your server or another supported location:

Software	Documentation
<ul style="list-style-type: none">Supported Web Browsers	<ul style="list-style-type: none">Web Browser Requirements on page 10

Ivanti Endpoint Security requires additional, supplemental software, but the Ivanti Endpoint Security will install it for you during installation:

Software	Documentation
<ul style="list-style-type: none">Microsoft SQL ServerMicrosoft .NET FrameworkMicrosoft Windows InstallerMicrosoft Silverlight 5.0Microsoft Visual C++ 2015 Redistributable Package (x86 and x64)Microsoft Visual C++ 2012 Update 4 Redistributable Package (x86 and x64)	<ul style="list-style-type: none">SQL Server Requirements on page 11.NET Framework Requirements on page 13IIS Requirements on page 12.NET Framework Requirements on page 13

Note: Although Ivanti Endpoint Security installs an instance of SQL Server 2014, (x64), installing an instance yourself is best practice when supporting an enterprise environment.

Web Browser Requirements

You need one of several specific Web browsers to use the Ivanti Endpoint Security Web console after installation.

Table 4: Supported Web Browsers

Supported Browser	Supported Versions
Google Chrome	53 and higher
Microsoft Edge	EdgeHTML 14 and higher
Microsoft Internet Explorer	9 and higher
Mozilla Firefox	31 Extended Support Release and higher Support cannot be guaranteed due to the accelerated release cycle of Mozilla Firefox Rapid Release.

Important:

- Microsoft Silverlight 5.0 is also required to use Ivanti Installation Manager.
- Google Chrome and Microsoft Edge are currently incompatible with these Ivanti Endpoint Security features:
 - Patch & Remediation Patch Package Editor
 - Device Control Media Hasher
 - Install Manager



SQL Server Requirements

Ivanti Endpoint Security requires an instance of Microsoft SQL Server to store its data. Multiple version of SQL Server are supported.

Table 5: Supported Database Servers

Database	Data Width	Edition
SQL Server 2019	x86/x64	<ul style="list-style-type: none"> Express Standard Enterprise
SQL Server 2017	x86/x64	<ul style="list-style-type: none"> Express Standard Enterprise
SQL Server 2016	x86/x64	<ul style="list-style-type: none"> Express Standard Enterprise
SQL Server 2014 and later	x86/x64	<ul style="list-style-type: none"> Express Standard Enterprise Business Intelligence
SQL Server 2012 and later	x86/x64	<ul style="list-style-type: none"> Express Standard Enterprise

Note:

- Ivanti recommends using the latest service pack available for your instance of SQL Server.
- If installing to a 64-bit server, Ivanti recommends installing using a supported preexisting instance of SQL Server that supports 64-bit architecture.
- For evaluation installs, Ivanti Endpoint Security installs an instance of SQL Server 2014 Express SP1, which you can later upgrade to Standard or Enterprise before adding Ivanti Endpoint Security to a production environment. If you are evaluating Ivanti Endpoint Security, and you have no intent of using SQL Server 2014 Express SP1, your evaluation installation of Ivanti Endpoint Security should use your preferred version of SQL Server.

You can install one of the supported database servers instances listed above in the following locations relative to the Ivanti Endpoint Security server.

Table 6: Supported Database Instance Install Locations

Location
<ul style="list-style-type: none"> On the target Ivanti Endpoint Security server itself, as installed by the Ivanti server installer, which installs an instance of SQL Server 2014 Express SP1 (x64). On the target Ivanti server itself, using a preexisting instance of SQL Server. On a remote server that the Ivanti server remotely connects to, using a preexisting instance of SQL Server.
<p>Important: When installing Ivanti Endpoint Security using an existing SQL Server instance, the instance collation must be set to one of the following values:</p> <ul style="list-style-type: none"> SQL_Latin1_General_CP1_CI_AS Latin1_General_CI_AS

IIS Requirements

Before you can install Ivanti Endpoint Security, Microsoft Internet Information Services 7.0 or later must be installed.

Table 7: Internet Information Services (IIS) Requirements

Required IIS Version	Operating System Family
Microsoft Internet Information Services 7.0+	Microsoft Windows Server 2019
	Microsoft Windows Server 2016
	Microsoft Windows Server 2012 R2
	Microsoft Windows Server 2012

.NET Framework Requirements

Ivanti Endpoint Security requires installation of .NET Framework 4.6.7.

Table 8: .NET Framework Requirements

Required .NET Framework Version	Operating System Family
<ul style="list-style-type: none"> Microsoft .NET Framework 4.6.7. <p>Note: Ivanti Endpoint Security provides the .NET Framework 4.6.7 installer during installation or upgrade (reboot required). However, pre-requisites must be installed on some Operating Systems prior to this.</p>	<ul style="list-style-type: none"> Microsoft Windows Server 2012 Microsoft Windows Server 2012 R2 Microsoft Windows Server 2016 Microsoft Windows Server 2019

Hardware Requirements

The Ivanti Endpoint Security server must meet or exceed the specified hardware requirements.

Note:

- Installing the Ivanti Endpoint Security server on a dedicated server is recommended.
- The minimum hardware recommendation is designed for trial environments of 50 endpoints. For a Ivanti Endpoint Security configuration ideal for your environment, see [Recommended Configurations](#) on page 15.

- 2.0 GHz dual-core processor
- 4 GB RAM
- 50 GB or more hard drive space
 - RAID 1 disk array
 - 7200 RPM drive speed
- 1 Gbps Network Card

Network Requirements

Your Ivanti Endpoint Security server needs access to specific websites and network services.

Network Requirement

Server Role:

Your Ivanti Endpoint Security *should not* be a domain controller.

Firewall Access URLs for replication and agent communication:

- <https://cdn.securegss.net>
- <http://cache.patchlinksecure.net>
- <http://cache.lumension.com>
- <http://gssnews.lumension.com>
- <http://download.windowsupdate.com>
- <http://www.download.windowsupdate.com> (For Microsoft content)
- <http://go.microsoft.com> (For Microsoft content)
- <http://ardownload.adobe.com> (For Adobe content)
- <http://swupdl.adobe.com> (For Adobe content)
- <http://armdl.adobe.com> (For Adobe content)
- <http://download.adobe.com> (For Adobe content)

Important:

- Refer to Ivanti Community Article 51165 ([New Content Architecture](#)) and Ivanti Community Article 58310 ([Global Subscription Server and GSS Repository Information](#)) for additional URLs and IP Addresses which may be required depending upon your configuration and content subscriptions.
- The firewalls on your server may require modification to access these URLs. If your corporate policies do not allow you to make the necessary firewall modifications, please contact Support for a recommended configuration.

Network Discovery
Windows Services:

Ivanti Endpoint Security uses the server Network Discovery Windows Services to discover other computers and devices on your network and installation. At time of install, the Ivanti Endpoint Security installer prompts you to enable these services:

- DNS Client
- Function Discovery Resource Publication
- SSDP Discovery
- UPnP Device Host

Network Requirement

Encryption Protocols: Ivanti Endpoint Security uses Transport Layer Security (TLS) for communication between the Ivanti Endpoint Security Server and the Ivanti Endpoint Security Agent. Ivanti Endpoint Security prompts you to enable this protocol during installation.

Recommended Configurations

Ivanti recommends different hardware and software requirements customized for your Ivanti Endpoint Security network setup.

Server Configuration Considerations

Ivanti Endpoint Security requires two main components to function:

- **Ivanti Endpoint Security Application Server:** This server is responsible for Web site, replication services, and endpoint distribution services.
- **Ivanti Endpoint Security Database Server:** This server is responsible for SQL database and stored procedures.

These servers can be installed on a single server, or on two, separate servers.

- **Combined Application and Database Server:** In configurations where the Ivanti Endpoint Security application and database are installed on the same server, the server requires both high processing power and disk speed, as it performs both application and database functions.

[Combined Ivanti Endpoint Security Application and Database Server](#) on page 16

- **Separate Application and Database Servers:** In configurations where the Ivanti Endpoint Security application and database are installed on separate servers, the server requirements are different. Although processing and software requirements on both servers remain the same, the database requires increased HDD specifications, as it executes disk-intensive functions.

[Separated Ivanti Endpoint Security Application and Database Servers](#) on page 17

Endpoint Scaling Considerations

Regardless of your Ivanti Endpoint Security application and database configuration, your server (or servers) require increasingly high-end hardware and software to offset increased load from endpoints. Use better hardware in environments with a high endpoint count.

Additional Considerations

- For additional information about the physical memory limits for Windows releases, refer to [Memory Limits for Windows Releases](http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778(v=vs.85).aspx) ([http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778(v=vs.85).aspx)).
- For additional information about moving SQL Server databases, refer to [Move System Databases](http://msdn.microsoft.com/en-us/library/ms345408.aspx) (<http://msdn.microsoft.com/en-us/library/ms345408.aspx>).
- For additional information about Microsoft's top ten best practices for storage, refer to [Storage Top Ten Best Practices](http://technet.microsoft.com/en-us/library/cc966534.aspx) (<http://technet.microsoft.com/en-us/library/cc966534.aspx>).

Combined Ivanti Endpoint Security Application and Database Server

For optimal performance, the hardware and software supporting Ivanti Endpoint Security should be scaled to your endpoint count.

The following table lists the recommended hardware and software for you Ivanti Endpoint Security network.

Note: Installation on a physical server is assumed. If installing to virtual environment, refer to Ivanti Community Article 58253 ([Lumension products installed on virtual machines](#)).

Combined Server Recommended Configuration

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64
	Database Server	SQL 2019	SQL 2019	SQL 2019	SQL 2019	SQL 2019
	Database Server Edition	Standard ²	Standard	Standard	Standard	Enterprise
	Database Server Architecture	x64	x64	x64	x64	x64
Hardware	Core Architecture ³	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ⁴	4	4	8	16	32
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s
	Disk Array ⁵	RAID 1	RAID 1	Multiple RAID	Multiple RAID	Multiple RAID
	# Hard Drives	2	2	4	6	8

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	15k/SSD
	Hard Drive Volume Breakdown					
	OS/Data	250GB	500GB	N/A	N/A	N/A
	OS	N/A	N/A	RAID 1 - 250GB	RAID 1 - 250GB	RAID 1 - 250GB
	Data	N/A	N/A	RAID 1 - 500GB	RAID 1/ SSD - 1TB	RAID 10/ SSD - 1TB
	Temp DB	N/A	N/A	N/A	RAID 0 - 250GB	SSD - 240GB
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. Evaluation customers should use Express edition with Advanced Services. 3. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 4. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 5. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 						

Separated Ivanti Endpoint Security Application and Database Servers

When the Application Server and Database Server are installed on two physical servers, then each servers recommended hardware requirements will increase according to the number of managed endpoints in your network.

Review the following information when the components are installed on separate servers.

Note: Installation on a physical server is assumed. If installing to virtual environment, refer to Ivanti Community Article 58253 ([Lumension products installed on virtual machines](#)).

Recommended Application Server Configuration

The following table lists the recommended configuration for the Application Server.

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64
Application Server Hardware	Core Architecture ²	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ³	4	4	8	16	16
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s
	Disk Array ⁴	RAID 1	RAID 1	RAID 1/SSD	RAID 1/SSD	RAID 1/SSD
	# Hard Drives	2	2	2	2	2
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	10k/SSD
	Hard Drive Volume Breakdown					
	OS/Data (GB)	250	500	500	500	500
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 3. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 4. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 						

Recommended SQL Server Configuration

The following table lists the recommended configuration for the Database Server.

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
SQL Server Hardware	Database Server	SQL 2019	SQL 2019	SQL 2019	SQL 2019	SQL 2019
	Database Server Architecture	x64	x64	x64	x64	x64
	Database Server Edition	Standard ²	Standard	Standard	Standard	Enterprise
	Core Architecture ³	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ⁴	4	4	8	16	32
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s
	Disk Array ⁵	RAID 1	RAID 1	Multiple RAID	Multiple RAID	Multiple RAID
	# Hard Drives	2	2	4	6	8
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	15k/SSD
	Hard Drive Volume Breakdown					
	OS/Data (GB)	250	500	N/A	N/A	N/A
	OS (GB)	N/A	N/A	RAID 1 - 250	RAID 1 - 250	RAID 1 - 250
	Data	N/A	N/A	RAID 1 - 500GB	RAID 1/ SSD - 1TB	RAID 10/ SSD - 1TB
	Temp DB (GB)	N/A	N/A	N/A	RAID 0 - 250	SSD - 240
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. Evaluation customers should use Express edition with Advanced Services. 3. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 4. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 5. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 						

Blank Page

Chapter 2

Agent Requirements

In this chapter:

- Supported Endpoint Operating Systems
- Supported Endpoint Browsers
- Windows Endpoint Requirements
- Linux, UNIX, or Mac Endpoint Requirements
- Agent Locales and Internationalization
- Supported Endpoint Module Operating Systems

The Ivanti Endpoint Security Agent is supported on a variety of operating systems and platforms. Before installing the agent on an endpoint, ensure that system meets the agent requirements.

Your endpoints must meet the hardware and software requirements for the Ivanti Endpoint Security Agent. The following sections include system requirements that you should verify prior to installing the Ivanti Endpoint Security Agent. The complete list of requirements are listed in the following topics:

- [Supported Endpoint Operating Systems](#) on page 21
- [Supported Endpoint Browsers](#) on page 25
- [Windows Endpoint Requirements](#) on page 25
- [Linux, UNIX, or Mac Endpoint Requirements](#) on page 27
- [Agent Locales and Internationalization](#) on page 30
- [Supported Endpoint Module Operating Systems](#) on page 31

Supported Endpoint Operating Systems

The Ivanti Endpoint Security Agent is supported on most operating systems used in enterprise environments.

The agent is supported on endpoints that contain one of the supported endpoint operating system types:

- [Windows Endpoint Operating Systems](#) on page 22
- [Mac Endpoint Operating Systems](#) on page 24
- [Linux Endpoint Operating Systems](#) on page 24
- [UNIX Endpoint Operating Systems](#) on page 24

Windows Endpoint Operating Systems

Ivanti Endpoint Security Agent 8.6 can be installed on most windows platforms.

Supported Windows Operating Systems

Supported Operating Systems	Supported Editions
Windows 10 (32- and 64-bit). For specific Windows 10 version support refer to the following articles: Ivanti Endpoint Security Windows 10 Version Support Matrix Microsoft Support Windows Lifecycle Fact Sheet	<ul style="list-style-type: none">• Education• Education N• Enterprise• Enterprise N• Enterprise 2015 Long Term Servicing Branch (LTSB)• Enterprise N 2015 LTSB• Professional• Professional N
Windows 8.1 (32- and 64-bit)	<ul style="list-style-type: none">• Enterprise• Enterprise N• Professional¹• Professional N
Windows Embedded 8.1 (32- and 64-bit)	<ul style="list-style-type: none">• Industry Pro• Industry Enterprise

1. This edition is also supported when Windows Media Center is installed.

Supported Windows Server Operating Systems

Supported Operating Systems	Supported Editions
Windows Server 2019 (32- and 64-bit)	<ul style="list-style-type: none">• Standard¹• Datacenter• Essentials
Windows Server 2016 (32- and 64-bit)	<ul style="list-style-type: none">• Standard¹• Datacenter• Essentials
Windows Server 2012 R2 (32- and 64-bit)	<ul style="list-style-type: none">• Standard¹• Datacenter¹• Foundation• Essentials
Windows Server 2012 (32- and 64-bit)	<ul style="list-style-type: none">• Standard¹• Datacenter¹• Foundation• Essentials
Windows Storage Server 2012 (32- and 64-bit)	<ul style="list-style-type: none">• Standard• Workgroup

1. Core mode for this edition is supported.

Mac Endpoint Operating Systems

A different agent, the Linux/Unix/macOS Agent, can be installed on many different versions of Mac operating systems. This version of the agent offers only Patch and Remediation functionality.

For details of the supported macOS operating systems, refer to the Linux/Unix/macOS Agent Release Notes

Linux Endpoint Operating Systems

A different agent, the Linux/Unix/macOS Agent, can be installed on many different versions of Linux. This version of the agent offers only Patch and Remediation functionality.

For details of the supported Linux versions, refer to the Linux/Unix/macOS Agent Release Notes

UNIX Endpoint Operating Systems

A different agent, the Linux/Unix/macOS Agent, can be installed on many different versions of UNIX. This version of the agent offers only Patch and Remediation functionality.

For details of the supported Linux versions, refer to the Linux/Unix/macOS Agent Release Notes

Supported Endpoint Browsers

Ivanti Endpoint Security (Ivanti Endpoint Security) is an Internet application that conforms to standard Web conventions. Ivanti recommends you download the most recent version of the Ivanti Endpoint Security Agent installer using a supported Web browser.

Table 4: Supported Web Browsers

Supported Browser	Supported Versions
Google Chrome	53 and higher
Microsoft Edge	EdgeHTML 14 and higher
Microsoft Internet Explorer	9 and higher
Mozilla Firefox	31 Extended Support Release and higher Support cannot be guaranteed due to the accelerated release cycle of Mozilla Firefox Rapid Release.

Windows Endpoint Requirements

Before installing the Ivanti Endpoint Security (Ivanti Endpoint Security) Agent on a supported Windows endpoint, ensure that it meets the necessary hardware and software requirements.

Processor	800 MHz or higher Note: Minimum of 2 CPU cores is recommended for optimal performance during intensive operations like Discover Applicable Updates (DAU) or AntiVirus scans.
Physical RAM	1 GB (minimum) Note: Your Ivanti Endpoint Security endpoint may require additional RAM depending on the RAM requirements of other applications installed.
Free Disk Space	1 GB of free space
Network Connection	A 10 Mbps network connection with access to the Ivanti Endpoint Security server.
Antivirus	Ensure any third-party antivirus software on the endpoint computer is disabled prior to Ivanti Endpoint Security Agent installation.

Port Requirements

- Port 80
This must be open for Ivanti Endpoint Security module downloads.
- Port 443
This must be open for Ivanti Endpoint Security policy download and general communication.
- Ephemeral ports
This is used to listen for Notification Manager connection requests (Patch and Remediation) only.
 - Open ports 49152-65535.

Microsoft .NET Framework

Microsoft .NET Framework (is required for Patch and Remediation only). The required version of the .NET Framework changes according to operating system.

Table 5: .NET Framework Version

Operating System	.Net Framework Version
Microsoft Windows 10	4.0+
Microsoft Windows 8.1	4.0+
Microsoft Windows Server 2019	4.0+
Microsoft Windows Server 2016	4.0+
Microsoft Windows Server 2012 R2	4.0+
Microsoft Windows Server 2012	4.0+
Microsoft Windows Storage Server 2012	4.0+

Other Software Requirements

Windows Installer 3.1 or later
Microsoft Visual C++ 2010 Redistributable Package or later

Note: If not installed at time of agent installation, the Microsoft Visual C++ 2010 Redistributable Package is installed during agent installation.



Blank Page

Linux, UNIX, or Mac Endpoint Requirements

Before installing the Ivanti Endpoint Security Agent on a supported Linux, UNIX, or Mac endpoint, ensure that it meets the necessary hardware and software requirements.

Processor	500 MHz processor or higher
Physical RAM	256 MBs or greater
	Note: Your Ivanti Endpoint Security endpoint may require additional RAM depending on the RAM requirements of other applications installed.
Disk Requirements	<ul style="list-style-type: none"> • Presence of a <code>/tmp</code> directory (<code>/var/tmp</code> on Oracle Solaris) with 100 MB of free space. • 50 MB of free space for the agent installation directory. • Ivanti Endpoint Security also recommends 100 Mb of unused disk space to download and install content.
Java Libraries	<p>Ensure you have the appropriate Java libraries installed:</p> <ul style="list-style-type: none"> • All UNIX endpoints and Mac OS X endpoints prior to version 10.7.3: Oracle Java Runtime Environment (JRE) 7 or later. • Mac OS X endpoints versions 10.7.3 and higher: Oracle Java Development Kit (JDK) 7 or later. • Linux endpoints: Oracle JRE 7 or later. <p>Note: OpenJDK 7 can be substituted for Oracle Java JRE on the following operating systems:</p> <ul style="list-style-type: none"> • CentOS Linux • Oracle Enterprise Linux • Red Hat Enterprise Linux • SUSE Linux Enterprise <p>Refer to IcedTea Project (http://openjdk.java.net/projects/icedtea/) for additional information.</p>
Perl	<p>Perl is needed for Linux content. Perl is automatically installed for all open-source Linux operating systems unless uninstalled.</p> <p>Tip: To determine if you have perl installed, type <code>perl -v</code> on a command line. Refer to Perl Download (http://www.perl.org/get.html) to download.</p>
Network Connection	A 10 Mbps network connection with access to the Ivanti Endpoint Security server.



Antivirus	Ensure any antivirus software installed on the applicable endpoint computer is disabled.
Port Requirements	<ul style="list-style-type: none">• Port 80. This must be open for Ivanti Endpoint Security module downloads.• Port 443. This must be open for Ivanti Endpoint Security policy download and general communication.• Ports 32768–65535. These ports are used as listener ports for <i>check now</i> commands, which are server-sent requests that agents use to check for tasks. Closing these ports delays agent tasks until they check in themselves.

Agent Locales and Internationalization

The Ivanti Endpoint Security Agent is localized and internationalized for a variety of languages.

The agent has been fully localized and translated for the following locales.

- en-AU: English (Australia)
- en-BZ: English (Belize)
- en-CA: English (Canada)
- en-IN: English (India)
- en-IE: English (Ireland)
- en-JM: English (Jamaica)
- en-NZ: English (New Zealand)
- en-PH: English (Philippines)
- en-SG: English (Singapore)
- en-ZA: English (South Africa)
- en-GB: English (United Kingdom)
- en-US: English (United States)
- fr-FR: French (France)
- de-DE: German (Germany)
- it-IT: Italian (Italy)
- ja-JP: Japanese (Japan)
- nl-NL: Dutch (Netherlands)
- pt-BE: Portuguese (Brazil)
- ru-RU: Russian (Russia)
- es-ES: Spanish (Spain)
- sv-SE: Swedish (Sweden)
- zh-CN / zh-CHS: Chinese (China [Simplified])
- zh-TW / zh-CHT: Chinese (Taiwan [Traditional])

Note: The agent has been internationalized to operate in the following locales. However, the agent UI text has not been translated. English text is displayed.

- da-DA: Danish (Denmark)
- fi-FI: Finnish (Finland)
- ko-KR: Korean (Korea)
- no-NO: Norwegian - Nynorsk (Norway)

Supported Endpoint Module Operating Systems

The modules that you can install vary by operating system and your licensing.

- [Windows Endpoint Supported Modules](#) on page 31
- [Linux, UNIX, and Mac Supported Modules](#) on page 32

A list of module abbreviations within the tables:

PR	Ivanti Patch and Remediation
LAC	Ivanti Application Control
DC	Ivanti Device Control
AV	Ivanti AntiVirus
PM	Ivanti Power Management
WOL	Ivanti Wake on LAN
SCM	Ivanti Security Configuration Management
RSM	Ivanti Remote Systems Management

Windows Endpoint Supported Modules

The following table lists the modules you can install on endpoints that contain a Windows operating system.

Table 14: Supported Endpoint Windows Operating Systems by Module

Operating System ¹	Modules ²							
	PR	LAC	DC	AV	PM	WOL	SCM	RSM
Microsoft Windows 10	✓	✓	✓	✓	✓	✓	✓	✓
Microsoft Windows 8.1	✓	✓	✓	✓	✓	✓	✓	✓
Microsoft Windows Server 2019	✓	✓	✓	✓	✓	✓	✓	✓
Microsoft Windows Server 2016	✓	✓	✓	✓	✓	✓	✓	✓

Operating System ¹	Modules ²							
	PR	LAC	DC	AV	PM	WOL	SCM	RSM
Microsoft Windows Server 2012 R2	✓	✓	✓	✓	✓	✓	✓	✓
Microsoft Windows Server 2012	✓	✓	✓	✓	✓	✓	✓	✓
Microsoft Windows Storage Server 2012	✓	✓	✓	✓	✓	✓	✓	✓
<ol style="list-style-type: none"> 1. Refer to Supported Endpoint Operating Systems on page 21 for a complete list of operating system versions. 2. Refer to Supported Endpoint Module Operating Systems on page 31 for a list of module abbreviation definitions. 								

Linux, UNIX, and Mac Supported Modules

Ivanti offers a version of the agent for Linux, UNIX, and Mac that provides Patch and Remediation functionality.

Patch Agent for Linux, UNIX, and Mac supports functionality for the Patch and Remediation module and *only* the Patch and Remediation module. All other Ivanti Endpoint Security modules are not supported for these platforms.

Chapter

3

Recommended Configurations

In this chapter:

- Ivanti Endpoint Security Server Components
- Combined Ivanti Endpoint Security Application and Database Server
- Separated Ivanti Endpoint Security Application and Database Servers
- Recommended Server Configuration Information

Ivanti recommends different hardware and software requirements customized for your Ivanti Endpoint Security network setup.

Server Configuration Considerations

Ivanti Endpoint Security requires two main components to function:

- **Ivanti Endpoint Security Application Server:** This server is responsible for Web site, replication services, and endpoint distribution services.
- **Ivanti Endpoint Security Database Server:** This server is responsible for SQL database and stored procedures.

These servers can be installed on a single server, or on two, separate servers.

- **Combined Application and Database Server:** In configurations where the Ivanti Endpoint Security application and database are installed on the same server, the server requires both high processing power and disk speed, as it performs both application and database functions.

[Combined Ivanti Endpoint Security Application and Database Server](#) on page 16

- **Separate Application and Database Servers:** In configurations where the Ivanti Endpoint Security application and database are installed on separate servers, the server requirements are different. Although processing and software requirements on both servers remain the same, the database requires increased HDD specifications, as it executes disk-intensive functions.

[Separated Ivanti Endpoint Security Application and Database Servers](#) on page 17

Endpoint Scaling Considerations

Regardless of your Ivanti Endpoint Security application and database configuration, your server (or servers) require increasingly high-end hardware and software to offset increased load from endpoints. Use better hardware in environments with a high endpoint count.

Additional Considerations

- For additional information about the physical memory limits for Windows releases, refer to [Memory Limits for Windows Releases](http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778(v=vs.85).aspx) ([http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778\(v=vs.85\).aspx](http://msdn.microsoft.com/en-us/library/windows/desktop/aa366778(v=vs.85).aspx)).
- For additional information about moving SQL Server databases, refer to [Move System Databases](http://msdn.microsoft.com/en-us/library/ms345408.aspx) (<http://msdn.microsoft.com/en-us/library/ms345408.aspx>).
- For additional information about Microsoft's top ten best practices for storage, refer to [Storage Top Ten Best Practices](http://technet.microsoft.com/en-us/library/cc966534.aspx) (<http://technet.microsoft.com/en-us/library/cc966534.aspx>).

Ivanti Endpoint Security Server Components

The Ivanti Endpoint Security server contains the following components: the Ivanti Endpoint Security Application Server and the Ivanti Endpoint Security Database Server.

These components may share a physical server or operate on separate physical servers.

The following list describes each server component.

Ivanti Endpoint Security Application Server	This server is responsible for Web site, replication services, and endpoint distribution services.
Ivanti Endpoint Security Database Server	This server is responsible for SQL database and stored procedures.

Combined Ivanti Endpoint Security Application and Database Server

For optimal performance, the hardware and software supporting Ivanti Endpoint Security should be scaled to your endpoint count.

The following table lists the recommended hardware and software for you Ivanti Endpoint Security network.

Note: Installation on a physical server is assumed. If installing to virtual environment, refer to Ivanti Community Article 58253 ([Lumension products installed on virtual machines](#)).

Combined Server Recommended Configuration

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64
	Database Server	SQL 2019	SQL 2019	SQL 2019	SQL 2019	SQL 2019
	Database Server Edition	Standard ²	Standard	Standard	Standard	Enterprise
	Database Server Architecture	x64	x64	x64	x64	x64
Hardware	Core Architecture ³	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ⁴	4	4	8	16	32
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s
	Disk Array ⁵	RAID 1	RAID 1	Multiple RAID	Multiple RAID	Multiple RAID
	# Hard Drives	2	2	4	6	8
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	15k/SSD
	Hard Drive Volume Breakdown					
	OS/Data	250GB	500GB	N/A	N/A	N/A
	OS	N/A	N/A	RAID 1 - 250GB	RAID 1 - 250GB	RAID 1 - 250GB
	Data	N/A	N/A	RAID 1 - 500GB	RAID 1/ SSD - 1TB	RAID 10/ SSD - 1TB
	Temp DB	N/A	N/A	N/A	RAID 0 - 250GB	SSD - 240GB

Endpoint Count	< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. Evaluation customers should use Express edition with Advanced Services. 3. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 4. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 5. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 					

Separated Ivanti Endpoint Security Application and Database Servers

When the Application Server and Database Server are installed on two physical servers, then each servers recommended hardware requirements will increase according to the number of managed endpoints in your network.

Review the following information when the components are installed on separate servers.

Note: Installation on a physical server is assumed. If installing to virtual environment, refer to Ivanti Community Article 58253 ([Lumension products installed on virtual machines](#)).

Recommended Application Server Configuration

The following table lists the recommended configuration for the Application Server.

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64
Application Server Hardware	Core Architecture ²	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ³	4	4	8	16	16
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
	Disk Array ⁴	RAID 1	RAID 1	RAID 1/SSD	RAID 1/SSD	RAID 1/SSD
	# Hard Drives	2	2	2	2	2
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	10k/SSD
	Hard Drive Volume Breakdown					
	OS/Data (GB)	250	500	500	500	500
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 3. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 4. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 						

Recommended SQL Server Configuration

The following table lists the recommended configuration for the Database Server.

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
Software	Operating System	Windows 2019	Windows 2019	Windows 2019	Windows 2019	Windows 2019
	Operating System Edition	Standard	Standard	Standard	Standard	Standard
	Operating System Architecture	x64	x64	x64	x64	x64
	Database Server	SQL 2019	SQL 2019	SQL 2019	SQL 2019	SQL 2019
	Database Server Architecture	x64	x64	x64	x64	x64
	Database Server Edition	Standard ²	Standard	Standard	Standard	Enterprise
SQL Server Hardware	Core Architecture ³	2	2	4	8	16
	Core Speed (GHz)	2.0+	2.0+	2.0+	2.0+	2.0+
	RAM (GB) ⁴	4	4	8	16	32
	Network (LAN)	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s	1 Gb/s

Endpoint Count		< 50	< 500	< 1,000	< 5,000	< 10,000 ¹
	Disk Array ⁵	RAID 1	RAID 1	Multiple RAID	Multiple RAID	Multiple RAID
	# Hard Drives	2	2	4	6	8
	Drive Speed (RPM)	7200	7200	10k/SSD	10k/SSD	15k/SSD
	Hard Drive Volume Breakdown					
	OS/Data (GB)	250	500	N/A	N/A	N/A
	OS (GB)	N/A	N/A	RAID 1 - 250	RAID 1 - 250	RAID 1 - 250
	Data	N/A	N/A	RAID 1 - 500GB	RAID 1/SSD - 1TB	RAID 10/SSD - 1TB
	Temp DB (GB)	N/A	N/A	N/A	RAID 0 - 250	SSD - 240
<ol style="list-style-type: none"> 1. If you are managing 10000+ endpoints, contact Ivanti Support (https://community.ivanti.com/community/contact-support) for a recommended configuration. 2. Evaluation customers should use Express edition with Advanced Services. 3. A Sandy Bridge Xeon+ or AMD equivalent is recommended. On virtualized servers, 2x the assigned cores is recommended. 4. On virtualized servers, 2x RAM is recommended for networks supporting 1000+ endpoints. 5. Due to performance issues, do not use RAID 5 configurations. Replace the disk array with a shared SAN, an enterprise-class SSD, or another enterprise storage solution. <ul style="list-style-type: none"> • 1000 IOPS minimum sustained performance is recommended. • A dedicated array or LUN is recommended. 						

Recommended Server Configuration Information

Additional server configuration may be needed for physical memory limits, SQL Server system databases, and storage practices.

- For additional information about the physical memory limits for Windows releases, refer to [Memory Limits for Windows Releases](http://msdn.microsoft.com/en-us/library/aa366778(VS.85).aspx#physical_memory_limits_windows_server_2003) ([http://msdn.microsoft.com/en-us/library/aa366778\(VS.85\).aspx#physical_memory_limits_windows_server_2003](http://msdn.microsoft.com/en-us/library/aa366778(VS.85).aspx#physical_memory_limits_windows_server_2003)).
- For additional information about moving SQL Server system databases, refer to [Moving System Databases](http://msdn.microsoft.com/en-us/library/ms345408(v=SQL.100).aspx) ([http://msdn.microsoft.com/en-us/library/ms345408\(v=SQL.100\).aspx](http://msdn.microsoft.com/en-us/library/ms345408(v=SQL.100).aspx)).
- For additional information about Microsoft's top ten best practices for storage, refer to [Storage Top Ten Best Practices](http://technet.microsoft.com/en-us/library/cc966534.aspx) (<http://technet.microsoft.com/en-us/library/cc966534.aspx>).