



Pulse Policy Secure Supported Platforms Guide

9.1R13.1

Build - 7015

Copyright Notice

This document is provided strictly as a guide. No guarantees can be provided or expected. This document contains the confidential information and/or proprietary property of Ivanti, Inc. and its affiliates (referred to collectively as "Ivanti") and may not be disclosed or copied without prior written consent of Ivanti.

Ivanti retains the right to make changes to this document or related product specifications and descriptions, at any time, without notice. Ivanti makes no warranty for the use of this document and assumes no responsibility for any errors that can appear in the document nor does it make a commitment to update the information contained herein. For the most current product information, please visit www.lvanti.com.

Copyright © 2021, Ivanti. All rights reserved.

Protected by patents, see <https://www.ivanti.com/patents>.

Contents

Introduction	4
Revision History	5
Hardware	6
Administrator Web User Interface	7
Pulse Secure Client Software	9
Third-Party Wireless LAN Controller	10
Third-Party 802.1X Supplicants	12
Agentless Access (Browsers)	14
Agentless Access (Java-Based)	18
Host Checker	19
Platform Support for Device Onboarding	22
Platform Support for AAA	23
MDM Solutions	25
802.1X Authenticators in Layer 2 Network Access Control Deployments	26
Endpoint Security Assessment Plug-in (ESAP) Compatibility	27
Infranet Enforcers in Layer 3 Resource Policy Deployments	28
Admission/Identity Control	29
TACACS+	31
HTTP Attribute Server	32
Behavioral Analytics	33
IF-MAP Compatibility	34
Policy Enforcement Using SNMP	35
Profiling using Network Infrastructure Device collector	36
Agentless Host Checker with Profiler	37
General Notes	37
Documentation	37
Technical Support	38

Introduction

This document describes the client environments and IT infrastructure that are compatible with this release.

In this document, we identify compatibility testing for this release with the following terminology:

- Qualified (Q)–Indicates that the item was systematically tested by QA for this release.
- Compatible (C)–Indicates that the item was not tested for this release, but based on testing done for previous releases, we support it.

Pulse Secure supports all items listed as qualified or compatible.

Revision History

Table lists the revision history for this document.

Revision	Description
December 2021	PPS Release 9.1R13.1 updates
October 2021	PPS Release 9.1R13 updates
August 2021	PPS Release 9.1R12 updates
February 2021	PPS Release 9.1R11 updates
December 2020	PPS Release 9.1R10 updates
October 2020	PPS Release 9.1R9 updates
July 2020	PPS Release 9.1R8 updates
June, 2020	PPS Release 9.1R7 updates
April 6, 2020	PPS Release 9.1R5 updates
January 2020	
September 2019	PPS Release 9.1R3.1 updates
September 2019	PPS Release 9.1R3 updates
July 2019	PPS Release 9.1R2 updates
May 2019	Added Juniper switch model as qualified for Policy Enforcement using SNMP (ACL based)
April 2019	PPS Release Notes 9.1R1 updates

Hardware

You can install and use Release software on the following platforms.

- PSA300
- PSA3000
- PSA5000
- PSA7000f
- PSA7000c
- Virtual Appliances (PSA-V) on ESXi, OpenStack KVM and Hyper-V, Microsoft Azure, Amazon Web Services (AWS).

Administrator Web User Interface

Table lists supported platforms for the administrator user interface.

Operating System	Browsers/Java	Qualified	Compatible
Windows			
Windows 11, 21H2 (22000) Enterprise 32-bit and 64-bit	Firefox 78.14 Google Chrome 96 Edge 96	Q	
Windows 10, 21H2 (19044) Enterprise 32-bit and 64-bit	Firefox 78.14 Google Chrome 96 Internet Explorer 11/Edge 96	Q	
Windows 10, 21H1 (19043) Windows 10, 20H2 (19042) Windows 8.1 Enterprise, 64-bit	Firefox 78 ESR Google Chrome 92 Internet Explorer 11/Edge 91	Q	
Windows 10, Redstone 5 (1909), 64-bit Windows 10, Redstone 4, 64-bit Windows 10, Redstone 3 (1709) Enterprise, 64-bit Windows 10, Redstone 2 (1703) Enterprise, 64-bit Windows 8.1 Enterprise, 64-bit	Internet Explorer 11/Edge Browser Firefox 52 ESR Microsoft Chromium	Q	
Windows 8.1 Professional, 64-bit	Internet Explorer 7.0 Google Chrome		C

Operating System	Browsers/Java	Qualified	Compatible
Windows 8 basic edition / Enterprise / Professional, 32-bit or 64-bit Windows Vista Enterprise / Ultimate / Business / Home-Basic / Home-Premium, 32-bit or 64-bit	Firefox 3.0 and later		
Mac			
Mac OSX 12 .0 (Monterey)	Safari 15.1 Google Chrome 96.0	Q	
Mac OSX 11.6 (Big Sur) Mac OSX 11.5 (M1/Intel) Mac OSX 10.15.7, 64-bit	Safari 15.0 Safari 14.1 Google Chrome 96.0 Google Chrome 94.0 Firefox 94.02	Q	
Mac OSX 11.0.1 Mac OSX 10.15.6, 64-bit Mac OSX 10.15.5, 64-bit Mac OSX 10.15.2, 64-bit Mac OSX 10.14.6, 64-bit Mac OS X 10.14.5, 64-bit Mac OS X 10.13, 64-bit Mac OS X 10.12, 64-bit Mac OS X 10.11, 64-bit Mac OS X 10.11, 64-bit	Safari 13.0.5 Safari 12 Safari 11.1 Safari 11.0 Safari 10.0 Safari 9.0 Safari 8.0 Safari 7.0 Safari 5.1 Microsoft Chromium		C

Operating System	Browsers/Java	Qualified	Compatible
Mac OS X 10.10, 64-bit			
Mac OS X 10.9, 64-bit			
Mac OS X 10.8, 64-bit			

Pulse Secure Client Software

For a list of supported platforms for the Pulse Secure desktop client, please consult the Pulse Secure Desktop Client Supported Platforms Guide, which can be found [here](#).

802.1x is not supported with Mac OSX Pulse Client.

Third-Party Wireless LAN Controller

lists platform requirements for third-party wireless LAN Controller.

Platform	Environment	Qualified	Compatible
Cisco			
	Cisco WLC - Model 2500 8.5.135.0 Cisco 2500 WLC [version 8.0.140.0] AIR-CAP702I [version is 15.2(4) JB6] Cisco catalyst 3850 [Cisco IOS Software, IOS-XE Software, Catalyst L3 Switch Software (CAT3K_CAA-UNIVERSALK9-M), Version 03.07.00E] AIR-CAP702I (version is 15.3(3) JNB)	Q	
	Cisco 5500 Series WLC Cisco 7500 Series WLC Cisco 8500 Series WLC		C
Aruba			
	Aruba 650 WLC [Aruba OS 6.1.3.6], AP-105 [ArubaOS Version 6.1.3.6] Aruba 3400 WLC [Aruba OS 6.4.4.6], AP-205 [ArubaOS Version 6.4.2.4] Aruba Instant Access Point 205 AP-205 [6.4.2.3-4.1.1.3]	Q	
	Aruba 600 Series WLC Aruba 3200 Series WLC Aruba 3600 Series WLC		C

Platform	Environment	Qualified	Compatible
	Aruba Instant Access Point 200 Series		
Ruckus			
	Zone Director 1200 Series WLC [9.9.0.0.216] Virtual SmartZone – High Scale [3.2.0.0.790] Access Points (Zone flex R500 & Zone flex R310)	Q	
Cisco Meraki	Model: MR 42 Firmware version: MR 25.13	Q	
Huawei	V200R011C10SPC500	Q	
Juniper Mist	AP Model: AP41 Version: 0.5.17122	Q	

Third-Party 802.1X Supplicants

The following table lists platform requirements for third-party 802.1X supplicants.

Platform	Environment	Qualified	Compatible
Windows			
	Windows 11, 21H2 (22000) Windows 10, 21H2 (19044)	Q	
	Windows 10, 21H1 (19043) Windows 10, 20H2 (19042) Windows 10, 2004 Windows 8.1 Enterprise, 64-bit	Q	
	Windows 10, Redstone 5 (1909), 64-bit Windows 10, Redstone 3 (1709) Enterprise, 64-bit Windows 10, Redstone 2 (1703) Enterprise, 64-bit Windows 10, Redstone 1 (1607) Enterprise, 64-bit Windows 8 basic edition / Professional / Enterprise, 32-bit or 64-bit Windows Vista Ultimate / Business / Home-Basic / Home-Premium with SP 2, 32-bit or 64-bit		C
Mac	Mac OSX 12 (Monterey) Mac OSX 11.6 (Big Sur) Mac OSX 11.5 (M1/Intel)	Q	

Platform	Environment	Qualified	Compatible
	Mac OSX 10.15.7, 64-bit		
	Mac OSX 11.0.1, 64-bit Mac OS X 10.15.6, 64-bit Mac OSX 10.15.5, 64-bit Mac OS X 10.15.3, 64-bit Mac OS X 10.14, 64-bit Mac OS X 10.13, 64-bit Mac OS X 10.12, 64-bit		C
Google Android			
	Android 9.0	Q	
	Android 8.1, 8.0		C
Apple iOS			
	iOS 13.1.2	Q	
	iOS 12.1, 11.2.6, 10, 9.0, 8.0		

Agentless Access (Browsers)

lists desktop platform requirements for the agentless access using browsers.

Operating System	Browsers/Java	Qualified	Compatible
Windows			
Windows 11, 21H2 (22000)	Google Chrome 96 Firefox 78.14 Microsoft Edge 96	Q	
Windows 10, 21H2 (19044)	Google Chrome 96 Firefox 78.14 Microsoft Edge 96 Internet Explorer 11	Q	
Windows 10, 21H1 (19043) Windows 10, 20H2 (19042) Windows 8.1 Enterprise, 64-bit	Firefox 78 ESR Google Chrome 92 Oracle JRE 8 Microsoft Edge 91	Q	
Windows 10, 2004 Windows 10, Redstone 5 (1909), 64-bit Windows 10, Redstone 3 (1709) Enterprise, 64-bit Windows 10, Redstone 2 (1703) Enterprise, 64-bit	Internet Explorer 11/Edge Browser Firefox 68 ESR Google Chrome Oracle JRE 8		C
Windows 10, Redstone 1 (1607) Enterprise, 64-bit	Internet Explorer 11/Edge Browser		C

Operating System	Browsers/Java	Qualified	Compatible
	Firefox 60 ESR Firefox 52 ESR Google Chrome Oracle JRE 8		
Windows 8.1 Professional, 64-bit Windows 8 basic edition / Enterprise / Professional, 32-bit or 64-bit Windows Vista Ultimate / Business / Home-Basic / Home- Premium with SP 2, 32-bit, or 64-bit platforms	Internet Explorer 11 Internet Explorer 10 Internet Explorer 9.0 Internet Explorer 8.0 Internet Explorer 7.0 Firefox 3.0 and later Google Chrome Oracle JRE 6 and later		C
Mac			
Mac OSX 12 .0. (Monterey)	Safari 15.1 Google Chrome 96	Q	
Mac OSX 11.6 (Big Sur)	Safari 15.0 Google Chrome 96 Firefox 94.02	Q	
Mac OSX 11.5 (M1/Intel) Mac OSX 10.15.7, 64-bit	Safari 14.1 Google Chrome 94	Q	
Mac OSX 11.0.1, 64-bit Mac OSX 10.15.5, 64-bit	Safari 13.0.4 Safari 11.1.1		C

Operating System	Browsers/Java	Qualified	Compatible
Mac OS X 10.14.6, 64-bit Mac OS X 10.13, 64-bit Mac OS X 10.12, 64-bit	Google Chrome		
Linux			
Ubuntu 18.04 Ubuntu 14.x openSUSE 12.1	Firefox ESR Oracle JRE 8		C
openSUSE 10.x and 11.x Ubuntu 9.10, 10.x, and 11.x Red Hat Enterprise Linux 5	Firefox 3.0 and later Google Chrome Oracle JRE 6 and later		C
Solaris			
Solaris 10, 32-bit	Firefox ESR		C
Solaris 10, 32-bit	Mozilla 2.0 and later		C

Table lists requirements for the smart mobile devices that can gain agentless access to the network using the Web browsers indicated.

Device/Operating System	Browsers/Java	Qualified	Compatible
Apple 13.1.2	Safari	Q	
Apple iOS 12.1.1, 11.4.1	Safari		C
Apple iOS 12	Safari		C
Google Android			
Android 9.0	Android native browser	Q	
Android 8.0			C

Device/Operating System	Browsers/Java	Qualified	Compatible
Android smart phones with Android 4.4 and later	Android native browser		C

Agentless Access (Java-Based)

Table lists platform requirements for the agentless access that is Java-based.

Operating System	Browsers/Java	Qualified	Compatible
Linux			
openSUSE 12.1, 32-bit Ubuntu 18.x, 32-bit Ubuntu 14.x, 32-bit	Firefox ESR Oracle JRE 8 Iced Tea		C
openSUSE 11.x and 10.x Ubuntu 11.x, 10.x, and 9.10 Red Hat Enterprise Linux 5	Firefox 3.0 and later Oracle JRE 6 and later		C
Solaris OS 12	Firefox ESR		C

Host Checker

Table lists the HC support on different platforms.

Operating System	Browsers/Security Products	Qualified	Compatible
Windows			
Windows 11, 21H2 (22000)	Google Chrome 96 Firefox 78.14 Microsoft Edge 96	Q	
Windows 10, 21H2 (19044)	Google Chrome 96 Firefox 78.14 Microsoft Edge 96 Internet Explorer 11	Q	
Windows 10, 21H1 (19043) Windows 10, 20H2 (19042)	Firefox 78 ESR Google Chrome 92 Oracle JRE 8 Internet Explorer 11, Microsoft Edge 91	Q	
Windows 10, 2004, 64-bit Windows 10, Redstone 5 (1909), 64-bit Windows-10 Redstone 4 OS Build 1803 Version 10.0.17134, 64-bit	Google Chrome 74, Firefox ESR, Oracle JRE 8 update 144		C
Windows 10 Enterprise/Pro/Home	Internet Explorer 11, Edge Google Chrome 74 Firefox 60 ESR, Oracle JRE 8		C

Operating System	Browsers/Security Products	Qualified	Compatible
Windows 8.1 Update/ Professional / Enterprise, 64-bit	Internet Explorer 11, Google Chrome 83 and Firefox 68 ESR, Oracle JRE 8	Q	
Windows 8.1 Update/ Professional / Enterprise, 32-bit	Internet Explorer 11, Google Chrome 74 and Firefox 60 ESR, Oracle JRE 8		C
Windows 8 Basic edition / Professional/ Enterprise, 32-bit & 64-bit	Internet Explorer 10, Google Chrome 74 and Firefox 60 ESR, Oracle JRE 7 and later		C
Mac OSX			
Mac OS (Monterey)		Q	
Mac OSX 11.5 (M1/Intel) Mac OSX 10.15.7, 64-bit	Safari 14.1, Google Chrome 92	Q	
Mac OSX 11.1, 64-bit Mac OSX 11.0.1, 64-bit Mac OSX 10.15.6, 64-bit Mac OS X 10.14.6, 64-bit Mac OS Mojave Version 10.14.5	Safari 13.0.4, Google Chrome 83 Safari 13, Google Chrome 83		C
Mac OS High Sierra Version 10.13	Safari 11.0, Google Chrome 75		C
Linux			
openSUSE 12.1	Firefox 38 ESR Firefox 52 ESR, 32-bit		C
openSUSE 11.x, 10.x	Oracle JRE 8		C
Ubuntu 16.04 LTS	Firefox 52, ESR, 64-bit		C

Operating System	Browsers/Security Products	Qualified	Compatible
Ubuntu 15.04	Firefox 52, ESR, 64-bit		C
Ubuntu 14.04 LTS	Firefox 52, ESR, 64-bit		C
Ubuntu 12.04 LTS, 11.x, 10.x, 9.10	Oracle JRE 7 and later		C
RHEL 5,7	Firefox 52 ESR, 32-bit, 64-bit		C
Fedora 23 (32 bit, 64 bit)	Firefox 52 ESR 32-bit, 64-bit		C
CentOS 6.4	Firefox 52, 32- bit, 64- bit		C

Platform Support for Device Onboarding

Table lists platform requirements for device onboarding features that are qualified with this release.

Operating System/Feature	Certificate	Wifi
iOS 13.1.2	Q	Q
iOS 12.1	C	C
*Android 9.0	Q	Q
*Android 8.0	C	C
Windows 10	Q	Q
Windows 8.1 Desktop	C	C
Mac OS X 10.14.6	Q	Q

Enterprise onboarding is not working on Android devices. See the [Release Notes](#) for more details.

Platform Support for AAA

Table lists platform requirements for third-party AAA servers that are compatible with this release.

Third-Party AAA Server	Qualified	Compatible
Active Directory	Windows Server 2019	Windows 2016 Windows 2012
LDAP using Active Directory	Windows Server 2019	Windows 2016 Windows 2012
LDAP using Novell eDirectory		Novell Client for Windows 2000 / XP Version 4.91 SP2
LDAP using Sun ONE iPlanet Server		Sun ONE Directory Server 5.2
LDAP with Greatbay Endpoint Profiler		Beacon 4.2.0_42
LDAP (other standards-compliant servers)	OpenLDAP 2.3.27	Authentication and authorization based on user attributes or group membership
RADIUS	Steel-Belted Radius (SBR) 6.1 RSA Authentication Manager 6.1 Defender 5.2 Windows IAS 2008	
RADIUS (other standards-compliant servers)		C
ACE	RSA Authentication Manager 7.1 SP4	

Third-Party AAA Server	Qualified	Compatible
	RSA Authentication Manager 6.1 RSA Authentication Manager 5.2	
Siteminder	CA Siteminder 12.0 SP3 CA Siteminder 6.0 SP4 CA Siteminder 5.5	
Certificate	Windows Server 2008 R2 Certificate Services RSA Keon Certificate Manager 6.5.1	
Certificate (other standards-compliant servers)		C
SQL	Oracle 11g Express Edition	C
MSSQL	SQL Server 2019	C
MYSQL	MYSQL 8.0	C
*SAML 2.0,1.1	Okta, Ping One, ADFS, PCS, Azure AD	Ping Federate

For information on the SAML SSO profiles, bindings, and protocols that are supported, see [here](#)

MDM Solutions

Table lists the requirements for integration with mobile device management (MDM) vendors.

Solution	Qualified	Compatible
AirWatch (Cloud service, Appliance OS, Virtual appliance OS)		C
MobileIron (Cloud service, Appliance OS, Virtual appliance OS)		C
Microsoft Intune		C (with AD user names only)

802.1X Authenticators in Layer 2 Network Access Control Deployments

Table lists the 802.1X authenticators that have been qualified with this release. 802.1X authenticators are Layer 2 Ethernet switches. In addition to the qualified platforms, other 802.1X standards-compliant Ethernet switches are compatible.

Platforms	Hardware Models	OS Version	Qualified	Compatible
EX Series	EX 8200 EX 6200 EX 4500 EX 4200	Junos OS 15.1R4, 17.0	Q	
Cisco Series	Cisco 2960 Cisco 3850 Cisco 3750 Cisco WLC 2500 Series Meraki MR 42	15.2(6) E2 16.9.1 12.2(55) SE11 8.5.135.0 MR 25.13	Q	
Huawei	Huawei S5720	5.170	Q	
HP Procurve	2920 series	WB.15.12.0015	Q	
Aruba	Aruba3400	6.4.4.6	Q	
Ruckus	Zone Director SmartZone	9.9.0.0 build 216 3.5.1.0.296	Q	
SRX Series	SRX 650 SRX VM	Junos 12.3X48-D30.7 Junos 15.1X49-D140.2	Q	

Platforms	Hardware Models	OS Version	Qualified	Compatible
SRX Series	SRX 3400	Junos OS 12.1X46-D35.1		C
	SRX 1400			
	SRX 240			
	SRX 220			
	SRX 210			
	SRX 100			
802.1X (other standards-compliant Ethernet switches)				C

Endpoint Security Assessment Plug-in (ESAP) Compatibility

The default version for ESAP is 3.4.8.

Infranet Enforcers in Layer 3 Resource Policy Deployments

Table lists Infranet Enforcers that have been qualified with this release. Infranet Enforcers are enforcement points in Layer 3 resource policy deployments. In addition to the qualified platforms, other Screen OS, SRX Series, and EX Series models are compatible, provided the firewall or switch model and software version supports integration with Pulse Policy Secure.

Platform	Hardware Models	Software Versions
Checkpoint Firewall	Virtual Appliance	R80.40
		R80.20
		R80.10
Palo Alto Network	Virtual Appliance	9.1.7
SRX Series	SRX 220	Junos OS 12.3X48-D30.7
	SRX 650	Junos OS 12.3X48-D70.3
*ScreenOS	SSG550 SSG20 ISG-1000	ScreenOS 6.3.0R21
FortiGate Firewall		V6.0.4 Build 0231

Admission/Identity Control

Table lists the IDP devices that are supported.

Hardware Models	Software Versions
Fortinet Fortigate Firewall	Fortinet Firewall: V6.4.1 Build 1637 Fortinet Firewall: v6.0.4 build0231 (GA) Fortinet Firewall: v6.0.2 build0163 (GA) Fortinet Firewall v5.6.2, build1486 (GA) Fortinet Firewall: v5.4.2, build1100 (GA)
Forti Authenticator	v6.0.0, build0010 (GA) v 5.5.0, build0366(GA) v5.2.1, build0161 (GA) v4.00-build0019-20151007-patch00
Forti Analyzer	v6.0.4-build0292 190109 (GA) v6.0.2-build0205 180813 (GA) v5.4.2-build1151 161213 (GA) v5.6.2-build1151 161213 (GA)
Palo Alto Networks Firewall	9.1.7
Juniper SDSN Solution	Junos SRX 15.1X49-D140.2 Junos Space 18.3
Nozomi Network SCADAguardian Device	20.0.2-04240901_A6A9C
Check Point	R80.10
McAfee ePO	5.10.0

Hardware Models	Software Versions
IBM QRadar	7.3.2

TACACS+

Table lists the switch models that are supported.

Hardware Models	Software Versions
Juniper Switch – Model EX 2200-48t-4g	15.1R4.6
F5 Load Balancer Build: 2,0.291	11.5.4
Arista Switch – Model DCS-7010T-48-R , Hardware version: 12.03	4.22.1FX-CLI
Cisco Switch - Model WS-C3650-24TS	16.06.05
Cisco Switch - Model WS-C3850-24T	16.9.1
Cisco Switch - Model WS-C2960X-24PD-L	15.2(6)E2
HP Procurve Switch - 2920 series	WB.16.02.0014
Cisco WLC - Model- 2500	8.5.135.0

HTTP Attribute Server

Table lists the switch models that are supported.

Hardware Models	Software Versions
Nozomi Networks	20.0.2-04240901_A6A9C
McAfee ePO	5.10.0

Behavioral Analytics

Table lists the switch models that are supported.

Hardware Models	Software Versions
Cisco 3850	03.06.08E
Cisco 2960	15.2(6)E1

IF-MAP Compatibility

Table lists the IF-MAP clients that are supported.

IF-MAP Client	Qualified	Compatible
Pulse Connect Secure	Q	
Pulse Policy Secure	Q	Older than 9.0R3

Policy Enforcement Using SNMP

Table lists the switches which are qualified for Policy Enforcement using SNMP.

Platform	Hardware Models	Software Version	Qualified
VLAN/ACL Based			
Cisco	2960 Series	15.0.(2)EX5	
	3750 Series	12.2(55)ES8	
HP	2920 Series	A3600-24	
HP 3Com	A3600-24 Series	Version 5.20.99, Release 2108P01	
Dell	N3024	6.3.3.10	
Juniper	EX4200	15.1R4.6	
Alcatel-Lucent Enterprise	OS6450-24	6.7.2.191.R04 GA	Q
Arista	12.03	4.22.1FX-CLI	Q
Huawei	S5720	5.170 (S5720 V200R011C10SPC500)	Q

Profiling using Network Infrastructure Device collector

Table lists the devices which are qualified for device profiling using Network Infrastructure Device Collector.

Platform	Hardware Models	Software Version	Qualified	Compatible
Cisco	2960 Series	15.2(2) E3	Q	
HP	2920 Series	WB.15.12.0015	Q	
Juniper	EX 2200 Series	12.3R12.4	Q	
Foundry	FESX424 Series	07.2.02		
Nortel	2526T Series	4.0.0.000		
D-Link	DES-3226S	4.01-B21		
Cisco WLC	2500 WLC	7.6.130.0	Q	
Aruba WLC	3400 WLC	6.4.2.4	Q	
Ruckus WLC	1200 WLC	9.9.0.0.216	Q	
Trapeze WLC				
FortiGate	100D		Q	
Palo Alto Networks Firewall	PA 3000	OS 9.1.7/OS 9.1.7 (VM)	Q	
Huawei	S5720		Q	
Viptela	NA	vEdge-1000 VM Viptela OS 18.4.4	Q	

Agentless Host Checker with Profiler

Table lists supported Windows platforms and Security Products for Agentless Host checking with Profiler.

 Applicable with ESAP version 3.3.5 and greater.

Operating System	Security Products (Antivirus / Firewall / Antispyware)	Qualified	Compatible
Windows 11/64-bit		Q	
Windows 11/32-bit		Q	
Windows 8/64-bit	McAfee Total Protection 16.x	Q	
Windows 8/64-bit	Symantec Endpoint Protection 14.x		C
Windows 10/64-bit	Symantec Endpoint Protection 14.x	Q	
Windows 10/64-bit	McAfee Total Protection 16.x		C
Windows 8/32-bit	Symantec Endpoint Protection 14.x McAfee Total Protection 16.x		C
Windows 10/32-bit	Symantec Endpoint Protection 14.x McAfee Total Protection 16.x		C
Windows 8 and later/64-Bit	Windows Defender 4.x	Q	

General Notes

For policy reasons, security issues are not normally mentioned in release notes. To find more information about our security advisories, please see our [security advisory page](#).

Documentation

Pulse Secure documentation is available at <https://www.ivanti.com/support/product-documentation>

Technical Support

When you need additional information or assistance, you can contact "Pulse Secure Global Support Center (PSGSC):

- <https://support.pulsesecure.net>
- support@pulsesecure.net

Call us at 1- 844-751-7629 (toll-free USA)

For more technical support resources, browse the support website <https://support.pulsesecure.net>