

Pulse Connect Secure: Release Notes

PCS 9.1R8.4 Build 12177

Default ESAP Version: ESAP 3.4.8

Product Release9.1R8.4PublishedApril 2021Document Version8.4.2

Pulse Secure, LLC 2700 Zanker Road, Suite 200 San Jose CA 95134

www.pulsesecure.net

© 2021 by Pulse Secure, LLC. All rights reserved.

Pulse Secure and the Pulse Secure logo are trademarks of Pulse Secure, LLC in the United States. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Pulse Secure, LLC assumes no responsibility for any inaccuracies in this document. Pulse Secure, LLC reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

Pulse Connect Secure: Release Notes

The information in this document is current as of the date on the title page.

END USER LICENSE AGREEMENT

The Pulse Secure product that is the subject of this technical documentation consists of (or is intended for use with) Pulse Secure software. Use of such software is subject to the terms and conditions of the End User License Agreement ("EULA") posted at http://www.pulsesecure.net/support/eula. By downloading, installing or using such software, you agree to the terms and conditions of that EULA.

Contents

| REVISION HISTORY |
|------------------|
| INTRODUCTION |
| NEW FEATURES9 |
| FIXED ISSUES |
| KNOWN ISSUES |
| DOCUMENTATION |

Revision History

Table 1 lists the revision history for this document.

| Document Revision | Date | Description |
|----------------------|----------------|--|
| 8.4.2 | April 2021 | Updated the Fixed Issues section > 9.1R8.4 list. |
| | | Updated the Known Issues section $> 9.1R8.4$ list. |
| 8.4.1 | November 2020 | Updated the Fixed Issues section > 9.1R8.2 list. |
| 8.4 | September 2020 | Initial Publication 9.1R8.2 |
| 8.3 | August 2020 | Initial Publication 9.1R8.1 |
| 8.2 | August 2020 | Updated the Known Issues section |
| 8.1 | July 2020 | Updated the Fixed Issues section > 9.1R7 and 9.1R8 list. |
| 8.0 | July 2020 | Initial Publication 9.1R8 |
| 7.0 | June 2020 | Initial Publication 9.1R7 |
| | | Updated Fixed Issues > 9.1R1 Release with PRS-368927 |
| 6.0 | May 2020 | Initial Publication 9.1R6 |
| 5.3 | April 2020 | Updated Known Issues section for 9.1R5 |
| 5.2 | April 2020 | Cosmetic change for 9.1R5 |
| 5.1 | April 2020 | Updated New Features section for 9.1R5 |
| 5.0 | April 2020 | Initial Publication 9.1R5 |
| 4.3 | April 2020 | Initial Publication 9.1R4.3 |
| 4.2 | March 2020 | Initial Publication 9.1R4.2 |
| 4.1 | February 2020 | Initial Publication 9.1R4.1 |
| 4.0 | January 2020 | Initial Publication 9.1R4 |
| 3.1 | October 2019 | Updated Known Issues section for 9.1R3 |
| 3.0 | October 2019 | Initial Publication 9.1R3 |
| 2.0 | July 2019 | Initial Publication 9.1R2 |
| 1.0 | May 2019 | Initial Publication 9.1R1 |

Introduction

This document is the release notes for Pulse Connect Secure Release 9.1R8.2. This document contains information about what is included in this software release: supported features, feature changes, unsupported features, and known issues. If the information in the release notes differs from the information found in the documentation set, follow the release notes.

Hardware Platforms

You can install and use this software version on the following hardware platforms:

PSA300, PSA3000, PSA5000, PSA7000f, PSA7000c

To download software for these hardware platforms, go to: https://support.pulsesecure.net/

Virtual Appliance Editions

This software version is available for the following virtual appliance editions:

• Virtual Pulse Secure Appliance (PSA-V)

Note: From 9.1R1 release onwards, VA-DTE is not supported.

Note: From 9.0R1 release, Pulse Secure has begun the End-of-Life (EOL) process for the VA-SPE virtual appliance. In its place, Pulse Secure has launched the new PSA-V series of virtual appliances designed for use in the data center or with cloud services such as Microsoft Azure, Amazon AWS, OpenStack Fabric and Alibaba Cloud.

The following table lists the virtual appliance systems qualified with this release

| Platform | Qualified System | |
|----------|--|--|
| VMware | HP ProLiant DL380 G5 with Intel(R) Xeon(R) CPU ESXi 6.7 Update 2c | |
| KVM | CentOS 6.6 with Kernel cst-kvm 2.6.32-504.el6.x86_64 QEMU/KVM v1.4.0 Linux Server Release 6.4 on an Intel Xeon CPU L5640 @ 2.27GHz 24GB memory in host Allocation for virtual appliance: 4vCPU, 4GB memory and 40GB disk space | |
| Hyper-V | Microsoft Hyper-V Server 2016 and 2019 | |
| Azure-V | Standard DS2 V2 (2 Core, 2 NICs) Standard DS3 V2 (4 Core, 3 NICs) Standard DS4 V2 (8 Core, 3 NICs) | |
| AWS-V | T2.Medium (2 Core, 3 NICs and 2 NICs) T2.Xlarge (4 Core, 3 NICs) T2.2Xlarge (8 Core, 3 NICs) | |

| Platform | Qualified System |
|---------------|---------------------------------------|
| Alibaba Cloud | ecs.g6.2xlarge (8 vCPU, 32GB, 2 NICs) |

To download the virtual appliance software, go to: https://support.pulsesecure.net/

VMware Applications

The following table lists the VMware applications qualified.

| Platform | Qualified |
|--|--------------|
| VMware | |
| VMware Horizon View Connection Server version 7.12 | Rewriter |
| VMware Horizon Agent version 7.12 | VDI Profiles |
| VMWare Horizon View HTML Access version 5.4 | VDI Profiles |
| VMWare Horizon View Client version 5.4 | VDI Profiles |

Upgrade Paths

The following table describes the tested upgrade paths. Please note that here x and y refer to the following:

x: Latest maintenance release version

| Upgrade From | Qualified | Compatible |
|--------------|-----------|------------|
| 9.1Rx | Yes | - |
| 9.1Ry | - | Yes |
| 9.0Rx | Yes | - |
| 9.0Ry | - | Yes |
| 8.3Rx | Yes | - |
| 8.3Ry | - | Yes |

For versions prior to 8.3, first upgrade to release 8.3Rx | 8.3Ry, then to 9.0Rx | 9.0Ry, and then upgrade to 9.1R8.2.

Note: If your system is running beta software, roll back to your previously installed official software release before you upgrade to 9.1R8.2. This practice ensures the rollback version is a release suitable for production.

Note: : On a PCS/PPS virtual appliance, we highly recommend to freshly deploy a PSA-V from 8.3Rx based OVF, when any of the following conditions are met:

• If the disk utilization goes beyond 85%.

- If an admin receives iveDiskNearlyFull SNMP Trap.
- If the factory reset version on the PSA-V is 7.x|8.0.

Upgrade Scenario Specific to Virtual Appliances

PSA-Vs cannot be upgraded to 9.1R8.2 without a core license installed. Follow these steps to upgrade to 9.1R8.2:

- 1. If PSA-V is running 8.3Rx:
 - a. Upgrade to 9.0Rx.
 - b. Install Core license through Authcode.
 - c. Upgrade to 9.1R8.2.
- 2. If PSA-V is running 9.0Rx or later:
 - d. Install Core license through Authcode.
 - e. Upgrade to 9.1R8.2.

For more details, see the ""Noteworthy Information in 9.1R4.3 Release"" section.

General notes

- 1. For policy reasons security issues are not normally mentioned in release notes. To find more information about our security advisories, please see our **security advisory page**.
- 2. In 8.2R1.1 and above, all PCS client access binaries (Network Connect, WSAM, Host Checker, JSAM, Windows Terminal Services, Citrix Terminal Services) are signed with a SHA2 code signing certificate to improve security and ensure compatibility with Microsoft OS's 2016 restrictions on SHA1 code signing. This certificate will expire on April 12, 2021. For details, refer to KB articles KB14058 and KB43834.
- Important note: Windows 7 machines must contain a March 10, 2015 Windows 7 Update in order to be able to accept and verify SHA2-signed binaries properly. This Windows 7 update is described here and here. If this update is not installed, PCS 8.2R1.1 and later will have reduced functionality (see PRS-337311 below). (As a general rule, Pulse Secure, LLC recommends that client machines be kept current with the latest OS updates to maximize security and stability).
- 4. When custom ciphers are selected, there is a possibility that some ciphers are not supported by the web browser. If any ECDH/ECDSA ciphers are selected, they require ECC certificate to be mapped to the internal/external interface. If an ECC certificate is not installed and mapped to the internal and external ports (if enabled), administrators may not be able to login to the appliance. The only way to recover from this situation is to connect to the system console and select option 8 to reset the SSL settings. Option 8 resets the SSL setting to factory default. Any customization is lost and will need to be reconfigured. This is applicable only to Inbound SSL settings.
- 5. Pre-5.0 Android and pre-9.1 iOS devices don't support Suite B ciphers. If Suite B is enabled, Pulse client on pre-5.0 Android and pre-9.1 iOS devices will not be able to connect to PCS device.
- 6. Minimum ESAP version supported on 9.1R8 is 3.2.8 and later.

Note: From 9.1R2 release onwards, Network Connect (NC) client and legacy Windows Secure Application Manager (WSAM) client are not supported.

Note: From 9.1R1 release onwards, Active Directory Legacy Mode configuration is not supported. If you have an existing Active Directory authentication server using Legacy Mode, first migrate to Standard Mode and then upgrade PCS. For the detailed migration procedure, refer KB40430.

Noteworthy Information in 9.1R8 Release

For 9.1R8, Pulse Collaboration Client is packaged using PCS 9.1R7 build.

Noteworthy Information in 9.1R4.3 Release

- 1. In 9.1Rx OVF a critical issue was observed. The 9.1R4.3 release addresses this issue.
- 2. On some of the installations, it was observed that a few read-only files were being overwritten. Customers are experiencing HTTP 500 response for some of the admin requests. The 9.1R4.3 release addresses this issue.
- 3. Upgrade works only if VA is deployed with 8.3 OVF onwards. If VA is deployed with pre 8.3 OVF, upgrade to this image will not work.
- 4. Refer to KB44408 for the recommendations / best practices to deploy Virtual Appliance and the logs needed for analysis/troubleshooting.

New Features

The following table describes the major features that are introduced in the corresponding release.

| Feature | Description |
|--|--|
| Release 9.1R8.4 Featu | res |
| No new features added | in this release. |
| Release 9.1R8.2 Featu | res |
| No new features added | in this release. |
| Release 9.1R8.1 Featu | res |
| No new features added | in this release. |
| Release 9.1R8 Feature | S |
| UEBA package for fresh installation of PCS/PPS | In case you have a fresh installation of PCS/PPS, you may download latest UEBA package from Pulse Secure Support Site (my.pulsesecure.net) and add the package at Behavior Analysis page before using Adaptive Authentication or Geolocation based Conditional Access. |
| Show users by access type | Apart from showing the number of concurrent user sessions, PCS Dashboard now shows the L4 access type (PSAM) and Clientless access type (Browser) logins as non-tunnel users. |
| PCS Protection from Overload | This feature disallows user login, user login via Pulse Desktop, HTML5 connection or connection to a web resource when the CPU load is above a certain threshold. By default, this option is disabled for PCS upgrades and enabled for new installation. |
| Reset/Unlock TOTP user through REST API | This release provides REST API to Reset/Unlock a user under a TOTP server. |
| New license SKUs for PCS/PPS | In this release, added around 120 new license SKUs for PCS/PPS. |
| Support for pool of NTF servers and NTP status check | PCS now supports pool of NTP servers up to 4 NTP servers to sync date and time. |

Release 9.1R7 Features

| Feature | Description |
|--|--|
| Automatic enable/ disable ICE license | This release provides automatic management of ICE license. PCS enables ICE license when the logged in users count crosses the maximum licensed users count and disables ICE license when the logged in users count drops below the maximum licensed users count. |
| | As an example, If you installed 100 licensed user counts, when the 101th user logs in, ICE license gets automatically enabled. |
| Show current HTML5 RDP sessions in Dashboard | This release provides HTML5 sessions information in the dashboard and the trend graph that helps admin to view the CPU usage and take necessary action to provide better remote access experience for the users. |
| Support for srcset attribute in HTML | PCS provides support for the responsive images (in web applications) via rewriter by rewriting the srcset attribute value. The corresponding images would be fetched on client application based on screen size, resolutions and other features. |
| Enable/Disable FQDN ACL | FQDN ACL feature was enabled by default earlier even though there are no policies configured. A new admin configurable option to enable or disable FQDN ACL feature is added in 9.1R7 at System > Configuration > VPN tunneling. |

Release 9.1R6 Features

| Hyperlink to Host Checker Policies | In the User Realms > Authentication Policy > Host Checker page, the policy names now have hyperlinks. Click the link to view the policy configuration. |
|--|---|
| Hardware ID in the System Maintenance page | The System > Maintenance > Platform page displays Hardware ID along with the other platform details. |
| Serial number in the Licensing screen | The System > Configuration > Licensing page, displays Hardware Id and Serial number. |
| Enable/Disable option for ICE license | This release provides REST API to do the following on a Standalone/Cluster: enable/disable ICE license get the current status of ICE license. |

Release 9.1R5 Features

| Terraform template support for AWS and Azure | PCS can be deployed using Terraform templates on supported hypervisors and cloud platforms. |
|--|---|
| Location based Conditional Access | Conditional Access feature for Cloud Secure now provides a mechanism to enforce access control policies based on location parameters by defining policies for applications. |
| Password management for Open LDAP | LDAP based password management works with generic LDAP servers such as OpenLDAP. |
| Microsoft Intune MDM integration | In this release, the Pulse Secure device access management framework supports integration with Microsoft Intune. |
| HTML5 Sessions report | Active number of HTML5 sessions on PCS can be obtained using a REST API call to api/v1/ stats/active-html5-sessions. |

| Feature | Description |
|--|---|
| MSSP Reporting enhancements | It is now possible to extract any particular license client/cluster report through REST API. Enhancements include: |
| | Cluster-wise view in the license report. License report in JSON format through REST. Options to get cluster/client/period sub-section of the granular report through REST. |
| SSLDump for VLAN | In this release, SSLDump utility supports VLAN. Admins can use this tool for debugging / data collection purpose. |
| Edit default gateway configuration | In PCS hosted on a cloud environment, it is now possible to edit default gateway configuration from UI. |
| Host Checker feature enhancement | Host Checker policy to detect and allow hard disk in which encryption is in progress. |
| License server with Active-Active cluster | Administrators can: |
| | create license server with Active Active cluster on virtual/cloud and hardware platforms. lease all different type of licenses to license clients from any node of active-active cluster. surrender/recall licenses from any node of active-active cluster. |

Release 9.1R4.3 Features

No new features added for this release

Release 9.1R4.2 Features

No new features added for this release

Release 9.1R4.1 Features

No new features added for this release

Release 9.1R4 Features

PCS VA on Alibaba Cloud PCS now supports VA deployment on Alibaba Cloud.

Conditional Access Conditional Access feature for Cloud Secure provides a mechanism to enforce access control policies based on user and device parameters by defining policies for applications. Conditional Access policies are evaluated during application access time while roles are mapped to the session during the session creation time.

| Feature | Description |
|--|---|
| REST API enhancements | Enhancements include: |
| | Update to "Getting Active Sessions" Update to "Getting System Information" Added "Fetching the User Login Statistics" Added "Health Check Status" Added "VIP Failover" Added "Applying License" Added "Deleting License" Added "Getting License Clients" Added "Getting License Report from License Server" Added Profiler REST APIs |
| vTM and PCS Integration for Load Balancing | The Platform Limit, Maximum Licensed User Count and Cluster Name attribute values are available for optimal load balancing. |
| Support for Windows Redstone 6 | In 9.1R4 release, Windows Redstone 6 - version 1909 is qualified. |
| Support for SharePoint 2019 | In 9.1R4 release, SharePoint 2019 is qualified. |
| Support for VMware VDI 7.9, and 7.10 | In 9.1R4 release, VMware VDI versions 7.9 and 7.10 are qualified. |
| Support for Citrix Virtual Apps and Desktops 7 1909 | In 9.1R4 release, Citrix Virtual Apps and Desktops 7 1909 is qualified. |
| Protect passwords stored in local auth server using stronger hash | When a new local authentication server is created, now admin has a choice to store the password with strong hashing using pbkdf2. |
| Support license reporting per license | Licensing report is enhanced with usage statistics for each PCS instance - maximum user count per month per PCS/per MSSP. |
| client | MSSPs can now: |
| | generate accurate usage reports of their customers. make the structured report in XML format to enable for parsing and usage for dashboard. |
| Release 9.1R3 Features | |
| Consolidated system and troubleshooting logs | The various system logs and troubleshooting logs that help in investigating user access issues and system issues can be configured and accessed using the Log Selection page. |
| Connect to nearest available DC | The LDAP authentication configuration is enhanced in 9.1R3 to locate the nearest Microsoft domain controllers, which are spread across the globe, by resolving DNS SRV records. |

| Feature | Description |
|--|--|
| Zero touch provisioning | From 9.1R3 release, PCS can detect and assign DHCP networking settings automatically at the PCS VM boot up. In the script included in the PSA-V package, the PCS parameters should be set to null in order to fetch the networking configuration automatically from the DHCP server. |
| | Note: This feature is not supported on PSA hardware. |
| PCS hosted in OpenStack cloud | OpenStack is an open source cloud computing platform that allows deploying and managing a cloud infrastructure as an IaaS service. As part of this release, Pulse Secure supports deploying PCS KVM in OpenStack cloud. |
| VMware tools support | From 9.1R3 release, VMware support is qualified for VMware 10.3.10, ESXi 6.7 Update 2c. |
| Debug Log storage expansion | From 9.1R3 release, the maximum debug log size is increased to 1024 MB on hardware platforms. |
| Periodic iostat data collection | From 9.1R3 release, the "iostat" information is gathered periodically and made available as part of node monitoring in system snapshot. |
| Control copy/paste option for a user from an HTML5 session | 9.1R3 release provides option to the administrators as well as end-user to enable/disable copy/paste from HTML5 RDP sessions. This option will be available under User Roles as well as Admin Created Bookmarks". |
| Enhancements to Local Authentication Server default password | From 9.1R3 release, for a fresh installation, the valid password range defined is 0-999. Minimum length 10 and maximum length 128 are set as default values. |
| Restricting access to default resource policies | From 9.1R3 release, for a fresh installation, the following predefined resource policies are set to "Deny" state by default. |
| | Web Access Resource Policy "Initial Policy for Local Resources" Windows File Access Resource Policy "Initial File Browsing Policy" |
| | Note: The predefined policy for VPN Tunneling is not provided. |
| IKEv2 Fragmentation | IKEv2 packets can be larger than the MTU especially the IKE_AUTH packets which include the certificate chain. These larger IKE packets get fragmented in the intermediate devices. This feature implements fragmentation at IKE level and avoids IP fragmentation. |
| MSS value for TCP connections on Tun devices | Due to larger IPv6 header as compared to IPv4, if the MSS of the PCS external interface is not set appropriately, the packets would be dropped on the external interface. This feature enables to set MSS to a lower value so that TCP connections are not dropped for 6-in-4 cases or when there is NAT translation somewhere in the network before reaching PCS. |
| Release 9.1R2 Features | |
| SP-Initiated SAML SSO | Pulse Secure supports SP-initiated SAML SSO when PCS is configured as IdP in gateway mode. PCS uses the existing user session in generating SAML assertion for the user for SSO. |
| IDP initiated SAML Single Logout | This feature provides a single logout functionality wherein if a user gets logged out of a session from one application, PCS (configured as IdP) notifies all other connected applications of that user with Single Logout. |

| Feature | Description |
|---|--|
| Flag Duplicate Machine ID in access logs | Pulse client expects the machine ID is unique on each machine. If multiple endpoints have the same machine ID, for security reasons, the existing sessions with the same machine id are closed. |
| | A new access log message is added to flag the detection of a duplicate Machine ID in the following format: |
| | Message: Duplicate machine ID " <machine_id>" detected. Ending user session from IP address <ip_address>. Refer document KB25581 for details.</ip_address></machine_id> |
| Microsoft RDWeb HTML5 Access | The newly introduced Microsoft RDWeb resource profile controls access to the published desktops and applications based on HTML5. The Microsoft RDWeb templates significantly reduce the configuration time by consolidating configuration settings into one place and by pre-populating a variety of resource policy settings. |
| | Note: In the 9.1R2 release, Microsoft RDWeb HTML5 access does not support Single Sign On. SSO will be made available in the future release. |
| Backup configs and archived logs on AWS | Two new methods of archiving the configurations and archived logs are available now apart from SCP and FTP methods: |
| S3/Azure Storage | Pulse Connect Secure now supports pushing configurations and archived logs to the S3 bucket in the Amazon AWS deployment and to the Azure storage in the Microsoft Azure deployment. |
| V3 to V4 OPSWAT SDK migration | PCS supports the migration of servers and clients to OPSWAT v4 to take advantage of latest updates. |
| Report Max Used Licenses to HLS VLS | From 9.1R2 release, the licensing client (PCS) starts reporting maximum used sessions count instead of the maximum leased licenses count. For MSP customers, this change helps in billing the tenants based on maximum sessions used. |
| VA Partition Expansion | PCS/PPS supports upgrading from 8.2Rx to 9.1R2 for the following supported platforms: VMWare ESXi KVM Hyper-V When upgrading a VA-SPE running 8.2R5.1 or below that was deployed with an OVF template to a higher version, the upgrade was failing. This feature solves the upgrade problem for |
| Release 9.1R1 Features | VMWare, KVM and Hyper-V. Refer KB41049 for more details. |
| Software Defined Perimeter | Pulse Secure SDP uses PCS appliances which individually act as either an SDP controller or an SDP gateway. Mobile users of the Pulse Secure Client perform authentication on an SDP controller which runs an Authentication, Authorization and Accounting (AAA) Service. The SDP controller then enables direct communication between the user and the SDP gateways that protect the user's authorized resources and enables requested encryption. |
| DNS traffic on any physical interface | Prior to 9.1R1 release, DNS traffic was sent over the Internal interface. Starting with 9.1R1 release, an administrator can modify the DNS setting to any physical interface namely Internal Port, External Port or Management Port. |
| Authentication failure management | Account Lockout option is provided to manage user authentication failures for admin users of local authentication server. The admin user account will be locked after specified number of consecutive wrong password attempts. The account will be unlocked after the specified lockout period or by using the Unlock option. |

| Description |
|--|
| User can pass "client-name" in HTML5 rdp using launcher method. The %clientname% variable is matched with a workstation ID and normally that variable is unique and dedicated remote desktop computer name. |
| User can deploy PSA-V in KVM using a template. |
| AWS VPC GW and Azure VNet GW drop packets if the source IP is the endpoint tunnel IP. This feature NATs endpoint tunnel IP to Internal interface IP. The NAT allows user to access internet resources when connected to a VPN tunnel on an Azure or AWS-based PCS. |
| Enhancements include: |
| Getting Config without Pulse packages such as ESAP package and Pulse Client package Backing up and restoring binary configuration |
| |

Fixed Issues

| Problem Report Number | Summary |
|--------------------------|---|
| Release 9.1R8.4 PRs | |
| PRS-400438 | Code signing certificate fails globally when launching HC using browser. The certificate issue is addressed. For information refer KB44781. |
| Release 9.1R8.2 PRs | |
| PRS-394113 | PCS can parse and store up to 32 IP addresses returned by DNS server. |
| PRS-393865 | Running TCP Dumps can get the Disk Full as there is no Log Rotation in place. This is addressed in 9.1R8.2. |
| PRS-393666 | Application level integrity check was missing on PCS for Fragmented EAP-TLS packets. This is addressed in 9.1R8.2. |
| PRS-393440 | Host Checker fails with Error "Host checker did not get installed properly. Your computer does not meet requirements". This is addressed in 9.1R8.2. |
| PRS-393243 | A tactical fix was provided as part of 9.1R8.1 (PRS-393243). However, Custom Rule Expression evaluation is now made more robust with thread safety in 9.1R8.2. |
| PRS-392873 | The desktop settings configured under terminal services bookmarks will not apply if the resource's Operating System is Windows 8 or later. This issue is seen in Pulse Client 9.1R8.1 or earlier. The issue is resolved after implementing new interfaces of the Microsoft MsTscAx component. |
| PRS-392156 | Modified WebRequest code to prevent null pointer (Hprewrite-server) crashes. |
| PRS-391188 | DHCP options disappear upon clicking "Refresh Now" button under Connection Profiles > Proxy Server Settings. This is addressed in 9.1R8.2. |
| PRS-391141 | Duplicate syslog (SYS31407) messages appear in event logs. This is addressed in 9.1R8.2. |
| PRS-388494 | Large Username XML Import now logs proper error message. |
| PRS-385110 | Upgrade failure due to white spaces in the configuration is fixed in 9.1R8.2. |
| Release 9.1R8.1 PRs | |
| PRS-393434 | Time drift is observed when NTP is configured on Virtual Appliances. This can affect authentication, cluster sync, and cause licensing issues. This is addressed in 9.1R8.1 (KB44558). |
| PRS-393243 | Host Checker policy evaluation fails very intermittently for some time if policy rules need to be evaluated based on Custom Rule expression. This is addressed in 9.1R8.1. |
| PRS-392995 | dsagentd crashes occasionally in load condition during initial data channel establishment. This is addressed in 9.1R8.1. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-392842 | The Overview/cockpit graphs representation will now show data similar to the Classic UI (It will omit the duration for which the data is not available). |
| PRS-392593 | Restriction of REST API commands via the internal port is now fixed. |
| PRS-392254 | SNMP polling was not returning false PCS Model Number and device type. This is addressed in 9.1R8.1. |
| PRS-392153 | Session Server failures due to cluster instability is fixed in 9.1R8.1. |
| PRS-392096 | Winbindd crash seen due to an exception is fixed in 9.1R8.1. |
| PRS-391990 | SSH/Netconf clients should now be able to connect PCS DMI Agent successfully. |
| PRS-391708 | Quick navigation link added to Enable/Disable FQDN ACL. And the following warning message is also added: |
| | "Ensure that there is no DNS latency/delay in the network to avoid performance issues". |
| PRS-391690 | When a license client surrenders a license, the expiry date of that surrendered license keeps changing in license server to keep the expiry date always as 10 days (default) ahead of current date. The change is reflected in "License Summary" page of license server admin UI. But the change is not always reflected correctly at the "Pool of available licenses" section under the "Configure Clients" tab as there is a sync-up issue. This is addressed in 9.1R8.1. |
| PRS-391253 | When Pulse Desktop client is used, PCS server does not provide session ID in User Access log after a successful login. Here "session ID" denotes the last 8 characters of actual session ID in server, and it is used to differentiate a session from other sessions for one user. From 9.1R8.1, PCS server will provide this ID for all types of Pulse clients after successful logins. |
| PRS-390500 | From 9.1R8.1, PCS end user name will appear as client name (instead of Localhost) in HTML5 RDP session. |
| PRS-389526 | From 9.1R8.1, a warning message will be sent only when the lease request fails or no leasable license is left with the number of users reaching towards maximum concurrent users limit. |
| PRS-387936 | Global session configuration values (Users > User Roles > Default Options) are used when individual user role is not configured with session options. |
| Release 9.1R8 PRs | |
| PRS-392702 | Additional logging to debug web crashes. |
| PRS-391725 | |
| PRS-392244 | Active users were not able to sync to the newly added node on a 3 node Active/Active cluster. |
| PRS-388907 | This is addressed in 9.1R8. |
| PRS-392040 | User sessions are not synced across the nodes in an Active/Passive cluster. This is addressed in 9.1R8. |
| PRS-388907 | |
| PRS-391902 | Invalid packet processing in kernel is addressed in 9.1R8. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-391837 | tncs process crash with Host Checker caching enabled is addressed in 9.1R8. |
| PRS-380638 | |
| PRS-391004 | The dsunitysamlhandler process crash is addressed in 9.1R8. |
| PRS-390937 | In 9.1R4 to 9.1R7, when multi monitor option is selected under the Terminal Services session/ bookmark page as well as under Terminal Services Options page, XML config data shows incorrect value. This is addressed in 9.1R8. |
| PRS-390916 | Kernel panic during upgrade on PSA5000-V running 9.1R3 on Hyper-V. This is addressed in 9.1R8. |
| PRS-390907 | Log rollover is implemented for postgresd so that it does not cause the Disk to get full. |
| PRS-390831 | SAML authentication is now successful when signing is enabled for SAML requests/responses using certificates. |
| PRS-390828 | As dshealthstatsunity process was getting exited due to exceeding process size, data was not being sent to Pulse One for that particular interval and thus calculated cumulative count at Pulse One was incorrect. This issue is addressed in 9.1R8. |
| PRS-390769 | Kernel logging options are added by default for better debuggability. |
| PRS-390426 | As process was getting exited due to exceeding process size, data was not being sent to Pulse One for that particular interval. This issue is addressed in 9.1R8. |
| PRS-390274 | For config elements with unicode characters and having length exceeding 4096 bytes, the config import fails on Pulse One client. This issue is addressed in 9.1R8. |
| PRS-390217 | Tunnels get dropped during connection resumption due to a server error. This is addressed in 9.1R8. |
| PRS-389927 | The TCPDump filter expression can now contain characters from the set "<> ;()[]?# $^&*=\'$. |
| PRS-389897 | Kernel Panic hrtimer_interrupt issue is fixed. |
| PRS-389771 | Multiple VIP fail over was seen on Virtual A/P cluster due to the time drift between system clock and hardware clock. This is addressed in 9.1R7 (KB44457). |
| PRS-389756 | The dsagentd process crash during assignment of IP address from DHCP server is addressed in 9.1R8. |
| PRS-388630 | With current OPSWAT library code, the verification of update functionality was not working. OPSWAT has fixed the issue and provided a new library. |
| PRS-388104 | The top-roles section displayed on dashboard was not showing the roles name in Japanese and other languages. This issue is fixed for both Classic UI and New UI in 9.1R8. |
| PRS-385646 | Whenever a user tries to access the VDI resource, a wrong error code for timeout was written in the logfile. The user sees the message "Missing host name/IP, Invalid host name/IP: " To address the issue: 1. Timeout error ID is passed to write in logfile. 2. A proper validation has been done for the wrong false alarm. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-364693 | Bandwidth Management policy not getting enforced for VPN tunneling users is fixed in 9.1R8 - https://kb.pulsesecure.net/articles/Pulse_Secure_Article/KB44402/?kA13Z000000L3Dc. |
| PCS-20480 | PCS was returning "Incorrect ICE action" error message when trying to execute api/v1license/ ice REST API to fetch the current status of ICE. This is addressed in 9.1R8. |

Release 9.1R7 PRs

| Release 9.1R6 PRs | |
|-------------------|---|
| PRS-382777 | Client's original Source IP was not logged if Load Balancer is used. Client's Source IP is now retrieved from 'X-Forwarded-For' header and logged in user access logs. |
| PRS-388455 | If epupdate_hist.xml is hosted internally with no authentication and if "Use Proxy Server" (With/without auth) is enabled with FQDN or IP Address, the first 3 characters are ignored thus causing it to fail. For example, proxy.domain.net is taken as xy.domain.net. This issue is now fixed for both PCS and PPS. |
| PRS-388932 | From PCS 9.1R7, the "Synchronization of last access time in user sessions" option in A/A Cluster mode will be auto-enabled and grayed out when the "Synchronize user sessions" option is enabled (otherwise, it can affect session migration). Existing cluster configuration is not modified during upgrade, so we recommend admins to enable this option for existing configurations as well. |
| PRS-389209 | With PCS 9.0R2-9.1R6 and Pulse 9.0R2-9.1R3, the client continues to send the CAV traffic to PCS every 300 seconds even when Cloud Secure license is not installed. From PCS 9.1R7 onwards, the PDC client (Pulse 9.0R2-9.1R3) will contact the PCS server only once per user session - KB44410. |
| PRS-389481 | Cloud Platforms: Improved SNAT performance by tuning kernel module parameters based on the memory available in the device. |
| PRS-390118 | In PCS A/P cluster split and joined scenario, lease license IDs are validated to reset the stale ID and license client will be able to lease licenses successfully. |
| PRS-390234 | User access log now shows real-time active HTML5 sessions count. |
| PRS-390401 | SNMP functionality was not working after cache sync. This is addressed in 9.1R7. |
| PRS-390475 | Noticeable slowness was seen in several applications including Citrix HTML5 video rendering in 9.1R3-9.1R6 PCS versions. This is addressed in 9.1R7. |
| PRS-390530 | Enterprise user onboarding fails in Mac OS Catalina as the filename extension was not populated as '.mobileconfig'. This extension is added in 9.1R7. |
| PRS-390775 | PCS syslog forwarder does not work if connection to syslog server fails during startup of the syslog forwarder process. This is addressed in 9.1R7. |
| PRS-390778 | Host Checker support for OS version check is added for iOS versions 13.4 and 13.4.1. |
| PRS-391296 | Application access using Citrix Terminal Services through IE browser fails in 9.1R5-9.1R6 PCS versions. This is addressed in 9.1R7. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-390370 PRS-390145 | Java Script is displayed after the user scans the QR code only during the TOTP user registration. |
| PRS-390352 | Hostname resolution for an FQDN with up to 255 characters was not supported through the L3 tunnel in PCS 9.1R5. |
| PRS-390198 | Admin cannot download reports in PDF format for PCS. |
| PRS-389973 | HTML5 connections cause memory leak in Guacamole server and result in high memory usage and swap memory usage |
| PRS-389811 | CPU Allocation issue on PSA-7000 (all flavors/varieties) appliances in case of Single-Arm mode VA deployments is now resolved on PSA-7000 HW and ESXi (VMWare) solutions. |
| | Refer KB44446 for more details. |
| PRS-389744 | Process snapshot for "dsserver-tasks" is generated while deleting meeting objects for corresponding users. |
| PRS-389544 | Some of the examples listed under "Split Tunneling Networks" policies are not supported. |
| PRS-389523 | External backend resource access using HTTP GET request with username in the URL for the file login.cgi fails through Rewriter. |
| PRS-389517 | Web server crashes and results in User disconnections due to webSocket upgrade related messages during Auth Only URL access. |
| PRS-389440 | User Accounts under TOTP Auth server Users section cannot be exported. |
| PRS-389406 | Delayed or no response from PCS for SNMP queries under load condition. |
| PRS-389276 | The corruption of blob during the epupdate results in Host Checker scan failure for users until the next successful epupdate. |
| PRS-389262 | Web process snapshot is generated while sending POST request by REST API with an empty body. |
| PRS-389127 | Garbled text in Citrix VDI profiles page when accessed using bookmark with the Japanese language. |
| PRS-388796 | The dsagentd process (client server process) crashes and frequently disconnects in 9.1R4 when there are more than 1024 tunnels including MobIKE IKEv2 tunnels. |
| PRS-388645 | After upgrading PCS/PPS to 9.1R3-9.1R5, slow Host Checker response is observed due to a very frequent re-evaluation of Cybereason Active Probe product. |
| PRS-388542 | Garbled text in file share page when accessed using bookmark with the Japanese language. |
| PRS-374603 | During system downtime activities such as an upgrade, Event IDs such as 20412/20413 are missing in the Syslog server. |
| Release 9.1R5 PRs | |
| PRS-389938 | 9.1R4.3 Radius crashing, unable to authenticate Pulse. |
| PRS-389550 | Intermittently, the system throughput falls drastically and user connections fail. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-389246 | "500 Internal Error" is displayed when opening Authentication related pages. |
| PRS-389212 | Intuitive Customer friendly ways and relevant logs to avoid customers configuring single core. |
| PRS-388958 | Idle timeout session is not working, OWA 2016 keepalives not ignored through web-rewrite. |
| PRS-388885 | License Surrendering not happening due to the heartbeat not sent. |
| PRS-388743 | Host Checker :: OS Checks :: MAC :: Add support to configure Minimum Service Pack/Version for MAC Catalina(10.15). |
| PRS-388734 | PSA7000 at 30% total CPU due to two guacd processes at 100% CPU, planning pandemic and wanted to know root cause. |
| PRS-388536 | One node in Cluster is surrendering the licenses to the License server. However, the increment of the surrendered time is not happening. |
| PRS-388479 | PSA5000 : 9.1R4 : A/P Cluster : REST API calls are failing intermittently when they are executed in a loop continuously. |
| PRS-388429 | Text corrected under Log/Monitoring > Admin Access > Settings. |
| PRS-388421 | PCS 9.1R4 incorrectly reporting duplicate machine ID. |
| PRS-388409 | Unable to upload config to Pulse One: Configuration changed while preparing configuration to upload. |
| PRS-388331 | After upgrade VA-DTE & PSA-V to 9.1R4, nfqueue unable to create IPTables when VM is configured with 1 CPU core only. |
| PRS-388244 | FileShare:: Customer unable to download direct file from FileShare on 9.1R4 PCS version. |
| PRS-387954 | Rewrite: Web page of the maps web applications fails to load via rewrite. |
| PRS-387780 | Registered PCS Appliance failing with Pulse one communication after importing user config and shows registration expired error message. |
| PRS-387641 | "Sign Out message" does not properly display unicode text (Japanese, Korean, Chinese, etc.) with Sign-In Pages via browser. |
| PRS-387359 | Unable to authenticate user using certificate. Reason: Wrong Certificate::unsupported name constraint type. |
| PRS-387349 | System: Built-in Trusted Server CAs cannot be removed if they have subCAs. |
| PRS-387062 | PSAM sending unintended traffic via tunnel to VPN in 9.1R3. |
| PRS-386875 | User Sessions get disconnected after upgrading to 9.1R3HF1. |
| PRS-385747 | Program dsdashsummary failing continuously on PCS running on 9.0R4.1. |
| PRS-385466 | Sharepoint 2019 is not loading properly through web-rewrite. |
| PRS-385027 | VDI Bookmark would not establish connection to the VDI resource without host entry on the client machine. |
| PRS-384955 | XML Import of trusted server CAs generates a spurious admin log message for each unchanged CA. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-382364 | System: Device does not boot up when upgrading from 8.3R7.1 to 9.0R5 with option DELETES all system and user configuration data before installing the service package is selected. |
| PRS-381972 | System : Licensing : "License server low-level protocol error, server=, Code = [6] :Could not resolve host name" populated in event logs of license server. |
| PRS-381905 | After upgrading to iOS 13, HTML5 Access users seems to have broken the on-screen mouse pointer. |
| PRS-381716 | AAA::Issues with host checker when user logs in to a different realm with TOTP auth server enabled. |
| PRS-381699 | Pulse One 2.0.1902: Certificate > Trusted Server CA changes not being distributed (deleted expired CA). |
| PRS-381678 | VIP became unreachable from enforcer when upgrading from 5.4R7 to 9.1R2. |
| PRS-381046 | Rewrite: Dynamic365 menu tabs do not render when on 9.1R1. |
| PRS-380298 | User access log indicates Login failed using auth server LDAP Server (Failed::unable to verify the first certificate) for wrong password. |
| PRS-380225 | "Program fqdnacl recently failed" event failure on PCS 9.0R4. |
| PRS-379752 | Reboot failed on PSA7000f. |
| PRS-379137 | Gliffy Plugin in Confluence does not work via Web Rewrite. |
| PRS-376852 | IPV4 Settings change in External or Internal port keeping Default VLAN ID same does not reflect under VLAN tab |
| PRS-365669 | SNMP: ifAdEntAddr mapped to wrong ifAdEntIndex values. |
| Release 9.1R4.3 PRs | |
| PRS-389246 | "500 Internal Error" is displayed when opening Authentication related pages. |
| Release 9.1R4.2 PRs | |
| PRS-380298 | User Access log indicates "Login failed using Auth. server LDAP server (Failed: unable to verify the first certificate)" for wrong password. |
| PRS-387780 | Registered PCS Appliance fails with Pulse One communication after importing user config and shows "Registration Expired" error message. |
| Release 9.1R4.1 PRs | |
| PRS-382268 | PDC throws Authentication rejected by server [Error : 1319] when using global PCS url. |
| PRS-387062 | PSAM sending unintended traffic via tunnel to VPN in 9.1R3. |
| Release 9.1R4 PRs | |
| PRS-365669 | SNMP: ifAdEntAddr mapped to wrong ifAdEntIndex values. |
| PRS-367786 | Device locked up and dropped all connections due to Web process consuming CPU. |
| PRS-375181 | VLS does not throw any error if there is no response for Heartbeats sent to PCLS. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-377456 | EasyPrint feature using the Premier Java RDP Applet not working. |
| PRS-379345 | Program dsagentd failed. |
| PRS-379411 | PCS not sending any Syslog traffic to configured Syslog servers. |
| PRS-379801 | Active Sync stopped working after upgrading the device to 9.0R4. |
| PRS-380136 | Cluster communication and state storage problems on A/A cluster. |
| PRS-380765 | Program dsagentd recently failed after upgrading PCS from 9.0R3.2 to 9.0R4. |
| PRS-380796 | PCS-VA sending critical SNMP alerts while leasing license. |
| PRS-380993 | DFS: process snapshot generated by snmptrap process. |
| PRS-381100 | Program dsagentd recently failed while running Mixed [V4 and V6] 60K VPN Tunneling ACL's throughput test on PSA5k for secure cache build-3164. |
| PRS-381366 | Multiple users getting disconnected from Pulse Client. |
| PRS-381403 | Sharing Feature is not working in macOS Catalina. |
| PRS-381579 | Sometimes empty logs are seen under "Log/Monitoring". |
| PRS-381621 | 9.0R4 and 9.0R5 SPE (PSA-V) do not show the User Record Sync column in Admin UI > Auth Server page. |
| PRS-381633 | Host Checker checking for virus definition file based on Number of updates fails for Sophos Endpoint Security and Control 10.8.4. |
| PRS-381736 | After Upgrade from 8.3R7.1 to 9.1R1, error encountered while upgrading cache (in Host Checker). |
| PRS-381795 | [FQDN ACL / NFQUEUE] Request DEV help in determining why thousand of VPN Tunnels dropped traffic within. |
| PRS-381960 | Facing slowness when accessing web application through Authorization-only access post upgrading to PCS OS 9.0R5. |
| PRS-381963 | Group Names in the role mapping rule will get added with &, # and; special character if more than 5 groups are selected with AD as the auth server. |
| PRS-381984 | The cookie setting should be included in the resource profile. |
| PRS-382001 | UI: Description incorrect on default deny in 9.1R3 initial deployment. |
| PRS-382021 | Button to dismiss the banner on PPS/PCS Dashboard for not accepting Perpetual license is not working. |
| PRS-382031 | Need to replace VA-SPE PSA-V in "Only EVAL licenses are allowed for manual installation in VA-SPE PSA-V". |
| PRS-382035 | Proper logging for NFQUEUE full and drops needed, also consider this situation for cluster A/ P failover or add to healthcheck. |
| PRS-382191 | Unable to ping the IPv6 VLAN-Gateway from the PCS device after changing the Gateway address. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-382240 | User dropped from the VPN tunnel connection ##g_dhcp_proxy_wbuf is maxed!. |
| PRS-382350 | Unknown RAID status in PSA7000f due to no space left on device. |
| PRS-382804 | Active node went unresponsive in A/P cluster and generated multiple Watchdog snapshots. |
| PRS-384939 | "Invalid EKU text" error found while configuring "E-mail protection" under EKU text. |
| PRS-384963 | Host checker: After upgrading to 9.1R3, HC "Successfully loaded" message is garbled when it is initiated in browser with Japanese language. |
| PRS-384967 | healthcheck.api showing incorrect MAXIMUM-LICENSED-USER-COUNT in AA cluster. |
| PRS-385144 | Web Rewrite: Images not loading on the web page for a web resource configured via rewrite. |
| PRS-385150 | Access via SSH port forwarding fails. |
| PRS-385159 | Home page of eTime (Timesheet) Web application is not rendering properly via Rewrite in all web browsers. |
| PRS-385203 | Add iOS check for 13.2, 13.2.1, 13.2.2. |
| PRS-385496 | Adding default policy for Citrix resources. |
| PRS-385500 | VLS should use only MSP Authcode for registering with PCLS. |
| PRS-385526 | Add iOS Check for 13.2.3. |
| PRS-385550 | Users cannot see full display of shared screen, if the size of text, app and other items in the "Scale & layout" in Display settings is set to 150% (Recommended) on the client's machine. |
| PRS-385721 | Unable to restore Local User Accounts Backup on PCS 9.0R5. |
| PRS-387517 | DanaLoc appears to be missing when using IE11. |
| PRS-387541 | Web Rewrite: Drop-down menu, Refresh button, Change Password option and Login button not working on the login page. |
| Release 9.1R3 PRs | |
| PRS-366490 | System Temperature status value on SNMP server displaying wrong value. |
| PRS-371351 | Citrix sessions drop regularly causing various issues. These issues are observed in PCS 9.0 with Citrix port 2598 via JSAM. This issue is not found in 8.2R8. |
| PRS-371699 | Users unable to login as well as dropping users - LMDB full. |
| PRS-372805 | Realm level certificate restriction skipped with SAML Auth. |
| PRS-372999 | Host checker is failing for Host Checker (OS-Check only) for Chrome OS 71.0.3578.127 with PCS 9.0R1 firmware version. |
| PRS-373160 | Dropdown option misses internal menu while accessing via web rewrite. |
| PRS-374124 | VDI Session are not showing under Virtual Desktop Sessions. |
| PRS-374146 | UNC path is not handled properly by HOB Applet. |
| PRS-374318 | PCS deployed on the AWS Cloud showing speed 10 Mbps. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-374344 | Last core dumps being generated at customer after 9.0R2.1HF6 with fixes. |
| PRS-374603 | Syslog missing event logging info when upgrading. |
| PRS-374765 | PSA7000f RAID failed after upgrading. |
| PRS-374831 | Login page is not rendering properly for a web resource configured through rewrite. |
| PRS-374992 | PCS using DUO as secondary authentication fails the first authentication attempt after installation. |
| .PRS-375079 | CORE.fqdnacl crashes continues to occur even after 9.0R2.1HF6 (with fix). |
| PRS-375880 | None of the contents in the Azure web portal are loading through rewrite. |
| PRS-375906 | Unable to load a sign-in page getting stuck in loading the web page while accessing a web resource configured through the rewrite. |
| PRS-376036 | PCS evaluation of the custom expression "time.dayOfYear" is not working as expected. |
| PRS-376247 | Factory-reset does not work in 9.1R1 instead it boot up PCS with current image. |
| PRS-376249 | Logon page of SAP fiori portal displayed as blank in IE11 only via rewrite. |
| PRS-376343 | Mails are not getting synced in Native Email Client in iOS when using SA as ActiveSync Proxy due to stale records present and crash is happening in aseproxy-server service. |
| PRS-376357 | When extending Pulse Client sessions, it causes network drop. |
| PRS-376429 | JSAM stuck on loading forever on IE - Java. |
| PRS-376458 | HOB stuck on loading forever on IE - Java. |
| PRS-376500 | Azure 9.0R3.1 - postgresd service restarts constantly after deployment. |
| PRS-376520 | Host checker fails to detect FireEye Endpoint Agent 29.7.0. |
| PRS-376840 | Running Add command when the Disk is missing will cause a minor error message which requires a reboot. |
| PRS-376869 | Dns_cache process snapshots persist after upgrading to 9.0R4HF6. |
| PRS-376953 | Unable to view PDF files in the myDocuments application. |
| PRS-377022 | File Share accessing issue in 9.0R4. |
| PRS-377160 | HTML-5 -RDP requires additional authentication. |
| PRS-377482 | After upgrading to 9.1R1, host checker word is garbled when it is initiated in browser with Japanese language. |
| PRS-377681 | PSA7000f reports HDDs missing and inactive after upgrade to 9.1R1. |
| PRS-377825 | After upgrading to 9.1R1, the name of the user role displayed in submenu is broken if the language is in Korean. |
| PRS-377979 | When accessing the resources via bookmark, contents are not displayed correctly. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-378049 | Failed filesystem integrity check message seen on PSA5K console after upgrading from 9.1R1 to 9.1R2-2119. |
| PRS-378882 | Periodic Snapshot settings via REST fails with error "Modification of Attribute not Allowed". |
| PRS-378964 | When the admin clicks on 'Agent', they receive an error "the page you requested could not be found". |
| PRS-379125 | Pulse One 2.0.1901: With PCS 9.0R5 (EA) having failure in target importing SAML using Artifact - empty "Source Artifact Resolution Service URL". |
| PRS-379336 | Chat option not working on the Medical application. |
| PRS-379773 | Syslog - If an appliance is rebooted, it cannot successfully reconnect to a P1 syslog server. |
| PRS-379974 | Critical Events do not get displayed in System > Overview Page. |
| PRS-380009 | REST API calls failing for RDWeb Profiles in PCS. |
| PRS-380148 | When syslog server's FQDN resolves to two IP addresses, one of which is reachable, PCS/PPS may fail to connect. |
| PRS-380762 | Delay during session failover of PCS in Active/Active cluster in AWS. |
| PRS-381014 | Japanese words are garbled when we click on the File share bookmark. |
| PRS-381318 | DMI get-config of RDWeb resource profile returns badly formed XML. |
| Release 9.1R2 PRs | |
| PRS-367907 | FQDNST denied IP is going via tunnel. |
| PRS-370210 | Clear config on PSA 300 fails with unable to mount /webserver partition. |
| PRS-372439 | Post failover, session resumption delayed with Pulse Client. |
| PRS-373290 | Clear config on PSA 300 fails with unable to mount /webserver partition. |
| PRS-375013 | Radius OTP as Secondary authentication fails for the Pulse Client. |
| PRS-375329 | HOB failed to launch through Java in IE. |
| PRS-375886 | JSAM launch failing for IE -JAVA. |
| PRS-376312 | Factory reset from VMware VA console does not load the factory reset version and loads the current version. |
| PRS-376348 | VMWare View 5.1 client does not connect after upgrade. |
| PRS-376859 | Premier Java Applet for Terminal Service failed to download .jar file. |
| PRS-377945 | Publishing for certain block types causes many log messages and other side effects. |
| Release 9.1R1 PRs | |
| PCS-5064 | Remove legacy mode from Active Directory auth. server. |
| PRS-375534 | JSAM Stats value (Bytes count) is not getting displayed in IE - Activex. |

| Problem Report Number | Summary |
|--------------------------|--|
| PRS-375067 | DNS resolution not working for alternate VPN connections. |
| PRS-374597 | The definition update is not listed for Sentinelone product in "epupdate_hist.xml" file. |
| PRS-374057 | Unable to add the resource <userattr.framed-route> in IPV4 address under Split tunneling policy for PCS version 9.0Rx.</userattr.framed-route> |
| PRS-374037 | Rewrite: PSAL launching Citrix app multiple times in an infinite loop on all the browsers. |
| PRS-373948 | Contents of a web response are not getting compressed as content encoding header is missing in the response from PCS. |
| PRS-373769 | Host Checker IMC detects the Antivirus Change in the client PC and report it to IMV even when Perform Check every min is set to 0. |
| PRS-373696 | Split tunneling FQDN policy with special character, fails to save. |
| PRS-370953 | Unable to edit word documents hosted on SharePoint 2013 via PTP using MS Edge. |
| PRS-371023 | Resource access dropped (RDP, SSH etc.) intermittently on SAW environment. |
| PRS-373102 | Core Access: E-mail web page getting stuck on "login processing". |
| PRS-373076 | Core Access:Web page shows horizontal scrollbars at the bottom of screen. |
| PRS-372181 | DanaLoc fails in case of old window object reference from a new window object. |
| PRS-372834 | PSAM:Pulse SAM takes at least 40 seconds to open custom start up page in UI Options compared to WSAM. |
| PRS-372677 | AAA/Security/Pulse: SAML AuthnRequest leaks data across users with "Reuse NC/Pulse session" enabled. |
| PRS-372595 | User getting same IP address assigned from IP pool in few hours. |
| PRS-372489 | Pulse browser Toolbar is flickering when accessing OWA 2016 resource on iOS device through webrewrite. |
| PRS-372285 | PSA 7000f Frequently reports one of the power supplies is back up. |
| PRS-372055 | Unable to save Citrix listed application using Hostname with port number. |
| PRS-371973 | HC: Compliance fails using Pulse Desktop client 9.0.2 build 1151. |
| PRS-371970 | Users with username in UPN format in System Local Authserver are unable to log in using TOTP after upgrading to 9.0R3. |
| PRS-371944 | Killed user session admin log "ADM23534" does not display admin user but the actual user being terminated. |
| PRS-371800 | PCS device is unable to get the enrolled mobile device attribute from MDM server. |
| PRS-371394 | Setting the hash property of location object causes problem in IE, Edge and Firefox browsers because the URL is appended with fragment identifier. In chrome and Safari browsers things work fine. |
| PRS-371602 | Post upgrade to PCS 9.0R3, "License server low-level protocol error Code = [47]" error is triggered on license client. |

| Problem Report Number | Summary |
|--------------------------|---|
| PRS-371513 | Page does not load via IE browser. |
| PRS-371406 | "Auto populate domain information" behavior when unchecked: blank first then if wrong password, auto populates domain. |
| PRS-371357 | HTML5 RDP logging do not show realm and shows (). |
| PRS-371342 | Add iOS Check 12.1.1. |
| PRS-371266 | Menu is not loading when accessing the application through web-rewrite. |
| PRS-371231 | PCS 9.0 VA-DTE :: Nodes in cluster gets disabled automatically. |
| PRS-371205 | Multicast Traffic not working intermittently in the VPN Tunnel in 8.3R6 / 5.3R6 version and after restarting services, works fine for all users. |
| PRS-371154 | Wrong information in the log messages for Authorization Only Access when source ip restriction is configured on role. |
| PRS-371114 | Add support for adding parameters "client-name' for HTML5 Access. |
| PRS-369351 | LDAP authorization does not work when using ikev2 tunnel (handle 10K tunnels+few hundred ikev2 clients). |
| PRS-370138 | Read-only admin sessions see an option as disabled that is actually enabled on user roles. |
| PRS-369960 | Page displayed while PSAL downloads to a Mac client shows instruction for Mac; but then references Windows System Tray. |
| PRS-369200 | Logs are not fully displayed if select the date as filter. |
| PRS-369142 | File browsing SSO is not working with user details are given in variable form as well when configured to use system credentials. |
| PRS-369031 | When a configuration object is renamed, not all of the resulting configuration changes are uploaded to Pulse One. |
| PRS-368927 | Web process crashes and logs "ERR31093: Program web recently failed." in the event logs. |
| PRS-367879 | Core Access: Unable to import or download the image using PTP. |
| PRS-367789 | DMI agent not responding to netconf commands as expected. |
| PRS-367285 | System Active/Passive cluster responding to ICMP request even after shutdown. |
| PRS-366634 | Randomly users are not able to access IPv6 resources through VPN device via VPN tunneling. |
| PRS-364219 | PSA7000f interface status in Network Settings not working. |
| PRS-366490 | System Temperature status value on SNMP server displaying wrong value. |
| PRS-371351 | Citrix sessions drop regularly causing various issues. These issues are observed in PCS 9.0 with Citrix port 2598 via JSAM. This issue is not found in 8.2R8. |
| PRS-371699 | Users unable to login as well as dropping users - LMDB full. |

Known Issues

| Problem Report Number | Release Note |
|--------------------------|--|
| Release 9.1R8.4 PRs | |
| PRS-400509 | Symptom : The PSAL installation prompts for admin credentials on windows 8.1 for Local user. |
| | Condition: On Windows 8.1 Endpoints. |
| | Workaround: Right click on the PSAL msi->Properties and enable Unblock. Click Apply and OK. Then install the PSAL. |
| PRS-400486 | Symptom: Upgrade prompts missing on connecting to latest PCS. |
| | Condition: When endpoint has PSIS Installed. |
| | Workaround: Uninstall PSIS. |
| Release 9.1R8.2 PRs | |
| PCS-22360 | Symptom: SAML SLO is not initiated from PCS to its IDP when the user's browser-based session is ended. |
| | Condition: When user is authenticated using any browser to PCS with SAML authentication method where PCS is SAML SP, user session is ended in browser because of idle timeout or max session timeout or if admin ends the user session from PCS Admin console. Currently only manual sign out from browser session is supported to send SLO request to IDP from PCS side. |
| | Workaround: Close the browser window and launch a new browser window, so that user is prompted for authentication again for security reasons |
| Release 9.1R8.1 PRs | |
| No new known issues fo | ound in this release |

Release 9.1R8 PRs

| PRS-393440 | Symptom: Host Checker fails with Error "Host checker did not get installed properly. Your computer does not meet requirements" |
|------------|--|
| | Condition: Cache Cleaner policy is enforced on role or realm. |
| | Workaround: Disable Cache Cleaner policy and restart Pulse services. |
| PRS-393174 | Symptom: Local proxy PAC file not working in Internet Explorer 11. |
| | Condition: When PAC file resides on a local system. |
| | Workaround: Store the PAC file on an HTTP/HTTPS-accessible server and use that link for Internet Explorer 11 proxy settings. |
| | |

| Problem Report Number | Release Note |
|--------------------------|---|
| PRS-393172 | Symptom: Windows client connecting to PCS using Firefox ESR 68.10 intermittently throws error during Compliance check through Proxy configuration. |
| | Condition: Using Firefox ESR 68.10 version. |
| | Workaround: Once a successful connection is established from the client to the server using Chrome/IE, try connecting to the server using Firefox ESR. This works as expected. |
| PRS-393146 | Symptom: Host Checker process tncs crash. |
| | Condition: When user role is configured with 120 HC rules and policy check interval is every one minute and with 8K user load. |
| | Workaround: (Recommended) Increase the Host Checker policy check interval. |
| PRS-392934 | Symptom: PCS does not restrict user logins, even though dsagentd crossed 80% CPU utilization. |
| | Condition: Noticed the issue especially with clusters and when changing from Active-Active to Active-Passive cluster or vice versa. |
| | Workaround: Restart of System Services should solve the issue. |
| PRS-392749 | Symptom: Pulse collaboration client version is not same in Mac and Windows. |
| | Condition: When user installs 9.1R8 Pulse collaboration client. |
| | Workaround: None. |
| PRS-392345 | Symptom: Archiving on AWS S3 storage and Azure is failing when DNS server is not reachable from internal interface. |
| | Condition: When admin trying to Archive using AWS S3 bucket or Azure storage account on management port and DNS server is not reachable through internal port. |
| | Workaround: Admin has to configure internal port for DNS resolution, Archival interface can be internal/management for archiving on AWS S3 bucket or Azure storage account |
| PRS-392236 | Symptom: Hyper-V 9.1R8 upgrade from earlier versions is not supported. |
| | Condition: When upgrading from the earlier versions, say 9.1R5. |
| | Workaround: Install a fresh instance of 9.1R8 and import the config from the earlier version. |
| PRS-391999 | Symptom: TOTP Authentication fails for all users. |
| | Condition: After importing TOTP users into the PCS via REST API. |
| | Workaround: Use Export and Import option under TOTP Authentication server in Admin UI. |
| PRS-391947 | Symptom: Websocket URL is not accessible. |
| | Condition: When trying to access https://web.whatsapp.com/ URL. |
| | Workaround: None |
| PRS-391305 | Symptom: Upgrading Azure images from 9.1R5 to any later releases returns with error message if the factory reset version is 9.1R5. |
| | Condition: When factory reset version is 9.1R5. |
| | Workaround: Export the existing PCS configurations, deploy the new PCS image with the latest version, and import the PCS configurations. |

| Problem Report Number | Release Note |
|--------------------------|--|
| PRS-390577 | Symptom: Active user page is not displaying node details correctly for the users connected in AA cluster after split and join. |
| | Condition: After cluster split and re-join. |
| | Workaround: Display issue, user sessions will not get impacted. Newly connected sessions are showing the details correctly. |
| PRS-390488 | Symptom: Host checker is getting timed out (can be seen on user access log) and user is getting logged out. |
| | Condition: When periodic evaluation is enabled. |
| | Workaround: This issue is not replicable every time, but as a workaround, we have suggested to disable dynamic evaluation or increase the periodic policy evaluation interval. |
| PRS-384976 | Symptom: Host Checker installation error found Intermittently while installing Host Checker or Pulse Client [HC enabled] through browser [Chromium Edge/Chrome/Firefox]. |
| | Condition: Fresh Installation of Host Checker or Pulse Client [Host Checker enabled] through browser [Chromium Edge/Chrome/Firefox] after uninstalling old Host Checker components |
| | Workaround: |
| | 1 Uninstall the Host Checker/Pulse Client components manually and reboot the system. |
| | OR |
| | 2 Manually kill Host Checker process before installing Pulse Client/Host Checker components. |
| PCS-21262 | Symptom: Update in PSAM Resource policies configuration from Admin portal is not getting applied immediately to existing users with UDP PSAM sessions. |
| | Condition: When Admin changes ACL action from Deny to Allow for a particular UDP based resource (i.e., UDP Server Application) for which user already has UDP PSAM Session active, user will still see access denied and vice-versa. But this condition might occur very rarely in real world scenario. |
| | Workaround: Admin can choose to delete existing UDP PSAM user sessions for which ACL action changes from Deny to Allow and vice-versa. |
| | Alternatively, user can disconnect and connect PSAM UDP based application session. |
| PCS-20664 | Symptom: Pulse client is not showing correct error message when there is no bandwidth to allocate for L3 tunnel. |
| | Error message in Pulse client - "Unable to allocate IP address". |
| | Condition: When there is no bandwidth to allocate for L3 tunnel for that specific user. |
| | Workaround: Display issue, correct error message will get displayed in User Access logs. |
| | Error message in User Access logs - "Cannot find a qualified bandwidth management policy for user based on current available bandwidth." |
| Release 9.1R7 PRs | |

| Problem Report Number | Release Note |
|--------------------------|---|
| PCS-20433 | Symptom : Existing HTML5 active sessions are not displayed under "Active Virtual Desktop Sessions" tab. |
| | Condition : After cluster upgrade, existing HTML5 sessions are not displayed under "Active Virtual Desktop Sessions" tab. |
| | Workaround: User has to re-login and connect to HTML5 session. |
| Release 9.1R6 PRs | |
| PCS-19628 | Symptom : Platform page shows hypervisor information as KVM instead of Alibaba-Cloud- KVM or OpenStack-KVM. |
| | Condition : This issue is seen only with PCS deployed on Alibaba Cloud and OpenStack hypervisors. |
| | Workaround : None. There is no functionality loss though. PCS will function without any issues. |
| Release 9.1R5 PRs | |
| PRS-390106 | Symptom : Inconsistent upgrade issues seen while upgrading Hyper-V images in clustering and single node. |
| | Condition : Upgrading a Hyper-V image to 9.1R5. |
| | Workaround : If cluster upgrade fails, reboot the node which is not upgraded. If the issue persists, try upgrading the nodes individually and then form cluster. |
| PRS-389742 | Symptom : Cannot register the device with Intune to get SCEP profile that has IMEI as common name. |
| | Condition : The devices like Wi-fi only iPad / Wi-Fi only android tablets that do not have IMEI support or do not have IMEI. |
| | Workaround: None. |
| PRS-389737 | Symptom : Cluster VIP is not getting migrated to other node when active node's internal interface is not reachable and external port is reachable. |
| | Condition : In AP Cluster configured with both internal and external port, when active node's internal port became unreachable. |
| | Workaround: Reboot the cluster node having issue with internal interface is unreachable. |
| PRS-389642 | Symptom: XML import is failing if configuration file has syslog IPv6 settings. |
| | Condition : if one of the devices configured IPv6 syslog server on log settings, the XML import will fail on another device if the same XML is exported from first device. |
| | Workaround: Export the binary system configuration and import on another device. |
| PRS-389451 | Symptom: TCPDump fails to capture packets when multiple interfaces are selected. |
| | Condition : When multiple interface - Internal, External and Management are selected. Workaround : Select individual interface to capture packets using TCPDump. |

| Problem Report Number | Release Note |
|--------------------------|---|
| PRS-389409 | Symptom : User sessions will be removed for the session logged in at the time of second node upgrade in AP cluster. |
| | Condition : During AP cluster upgrade, when the first node comes up after upgrading newer version, it informs other node to upgrade. During this time if any new user logs in, then all those sessions will be removed after second node goes for upgrade. |
| | Workaround: User needs to re-login. |
| PRS-388121 | Symptom : Reliable users may be prompted for secondary authentication despite Adaptive authentication being enabled for the realm. |
| | Condition : Adaptive Authentication feature may not work in some scenarios where nodes are in the cluster setup. |
| | Workaround: None. |
| Release 9.1R4.3 PRs | |

No new known issues found in this release

Release 9.1R4.2 PRs

No new known issues found in this release

Release 9.1R4.1 PRs

No new known issues found in this release

Release 9.1R4 PRs

| | - |
|-----------|---|
| PCS-18480 | Symptom: Bookmark based access flow for Cloud based apps does NOT support MFA. |
| | Condition : When user tries to access any Cloud apps using Bookmark based flow, MFA based Conditional Access policies does Not work and will Deny the access to user. |
| | Workaround : Access Cloud apps using SP Initiated flow for MFA to work, or do NOT configure MFA for these Bookmark based Cloud apps. |
| PCS-18217 | Symptom : License report did not show proper values for older dates (Dec month) after upgrading to 9.1R4 image. |
| | Condition : License report generated from License server running with lesser than 9.1R4 version will have older data (For example: Dec-2019) and after upgrading the license sever to 9.1R4 image, data for older months will not be accurate. |
| | Workaround: None |
| PCS-18002 | Symptom : Pulse Collaboration meeting is not getting launched with PSAL in macOS Catalina from the second time. |
| | Condition : In macOS Catalina, Pulse Collaboration meeting can be launched only after the fresh download of the client. If we try to relaunch the meeting, it is getting failed. |
| | Workaround : Delete the Pulse Collaboration client folder and perform a fresh download before launching the meeting. |

| Problem Report Number | Release Note |
|--------------------------|--|
| PCS-17932 | Symptom : TOTP server, Certificate server and SAML server authentication do not work for MFA based Conditional Access policy settings. |
| | Condition : When TOTP server, Certificate server and SAML server are configured as MFA server for Conditional Access. |
| | Workaround: Any other supported Authentication server can be configured as MFA server. |
| PCS-17926 | Symptom : License report doesn't show the software version for one of the members cluster setup. |
| | Condition: When cluster is in license client |
| | Workaround: None (Display issue). |
| PRS-387697 | Symptom: HOB launch on CentOS failing when Oracle JDK is installed. |
| | Condition : Oracle JDK installed on CentOS. |
| | Workaround: Install OpenJDK. |
| PRS-387572 | Symptom: AliCloud PCS-7K-V: Watchdog restarting cgi-server auth processes (cgi). |
| | Condition: Beyond 20K concurrent users under Pulse ESP and PSAM throughput test. |
| | Workaround: None |
| PRS-387499 | Symptom: Hob auto-launch - PSAL failing with error "Failed to contact server". |
| | Condition : When auto-launch is enabled on HOB bookmark. |
| | Workaround: Disable auto-launch. |
| PRS-387452 | Symptom: SSH does not work after restarting services in AWS and Azure. |
| | Condition: After performing restart services. |
| | Workaround: SSH works after a reboot. |
| PRS-387192 | Symptom : Rewriter issues with SharePoint 2019 – a few buttons and icons does not load and rename file does not work. |
| | Condition : When using PCS web bookmark for the new SharePoint 2019 server. |
| | Workaround: Switch to Classic View in SharePoint 2019. |
| PRS-384976 | Symptom : Host Checker error found Intermittently while installing Pulse Client via Chromium Edge browser in presence of Host Checker configured. |
| | Condition: Host Checker configured. |
| | Workaround: Click on Ignore button. |
| Release 9.1R3 PRs | |
| PCS-15327 | Symptom: When trying to restart PCS from vCenter, PCS shuts down instead of restart. |
| | Condition: When trying to restart PCS using the Restart Guest option from vCenter. |
| | Workaround: Restart PCS using the PSA-V virtual console. |

| Problem Report Number | Release Note |
|--------------------------|--|
| PRS-382259 | Symptom : DNS address and domain names are taken from DHCP server when deploying new PCS instance in AWS and Azure. |
| | Condition: When passing DNS address and domain name as parameter for initial configuration, DNS address and domain name are taken from DHCP server. |
| | Workaround: Reconfigure DNS address and domain in network over view page. |
| PRS-382085 | Symptom : Not able to enable "copy/paste" option for end user created bookmarks after upgrade from 9.1R2 to 9.1R3. |
| | Condition: After an upgrade, not able to enable "copy/paste" option in the end user created bookmarks. |
| | Workaround : The user has to delete and create the bookmarks to enable "copy/paste" option. |
| PRS-382083 | Symptom: Not able to enable "copy/paste" option via RDP launcher URL. |
| | Condition: When trying to enable "Copy/paste" option via RDP launcher URL. |
| | Workaround: |
| | User should use admin created bookmark.User should use end-user created bookmark. |
| PRS-382078 | Symptom : AWS or Azure new PCS deployment fails when customer using old templates with admin password is less than 10 characters. |
| | Condition: When the template contains admin password with less than 10 characters. |
| | Workarounds : Customer has to provide admin password length with minimum of 10 characters. |
| PRS-382021 | Symptom : Dismiss until next upgrade option is not working for banner related to perpetual licensing. |
| | Condition: Admin clicks on Dismiss until next upgrade. |
| | Workaround: Use the Close button for temporary solution. |
| PRS-381990 | Symptom : During peak hours when multiple users try to do browser-based login on PSA5K, a few users might not be able to connect in the very first attempt. |
| | Condition: When PCS is upgraded to 9.1R3 on PSA5K. |
| | Workaround: When the failed user tries to reconnect, the login will happen successfully. |
| PRS-381853 | Symptom : Azure PCS - Network interface speed is showing as "Unknown" in the Network Overview page. |
| | Condition: When deploying new PCS instance in Azure, the network interface speed is showing as "Unknown" in the Network Overview page. |
| | Workaround: This is just a display issue. |

| Problem Report Number | Release Note |
|--------------------------|---|
| PRS-381707 | Symptom : Intermittently, Behavioral analytics dashboard page shows "Unable to connect to database" error. |
| | Condition: Sometimes, when admin navigates to Behavioral analytics dashboard page, "Unable to connect to database" error is seen. |
| | Workaround : Administrator can reload the Behavioral analytics dashboard page after some time to get the details on the page. |
| PRS-381579 | Symptom: Sometimes logs are not shown under Log/Monitoring page. |
| | Condition: Not applicable. |
| | Workaround: Refresh the page or click on the Update button on the logs page. |
| PRS-381554 | Symptom : When File rule configured for validating a file location using System default Directories <%HOME%> policy evaluation failed on macOS 10.14x or any higher versions. |
| | Condition: If file located at System Directories <%HOME%> and configured a Hostcheck policy with File Rule for macOS 10.14.x or higher versions. |
| | Workaround : Need to add permissions for "Pulse Client" under "Accessibility" and "Full Disk Access" and which can be accessed from "System Preferences" > "Security & Privacy"-> "Privacy |
| | Or without providing permission /tmp location can be used for File validation. |
| PRS-381403 | Symptom: Sharing Feature is not working in macOS Catalina. |
| | Condition: When Attendee Joined in Pulse Collaboration meeting via macOS Catalina, Attendee cannot share the Desktop. But Attendee can view the Presenter's screen. |
| | Workaround: None |
| PRS-367403 | Symptom: Pulse collaboration not getting launched in macOS. |
| | Condition: When the Java version above 8 is installed in the macOS, Pulse collaboration will not launch. |
| | Workaround: Use Java version 8 for launching the Pulse collaboration in macOS. |
| Release 9.1R2 PRs | |
| PRS-14530 | Symptom: Shutdown of PSA-V deployed on KVM hypervisor does not complete. |
| | Conditions: |
| | PSA-V is deployed on KVM hypervisor. |
| | Shutdown is initiated from PSA-V virtual console. |
| | Workaround: None |
| PRS-361501 | Symptom: Sometimes end-user is unable to access backend resources. |
| | Conditions: |
| | PCS is deployed as an AP cluster. Admin has configured VLAN source IP under User Roles. |
| | 3 VIP changes from active node to passive node. |
| | Workaround: Log out and then log back in as an end user. |

| Problem Report Number | Release Note |
|--------------------------|---|
| PRS-374575 | Symptom : DNS Search Order notes for macOS needs correction as Device only DNS is supported in macOS. |
| | Condition : macOS supports Device only DNS. |
| | Workaround: None |
| PRS-377549 | Symptom: Older PSIS is not upgrading to 9.1R2 PSIS version. |
| | Condition : When CTS, WTS and VDI gets upgraded to 9.1R2 in Windows 10 Redstone 5 and later, PSIS is not upgraded to latest version. |
| | Workaround: None. Old PSIS will continue to work and no impact seen. |
| PRS-377700 | Symptom : Using REST API - Archiving Schedule settings change from hourly to specified time does not update the hour/minute setting. |
| | Condition: None |
| | Workaround: Apply the same API again the second time. |
| PRS-378101 | Symptom: JSAM fails to launch on Mac OS Catalina 10.15. |
| | Conditions: |
| | Configured a role with Host checker.Configured JSAM access with auto-launch. |
| | Workaround: None |
| PRS-379014 | Symptom: After single logout with PCS as SP, the SP lands on either IdP page or SP page. |
| | Condition : PCS is configured as IdP and another PCS configured as SP with single logout enable. |
| | Workaround: None. |
| Release 9.1R1 PRs | |
| PRS-362240 | Symptom : User sees detect receiver window rather than PSAL download page upon clicking the apps. |
| | Conditions : Users are unable to launch Citrix Apps/Desktop that are published in storefront. |
| | Workaround: |
| | Forward the Cookie: CtxsClientDetectionDone=true as name value pair in SSO form or using custom header policies. |
| | • Re-click the bookmark by returning to home page and access the SF application again. |
| PRS-373014 | Symptom : Virtual Appliance platform license activated message seen every 10 mins in Admin logs. |
| | Conditions: |
| | Admin has installed Virtual Appliance platform license through authorization codes. Admin has also leased cores from a license server. |
| | Workaround : Delete the installed Virtual Appliance platform license (as the cores are provided by license server). |

| Problem Report Number | Release Note |
|--------------------------|---|
| PRS-373762 | Symptom : Named User Remote Repo (NURR) mode does not work when MSSP unlimited license is installed on the License server. |
| | Condition: MSSP Unlimited License installed on License server. |
| | Workaround: Pulse Secure advises MSSP customers with MSSP SKU to not use NURR mode. |
| PRS-374091 | Symptom: All client installations fail when using auth proxy in MAC OS. |
| | Condition : Client installations in MAC OS using auth proxy. |
| | Workaround: None |
| PRS-374458 | Symptom: Fresh deployment of Azure image on PCS is not available. |
| | Condition : Fresh deployment of Azure image on PCS. |
| | Workaround: Upgrade the server. A new image will be posted soon. |
| PRS-374790 | Symptom: Unable to edit Power Point files within any browser from Share Point 2016 server. |
| | Condition : In Rewriter mode of browsing Share Point 2016 server. |
| | Workaround: Create Custom Header Allow policy for the Share Point URL. |
| PRS-375051 | Symptom : Unable to edit existing client to increase or decrease the number of cores leased via REST/XML. |
| | Condition : Observed in REST PUT request and XML import. |
| | Workaround: Use the UI to make changes. |
| PRS-375138 | Symptom: Client upload logs fails for Network Connect and JSAM. |
| | Condition: After launching Network Connect and JSAM on Windows 10, client upload log fails. |
| | Workaround: None |
| PRS-376021 | Symptom : Intermittently end-user gets "Detected an Internal error" while logging into a browser-based session. |
| | Condition : When end-user tries to log in to Pulse Connect Secure through Safari browser on Mac. |
| | Workaround: Reboot the Mac laptop |
| PRS-376245 | Symptom: HOB and JSAM not working in Linux. |
| | Condition : When end user tries to launch HOB and JSAM on Linux platform. |
| | Workaround: None |
| PCS-11922 | Symptom : DNS Port selection will not take any effect. DNS traffic will go through Internal Port only. |
| | Condition : On a PCS Virtual Appliance, when Administrative Network is enabled under Traffic Segregation. This issue is not applicable for PSA Hardware Devices. |
| | Workaround: None |

| Problem Report Number | Release Note |
|--------------------------|---|
| PCS-12383 | Symptom : SNAT functionality failed to work even when it is enabled post the fresh deployment. |
| | Condition : In cloud instance (Azure/AWS), admin enables the NAT behavior from its initial disabled state and sees the NAT functionality failed to work. |
| | Workaround: PCS needs to be rebooted from the portal post the deployment. |
| Cloud Secure | |
| PRS-371781 | Symptom : Blocked ECP users will not be updated if Generic is selected under LDAP server Type. |
| | Condition : LDAP server type selected is Generic. |
| | Workaround: Select the LDAP server type as Active Directory. |
| PRS-372846 | Symptom: Blocked ECP users will have a "Blocked till time" of 5 minutes. |
| | Condition : Request count for a particular user is less than 3. |
| | Workaround: None |
| PRS-372861 | Symptom : Blocked ECP users will not be removed from the ECP reports page based on "Blocked till time". |
| | Condition : When a user entry is present in the ECP reports page. |
| | Workaround: None |

Documentation

Pulse documentation is available at https://www-prev.pulsesecure.net/techpubs/

Technical Support

When you need additional information or assistance, you can contact "Pulse Secure Global Support Center (PSGSC):

- https://support.pulsesecure.net/
- support@pulsesecure.net

Call us at 1-844-751-7629 (toll-free USA)

For more technical support resources, browse the support website https://support.pulsesecure.net/