



Pulse Secure Desktop Client: Supported Platforms Guide

Pulse Secure Desktop Client 9.1R10 Build 5655 and Pulse Secure Desktop Client for Linux 9.1R10 Build 5655

| | |
|------------------|----------------------|
| Product Release | 9.1R10 |
| Published | December 2020 |
| Document Version | 10.0 |

Pulse Secure, LLC
2700 Zanker Road,
Suite 200 San Jose
CA 95134

www.pulsesecure.net

© 2020 by Pulse Secure, LLC. All rights reserved.

Pulse Secure and the Pulse Secure logo are trademarks of Pulse Secure, LLC in the United States. All other trademarks, service marks, registered trademarks, or registered service marks are the property of their respective owners.

Pulse Secure, LLC assumes no responsibility for any inaccuracies in this document. Pulse Secure, LLC reserves the right to change, modify, transfer, or otherwise revise this publication without notice.

END USER LICENSE AGREEMENT

The Pulse Secure product that is the subject of this technical documentation consists of (or is intended for use with) Pulse Secure software. Use of such software is subject to the terms and conditions of the End User License Agreement (“EULA”) posted at <http://www.pulsesecure.net/support/eula/>. By downloading, installing or using such software, you agree to the terms and conditions of that EULA.

Revision History

The following table lists the revision history for this document

| Revision | Document | Date | Description |
|----------|----------|----------------|--|
| 9.1R9 | 10.0 | December 2020 | Updated Windows, macOS operating system in "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R9 | 1.14 | November 2020 | Updated Windows, macOS operating system and web browsers support in "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R9 | 1.13 | October 2020 | Updated Windows operating system support in "Pulse Secure Desktop Client Qualified Platforms". Updated Windows, macOS operating system and web browsers support in "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R8.2 | 1.12 | September 2020 | Updated Windows operating system support in "Pulse Secure Desktop Client Qualified Platforms". Updated Windows, macOS operating system and web browsers support in "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R8 | 1.11 | July 2020 | Updated "Pulse Secure Desktop Client Qualified Platforms", "Pulse Secure Desktop Client Compatible Platforms", and "Platform and Browser Compatibility". |
| 9.1R7 | 1.10 | June 2020 | Added Mac OS version to table "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R6 | 1.9 | May 2020 | Added Windows OS version 2004 to table "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R5 | 1.8 | April 2020 | Updated section "Pulse Secure Desktop Client Compatible Platforms". |
| 9.1R4.1 | 1.7 | February 2020 | Updated macOS operating support in "Pulse Secure Desktop Client Compatible Platforms" |
| 9.1R4 | 1.6 | January 2020 | Removed Cent OS 6.x, 64 bit and 32 bit from "Pulse Secure Desktop Client Compatible Platforms". Added macOS 10.15.2, 64 bit in "Pulse Secure Desktop Client Compatible Platforms". Updated "Pulse Secure Desktop Client Qualified Platforms" for Windows and macOS support. Updated "Smart Card and Soft Token Compatibility" for Yubikey support. Updated "Adaptive Delivery Mechanisms". |
| 9.1R3.1 | 1.5 | November 2019 | Updated Windows operating system support in "Pulse Secure Desktop Client Qualified Platforms". Updated Windows, macOS operating system and web browsers support in "Pulse Secure Desktop Client Compatible Platforms". |

| Revision | Document | Date | Description |
|----------|----------|----------------|---|
| 9.1R3 | 1.4 | October 2019 | Added Windows 10 and web browsers support in “Pulse Secure Desktop Client Qualified Platforms” . Removed NC, OAC, and WSAM from “Client Interoperability” . |
| 9.1R2 | 1.3 | September 2019 | Added Safari 13.x and 12.x in “Pulse Secure Desktop Client Qualified Platforms” . |
| 9.1R2 | 1.2 | July 2019 | Added Windows 10 Version 1903 (OS build 10.0.18362.207) Enterprise, 64 bit and Windows 10 Version 1903 (OS build 10.0.18362.207) Professional, 64 bit in “Pulse Secure Desktop Client Compatible Platforms” . |
| 9.1R1 | 1.1 | June 2019 | Added Windows 10 Version 1903 (OS build 10.0.18362.175) Enterprise, 64 bit and Windows 10 Version 1903 (OS build 10.0.18362.175) Professional, 64 bit in “Pulse Secure Desktop Client Compatible Platforms” . |
| 9.1R1 | 1.0 | May 2019 | Added Windows 10 Redstone 5 Version 1809 (OS build 17763.437), Enterprise, 64 bit in “Pulse Secure Desktop Client Qualified Platforms” . Added macOS 10.14.4 (64 bit), macOS 10.14.3 (64 bit), macOS 13 (64 bit), macOS 12 (32 bit and 64 bit) in “Pulse Secure Desktop Client Qualified Platforms” . Added macOS 10.11 (32 bit and 64 bit) in “Pulse Secure Desktop Client Compatible Platforms” . |

Contents

| | |
|---|-----|
| REVISION HISTORY | iii |
| OVERVIEW | 1 |
| SUPPORTED PLATFORMS | 2 |
| HARDWARE REQUIREMENTS | 2 |
| SERVER PLATFORM COMPATIBILITY | 2 |
| PLATFORM AND BROWSER COMPATIBILITY | 2 |
| SMART CARD AND SOFT TOKEN COMPATIBILITY | 5 |
| LANGUAGE SUPPORT | 6 |
| ADAPTIVE DELIVERY | 7 |
| ACCESS METHODS | 9 |
| CLIENT INTEROPERABILITY | 11 |
| TECHNICAL SUPPORT | 12 |

Overview

Pulse Secure is a dynamic, integrated and easy-to-use network client that delivers anytime/anywhere secure connectivity. The Pulse Secure Desktop Client Supported Platforms Guide describes which operating environments are supported by Pulse Secure Desktop Clients for Windows, macOS and Linux.

The Pulse Secure client testing environment provides the following types of software qualifications:

Qualified Platform: The platforms listed as qualified have been systematically tested by the Pulse Secure Quality Assurance department as part of this release.

Compatible Platform: The platforms listed as compatible have not been systematically tested by our QA department in this release; however, Pulse Secure expects that the Pulse functionality will work based on testing of previous releases and knowledge of the platform.

The Pulse Secure client on Windows, macOS and Linux are different clients with different feature sets. For more information, see the Pulse Secure documentation.

Supported Platforms

Hardware Requirements

The following table lists the minimum hardware configuration required to support the Pulse Secure Desktop Clients.

Table 1 Pulse Secure Desktop Client Hardware Requirements

| Hardware Component | Requirement |
|--------------------|---|
| CPU | Intel / AMD, 1.8GHz, 32-bit (x86) or 64-bit (x64) processor |
| System Memory | 2 GB RAM |
| Disk Space | Install: 33 MB Logging: 50 MB |

Server Platform Compatibility

The following table lists the server platforms that were tested with this release of the Pulse Secure Desktop Clients for Windows, macOS and Linux.

Table 2 Pulse Secure Client/Server Compatibility

| Product | Qualified | Compatible |
|---|-----------|------------|
| Pulse Connect Secure (formerly Secure Access Service, or SA) | 9.1Rx | 9.0Rx |
| Pulse Policy Secure (formerly Access Control Service, or Unified Access Control/UAC) | 9.1Rx | 9.0Rx |

Note: Previous versions of the Pulse Secure client can be used with the latest release of Pulse Secure server software, but new features that were added after the release of that client will not be available.

Platform and Browser Compatibility

Unless otherwise noted, a major and minor version number (for example, 10.9), means that all revisions (10.9.x) with that major/minor version are supported. When major, minor, and revision version number are specified (for example, 10.7.3), only that revision and later revisions of that major/minor version are supported. For example, 10.7.3 means that 10.7.3 through 10.7.x are supported, where x is the latest revision available. lists qualified platforms and the following table lists compatible platforms for the Pulse Secure Desktop Clients for Windows, macOS and Linux.

Unless otherwise noted, a major and minor version number (for example, 10.9), means that all revisions (10.9.x) with that major/minor version are supported. When major, minor, and revision version number are specified (for example, 10.7.3), only that revision and later revisions of that major/minor version are supported. For example, 10.7.3 means that 10.7.3 through 10.7.x are supported, where x is the latest revision available.

Table 3 Pulse Secure Desktop Client Qualified Platforms

| Platform | Operating System | Web Browser |
|---|---|---|
| Windows | Windows 10 Version 2004 (OS build 10.0.19041.572) Enterprise, 32 and 64 bit | Microsoft Edge Browser 86.0.622.43 (64-Bit) Internet Explorer 11.388.19041.0 |
| | Windows 10 Version 1909 10.0.18363.535 | Chrome 84.0.4147.89 |
| | Windows 8.1 Enterprise, 64 bit | Firefox ESR 68.9.0esr |
| | Windows 2012 | Chromium-based Edge Browser 86.0.622.48 (Official build) (64-bit) |
| macOS | macOS Catalina 10.15.6 | Safari 13.x, and 12.x |
| | macOS 10.14, 64 bit | |
| | macOS 10.13, 64 bit | |
| Linux (earlier to 9.1R9) | Ubuntu 19.10, 64 bit | NA |
| | Ubuntu 18.04, 64 bit | |
| | Ubuntu 16.04.04, 64 bit and 32 bit | |
| | Debian 10, 64 bit | |
| | Debian 9.4, 64 bit and 32 bit | |
| | Cent OS 7.4, 64 bit | |
| | RHEL 7.4, 64 bit | |
| | Fedora 32, 64 bit | |
| | Fedora 30, 64 bit | |
| Note: The Linux Pulse Desktop Client is qualified in the above supported operating systems with the kernel that is installed by default during fresh installation. | | |
| Linux (Unified Client 9.1R9 onwards) | Ubuntu 20.04 LTS | NA |
| | Fedora 32 | |
| | Debian 10 | |
| | RHEL 8 | |
| | CentOS 8.1 | |

Table 4 Pulse Secure Desktop Client Compatible Platforms

| Platform | Operating System | Web Browser |
|---|---|--|
| Windows | Windows 10 Version 20H2 (OS Build 10.0.19042) Enterprise, 64 bit | Edge browser 86.0.622.48 (Official build) (64-bit) |
| | Windows 10 Version 20H2 (OS build 10.0.19042.572) Professional, 64 bit | Internet Explorer 11.264.19041.0 |
| | Windows 10 Version 1903 (OS build 10.0.18362.476) Professional, 64 bit | Google Chrome 78.0.3904.97 |
| | Windows 10 Version 1903 10.0.18362.449 | |
| | Windows 10 Redstone 5 Version 1809 (OS build 17763.437), Enterprise, 64 bit | |
| | Windows 10 Redstone 4 Version 1803 (OS build 17134.228) | |
| | Windows 10 Enterprise, 32 bit | |
| | Windows 10 non-Enterprise, 32 and 64 bit | |
| | Windows 10 Redstone | |
| | Windows 10 Enterprise, 32 and 64 bit | |
| | Windows 8.1 non-Enterprise, 32 and 64 bit | |
| | Windows 2019 | |
| | Windows 2016 | |
| macOS | BigSur 11.0.1 (20B29) | Safari 14.0.1 |
| | macOS 10.15.3, 64 bit | |
| | macOS 10.15.2, 64 bit | |
| Linux (earlier to 9.1R9) | Ubuntu 17.x, 64 bit | NA |
| | Ubuntu 16.x, 64 bit and 32 bit | |
| | Debian 9.x, 64 bit and 32 bit | |
| | Cent OS 7.x, 64 bit | |
| | RHEL 7.x, 64 bit | |
| Linux (Unified Client 9.1R9 onwards) | Ubuntu 18.04 LTS | NA |
| | Fedora 30 | |
| | Debian 10.X | |
| | RHEL 8.X | |
| | CentOS 8.X | |

Note: Google Chrome is compatible rather than qualified because of Google's policy to support a "rapid release cycle" rather than an Extended Support Release (ESR) model.

Note: To install Pulse9.1R8 or later clients on Pre Windows 10 platforms, it is a prerequisite to install the Microsoft update [KB2999226](#). For more information, refer [KB 44575](#).

Smart Card and Soft Token Compatibility

The smart cards are compatible on the following platforms (all 64-bit):

- Windows 10 Version 2004 Enterprise
- Windows 10 version 1909
- Windows 10 version 1903
- Windows 10 Enterprise
- Windows 8.1 Enterprise
- macOS 10.15, 64 bit
- macOS 10.14
- macOS 10.13
- Windows 10 Redstone
- Windows 10 Redstone2
- Windows 10 Redstone3
- Windows 10 Redstone4
- Windows 10 Redstone5

Table 5 Compatible Smart Cards

| Cards | Software Version |
|--------------------|--|
| Yubikey | Driver Version 10.0.18362.1 Note: Yubikey supports both Windows and macOS with below authentication modes under certificates: <ul style="list-style-type: none"> • Digital Signature • Card Authentication |
| Aladdin eToken | PKI client version 5.1 and drivers version of 5.1 |
| Safenet iKey 2032 | PKI client version 7.0.8.0022, driver version v4.0.0.20 |
| Gemalto .Net cards | Driver version 2.1.3.210 |

The following table lists compatible soft tokens.

Table 6 Compatible Soft Tokens

| Soft Tokens | Software Version |
|-------------|--------------------------------|
| RSA | Application version 5.0.0.292 |
| Server | RSA Authentication Manager 8.2 |
| Client | RSA SecurID Software Token |

Language Support

User-interface, message and online-help text in the Pulse Secure Desktop Clients for Windows and macOS have been localized in the following languages:

- DE – German
- EN – English
- ES – Spanish
- FR – French
- IT – Italian
- JA – Japanese
- KO – Korean
- PL – Polish
- ZH-CN – Chinese (Simplified)
- ZH – Chinese (Traditional)

For the Pulse Secure Desktop Client to use a language listed above, the corresponding locale must be set on the local operating system.

Adaptive Delivery

Pulse Secure clients (both Windows/macOS desktop clients, Host Checker, Windows Terminal Services, and Secure Meeting clients) feature “Adaptive Delivery”, which is a mechanism for installing and launching Pulse Secure clients from a web browser. The exact mechanism used for Adaptive Delivery depends on many factors, including:

1. The Pulse Secure client being launched/installed
2. The client operating system type and version
3. The web browser type and version
4. The security settings of the client operating system and browser

To leverage Adaptive Delivery for a client/OS/browser combination, you may need to enable the appropriate technology on the endpoint device. For example, to launch the Pulse Secure Desktop Client from Internet Explorer on Windows, you will need to ensure that ActiveX is enabled in Internet Explorer on the end user’s endpoint device.

Note: Pulse Connect Secure 8.2r1 and Pulse Policy Secure 5.3r1 introduced a new Adaptive Delivery mechanism called “Pulse Secure Application Launcher” (PSAL). PSAL leverages “URL handler” functionality by invoking a custom URL in a manner that instructs the web browser to execute a program that launches/installs the appropriate Pulse Secure client. PSAL was created to address both the restrictions placed on Java on macOS and the depreciation of Java (and ActiveX) plugins in Google Chrome version 45 and the Microsoft Edge browser. You can read more about the PSAL in Pulse Secure’s KB (Knowledge Base) article [KB40102](#).

The following shows the Adaptive Delivery mechanism for client/OS/browser combinations.

Table 7 Adaptive Delivery Mechanisms

| Operating System | Pulse Secure client | Web Browser | Pulse Secure Client Adaptive Delivery Mechanism |
|------------------|--|--|---|
| Windows | All Pulse Secure clients | Internet Explorer | ActiveX |
| Windows | All Pulse Secure clients | Firefox Google Chrome Edge Browser | Pulse Secure Application Launcher (PSAL) |
| macOS | Pulse Secure Desktop Client Host Checker (HC) | Safari | Pulse Secure Application Launcher (PSAL) |
| macOS | JSAM | Safari | Pulse Secure Application Launcher (PSAL) |

Notes:

1. PSAL support for Firefox was added in PCS 8.2r5 / PPS 5.3r5. Previous versions of the gateways attempted to invoke Java for Firefox.
2. Chrome is compatible rather than fully qualified on Windows.
3. Edge browser support for launching Pulse Secure Desktop Clients was introduced in PCS 8.2r1 & PPS 5.3r1. Edge browser support for other Pulse Secure gateway functions (admin console, other clients, etc.) was added in PCS 8.2r3 and PPS 5.3r3. For details about Pulse Secure gateway support for the Edge browser, please see the relevant Pulse Secure gateway documentation.
4. Chrome and Firefox on macOS are not supported (only Safari is supported on macOS), but PSAL will be invoked if an attempt is made to use either Chrome or Firefox on macOS for the Pulse Secure Desktop Client or Host Checker.

Access Methods

The Pulse Secure Desktop Client supports the following kinds of connections to Pulse Secure gateways:

- Layer 3 VPN connections to Pulse Connect Secure
- Layer 2 (802.1x) and Layer 3 connections to Pulse Policy Secure
- Per-application VPN tunneling to Pulse Connect Secure (Windows Secure Access Manager)

There are a vast number of possible combinations of connections and configurations. For example, both Layer 2 (wired and wireless) and Layer 3 connections can be configured either with or without enforcement (Host Checker enforcement of system health and policy compliance). Although an endpoint can have only one active VPN connection to Pulse Connect Secure, an endpoint can have multiple simultaneous Pulse Policy Secure connections with or without a VPN connection. Also, Pulse Policy Secure IPsec enforcement in Pulse Connect Secure (TLS) tunnels is supported.

The following table lists the configurations that are qualified and compatible. Any combination not mentioned in the table is not supported.

Table 8 Access Method Configurations

| Access Method Configuration | Description | Level of Support |
|--|---|------------------|
| Layer 3 IPsec tunnel inside VPN outer tunnel | Outer tunnel: TLS or ESP VPN tunnel to Pulse Connect Secure gateway Inner tunnel: Layer 3 IPsec tunnel authenticated through Pulse Policy Secure to ScreenOS or SRX firewall | Qualified |
| Layer 2 Pulse Policy Secure + Multiple Layer 3 Pulse Policy Secure | One Pulse Policy Secure Layer 2 connection running in parallel to multiple Pulse Policy Secure Layer 3 connections | Qualified |

The following table lists the supported nested tunnel (tunnel-in-tunnel) configurations. The configurations are for a Pulse Connect Secure v9.1 outer tunnel, a Pulse Policy Secure v9.1 inner tunnel, and the Pulse Secure Desktop Client v9.1.

Table 9 Tunnel in Tunnel Support

| Pulse Connect Secure (Outer Tunnel Config) | | | | Pulse Policy Secure (Inner Tunnel Support) | | | | |
|--|----------------------------|---------------------|--------------------------------|--|------------------------|---------------|-----------|-------------------|
| Split-Tunneling Mode | Route Precedence | Route Monitor | Traffic Enforcement | IPsec (with VA) | IPsec (without VA) | Dynamic IPsec | Source IP | Dynamic Source IP |
| Disabled | Tunnel Routes ¹ | Disabled | Disabled | Supported | Supported | Supported | Supported | Supported |
| Disabled | Tunnel Routes ¹ | Disabled | IPv4 Disabled and IPv6 Enabled | Supported | Supported | Supported | Supported | Supported |
| Disabled | Tunnel Routes ¹ | Disabled | IPv4 Enabled and IPv6 Disabled | Not Supported | Supported | Supported | Supported | Supported |
| Disabled | Tunnel Routes | Enabled | Enabled or Disabled | Not Supported | Supported | Supported | Supported | Supported |
| Enabled | Tunnel Routes ¹ | Disabled | Enabled or Disabled | Supported ² | Supported ³ | Supported | Supported | Supported |
| Enabled | Tunnel Routes ¹ | Enabled | Enabled or Disabled | Supported ² | Supported ³ | Supported | Supported | Supported |
| Enabled or Disabled | Endpoint routes | Enabled or Disabled | Enabled or Disabled | Supported ² | Supported ³ | Supported | Supported | Supported |

1: Tunnel Routes and Tunnel Routes with Local Subnet Access behave the same way.

2: Pulse Policy Secure IP address, IE IP address, and Pulse Policy Secure VA pool IP addresses should be added to the Pulse split-tunnelling network policy.

3: Pulse Policy Secure IP address, IE IP address, and protected resources should be added to a Pulse split-tunnelling network policy, and Pulse Connect Secure should have a route to the Pulse Policy Secure protected resource.

Note: Pulse WSAM does not inter-operate with Pulse Policy Secure.

Client Interoperability

Pulse Secure offers different clients and there are third parties that offer clients that attempt to manipulate traffic in a manner like that of the Pulse Secure clients. The tables below describe the consequences of having multiple clients on the same machine. Runtime Coexistence means that both products can be installed and running at the same time. Install Coexistence means that both products can be installed on the same machine at the same time; however, only one product can be active (running) at a time. describes Pulse Secure client interoperability.

Runtime Coexistence means that both products can be installed and running at the same time. Install Coexistence means that both products can be installed on the same machine at the same time; however, only one product can be active (running) at a time.

Table 10 Pulse Secure Client Interoperability

| Product | Version | Coexistence | Nested Tunnel Operation |
|---------------------|---------|-------------|-------------------------|
| Pulse Collaboration | Any | Runtime | Supported |

Technical Support

When you need additional information or assistance, you can contact "Pulse Secure Global Support Center (PSGSC):

- <https://www.pulsesecure.net/support>
- support@pulsesecure.net

Call us at 1- 844-751-7629 (toll-free USA)

For more technical support resources, browse the support website <https://www.pulsesecure.net/support>.